

Asian Paints Limited
 Asian Paints House
 6A, Shantinagar
 Santacruz (E)
 Mumbai 400 055
 T : (022) 6218 1000
 F : (022) 6218 1111
www.asianpaints.com

APL/ROH/EC/24-25/H1

25th November 2024

To,

The Joint Director
 Ministry of Environment & Forests (IA Division)
 Paryavaran Bhawan, CGO Complex, Lodhi Road
 NEW DELHI – 110 003

Dear Sir,

Subject: Environmental clearance for Asian Paints Limited, Rohtak- Half Yearly Compliance Report.

Reference: Letter no. J-11011/1158/2007-IA-II (I) dated 9th April 2008

Please find herewith the enclosed Environment compliance status with respect to the Environmental Clearance given to Asian Paints Limited, Rohtak for the period of 1st April 2024 to 30th September 2024.

Thanking you,

Yours Sincerely,

FOR ASIAN PAINTS LTD.

CC:

- i) The Director
 Ministry of Environment & Forests
 Regional Office (NEZ), Bays No. 24-25, Sector 31-A,
 Dakshim Marg,
 CHANDIGARH – 160 022
- ii) The Member Secretary
 HSPCB, Sector-6, C-11, Panchkula, Haryana
- iii) The Regional Officer, HSPCB Rohtak Region



29/11/2024
RECEIVED
HSPCB
Asst. Clerk
Haryana State Pollution Control Board
ROHTAK

Enclosure: Environmental Clearance conditions compliance status for the period from 1st Apr' 2024 to 30th Sep' 2024 with Annexure (1 to 8) and compliance with Single use plastic.



STATUS OF COMPLIANCE

Descriptive Report on status of compliance to conditions of Environment Clearance (EC)

Project : ASIAN PAINTS LTD.


Project Activity : Integrated Paint Manufacturing

Location : Plot No. 1, Sector 30-B, HSIIDC Industrial Estate, IMT Rohtak, State-Haryana.

EC Reference : J-11011/1158/2007-IA-II(I), dated 9th April, 2008 (*Annexure - A*)

Period : 1st April, 2024 to 30th September, 2024


S. No.	EC Conditions	Compliance Status
(A) SPECIFIC CONDITIONS		
i)	The project authorities shall ensure periodical monitoring of the solvents like Xylene and Toluene. No Benzene shall be used in the process.	Complied. No benzene, toluene, or xylene is used in the process. Water-based paint is being produced at this unit. However, periodic solvent monitoring is carried out on a regular basis. Monitoring reports of last six months (April, 2023 to September, 2024) is attached as Annexure-1 .
ii)	The project authorities shall provide vents with condensers to control solvent emissions and recover the same. The recovery of the solvents shall not be less than 98%.	Complied and Noted. This unit is not producing solvent-based paints as of now. Currently it produces water-based paints. We have installed vent condensers and PVRV in the monomer and solvent tanks. Currently, unit shall strictly follow the condition and adhere to recover solvents more than 98%.
iii)	The gaseous emissions (SO ₂ , NO _x , HCl, Toluene, Xylene, Butane) and particulate matters from various process units shall conform to the standards prescribed by the concerned authorities from time to time and	Complied. The Gaseous Emissions from the various processes are monitored at regular intervals. We have provided adequate pollution control systems to process vessels for controlling gaseous emissions. Ambient Air Monitoring is carried out by third-party monitoring. It is done through M/s. Haryana Test House & Consultancy service, a NABL accredited laboratory.

S. No.	EC Conditions	Compliance Status																												
	<p>monitoring report shall be submitted to the Ministry's Regional Office, CPCB and Haryana PCB. At no time, the emission levels shall go beyond the stipulated standards. In the event of failure of pollution control system(s) adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency.</p>	<p>Stack emission results for the period of April, 2024 to September, 2024 are as follow.</p> <table border="1"> <thead> <tr> <th rowspan="3">Flue Stack attached to</th> <th rowspan="3">Range</th> <th colspan="2">Parameters monitored as per SPCB Norms</th> </tr> <tr> <th>SPM</th> <th>80 mg/Nm³</th> </tr> <tr> <th>Maximum</th> <th>27.12</th> </tr> </thead> <tbody> <tr> <td rowspan="3">Boilers</td> <td>Minimum</td> <td>14.93</td> </tr> <tr> <td>Average</td> <td>21.09</td> </tr> <tr> <td rowspan="3">DG Sets</td> <td>Maximum</td> <td>40.53</td> </tr> <tr> <td>Minimum</td> <td>29.27</td> </tr> <tr> <td>Average</td> <td>34.77</td> </tr> <tr> <td rowspan="3">GG Sets (Gas Generators)</td> <td>Maximum</td> <td>28.89</td> </tr> <tr> <td>Minimum</td> <td>15.49</td> </tr> <tr> <td>Average</td> <td>21.14</td> </tr> </tbody> </table>		Flue Stack attached to	Range	Parameters monitored as per SPCB Norms		SPM	80 mg/Nm ³	Maximum	27.12	Boilers	Minimum	14.93	Average	21.09	DG Sets	Maximum	40.53	Minimum	29.27	Average	34.77	GG Sets (Gas Generators)	Maximum	28.89	Minimum	15.49	Average	21.14
Flue Stack attached to	Range	Parameters monitored as per SPCB Norms																												
		SPM	80 mg/Nm ³																											
		Maximum	27.12																											
Boilers	Minimum	14.93																												
	Average	21.09																												
	DG Sets	Maximum	40.53																											
Minimum		29.27																												
Average		34.77																												
GG Sets (Gas Generators)	Maximum	28.89																												
	Minimum	15.49																												
	Average	21.14																												
		<p>Stack Monitoring reports for last six months (April, 2024 to September, 2024) are attached as Annexure-2.</p>																												
iv)	<p>Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits imposed by Haryana PCB. For control of fugitive emission and VOCs following steps shall be followed:</p> <ul style="list-style-type: none"> A. Closed handling system is provided for chemicals. B. Reflux condenser is provided over reducer. C. All the rotating equipment like pumps are installed with Mechanical Seals to arrest any sort of emissions. D. Condensers are provided for the storage tanks of highly volatile chemicals. Venting through trap receiver and condenser operated on chilled water cannot be practical provided for all storage tanks. 	<p>Complied.</p> <p>Fugitive Emissions in the work zone environment, product, raw materials storage area etc. has been monitored regularly. Following steps are being followed on regular basis to control fugitive emission and VOC.</p> <p>A. Closed handling system is provided for chemicals.</p> <p>B. Reflux condenser is provided over reducer.</p> <p>C. All the rotating equipment like pumps are installed with Mechanical Seals to arrest any sort of emissions.</p> <p>D. Condensers are provided for the storage tanks of highly volatile chemicals. Venting through trap receiver and condenser operated on chilled water cannot be practical provided for all storage tanks.</p> 																												

N

S. No.	EC Conditions	Compliance Status
	<p>to prevent leakages.</p> <p>D. System of leak detection and repair of pump/pipeline based on preventive maintenance.</p> <p>E. Chemicals shall be taken to reactors through closed pipeline. Storage tanks shall be vented through trap receiver and condenser operated on chilled water.</p>	
v)	<p>During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixing of accidental spillages with domestic waste and storm drains.</p>	<p>Compiled.</p> <p>Garland drains are constructed at all tanker unloading areas which are connected to trade effluent pits.</p> 

N✓

S. No.	EC Conditions	Compliance Status																																																							
vi)	<p>The project authorities shall install acoustic enclosures to the DG Sets for noise control and the stack heights of DG Sets and thermic fluid heaters shall be as per the guideline of CPCB.</p>	<p>Complied.</p> <p>For DG sets, the stack height 30_m conforms with the extant regulations and the CPCB guidelines. Acoustic enclosure is provided to DG set for controlling the noise pollution.</p>  <p>The unit uses GG (gas generator) primarily post power failure, and DGs retrofitted with ECDs(emission control devices) are used in case of inadequacy/breakdown of GGs.</p>																																																							
vii)	<p>Total water requirement shall not exceed 1312 m³/d. A full-fledged treatment plant shall be installed for treatment of the wastewater to achieve the standards prescribed by the State Pollution Control Board. The treated wastewater shall be reused and zero discharge condition shall be maintained.</p>	<p>Complied.</p> <p>Total fresh water requirement is not more than 1312 m³/day met from HSIIDC water supply. Actual water consumption detail for the period of April, 2024 to September, 2024 is as below.</p> <table border="1"> <thead> <tr> <th>Fresh water requirement as per EC</th> <th>Month</th> <th>Actual Water Consumption per month (in m³)</th> <th>Working Days in month</th> <th>Average Water Consumption per day (m³)</th> </tr> </thead> <tbody> <tr> <td rowspan="6">1312 m³/day</td><td>Apr'24</td><td>26900</td><td>26</td><td>1034.6154</td></tr> <tr> <td>May'24</td><td>26117</td><td>26</td><td>1004.5</td></tr> <tr> <td>June'24</td><td>24897</td><td>25</td><td>995.88</td></tr> <tr> <td>July'24</td><td>22742</td><td>27</td><td>842.2963</td></tr> <tr> <td>Aug'24</td><td>22226</td><td>25</td><td>889.04</td></tr> <tr> <td>Sep'24</td><td>21507</td><td>25</td><td>860.28</td></tr> <tr> <td colspan="2">Total</td><td>144389.00</td><td>154.00</td><td>953.27</td></tr> <tr> <td colspan="2">Average</td><td>24064.83</td><td>25.67</td><td>937.77</td></tr> <tr> <td colspan="2">Minimum</td><td>21507.00</td><td>25.00</td><td>842.30</td></tr> <tr> <td colspan="2">Maximum</td><td colspan="2">26900</td><td>1034.62</td></tr> <tr> <td colspan="2">Conclusion</td><td colspan="2">Water Consumption is not exceeding 1312 m³/day</td><td>.</td></tr> </tbody> </table>	Fresh water requirement as per EC	Month	Actual Water Consumption per month (in m ³)	Working Days in month	Average Water Consumption per day (m ³)	1312 m ³ /day	Apr'24	26900	26	1034.6154	May'24	26117	26	1004.5	June'24	24897	25	995.88	July'24	22742	27	842.2963	Aug'24	22226	25	889.04	Sep'24	21507	25	860.28	Total		144389.00	154.00	953.27	Average		24064.83	25.67	937.77	Minimum		21507.00	25.00	842.30	Maximum		26900		1034.62	Conclusion		Water Consumption is not exceeding 1312 m ³ /day		.
Fresh water requirement as per EC	Month	Actual Water Consumption per month (in m ³)	Working Days in month	Average Water Consumption per day (m ³)																																																					
1312 m ³ /day	Apr'24	26900	26	1034.6154																																																					
	May'24	26117	26	1004.5																																																					
	June'24	24897	25	995.88																																																					
	July'24	22742	27	842.2963																																																					
	Aug'24	22226	25	889.04																																																					
	Sep'24	21507	25	860.28																																																					
Total		144389.00	154.00	953.27																																																					
Average		24064.83	25.67	937.77																																																					
Minimum		21507.00	25.00	842.30																																																					
Maximum		26900		1034.62																																																					
Conclusion		Water Consumption is not exceeding 1312 m ³ /day		.																																																					

N

S. No.	EC Conditions	Compliance Status																										
	Few Images of ETP Area:																											
  																												
viii)	<p>Hazardous waste (996 MT/annum) and Non-hazardous waste (2130 MT/annum) shall be generated from the proposed project. Incinerable hazardous waste will be incinerated and incineration ash and other hazardous waste shall be disposed in TSDF. Non-hazardous solid waste shall be sold and recycled/incinerated. Used/spent oil from power generator sets shall be separately collected and sold to authorized oil recyclers.</p>	<p>Complied.</p> <p>Actual generation of Hazardous and non-hazardous waste for the period of April, 2024 to September, 2024 is as below.</p> <table border="1"> <thead> <tr> <th rowspan="2">Month</th><th>Hazardous Waste Generation Qty.</th><th>Non-hazardous waste Generation Qty.</th></tr> <tr> <th>(MT)</th><th>(MT)</th></tr> </thead> <tbody> <tr> <td>Apr'24</td><td>5.6699</td><td>82.1</td></tr> <tr> <td>May'24</td><td>12.67</td><td>112.4</td></tr> <tr> <td>June'24</td><td>10.3713</td><td>115.0</td></tr> <tr> <td>July'24</td><td>9.254</td><td>91.0</td></tr> <tr> <td>Aug'24</td><td>8.505</td><td>313.1</td></tr> <tr> <td>Sep'24</td><td>10.13</td><td>275.8</td></tr> <tr> <td>TOTAL</td><td>56.6002</td><td>989.4</td></tr> </tbody> </table> <p>Unit has membership of active TSDF site namely Gujarat Enviro Protection & Infrastructure (Haryana) Pvt. Ltd. (GEPIL), Faridabad for dispose of hazardous waste. Non-hazardous waste is sold to scrap vendors and authorized recyclers. Used/Spent oil is collected separately and sold to authorized oil recyclers.</p>	Month	Hazardous Waste Generation Qty.	Non-hazardous waste Generation Qty.	(MT)	(MT)	Apr'24	5.6699	82.1	May'24	12.67	112.4	June'24	10.3713	115.0	July'24	9.254	91.0	Aug'24	8.505	313.1	Sep'24	10.13	275.8	TOTAL	56.6002	989.4
Month	Hazardous Waste Generation Qty.	Non-hazardous waste Generation Qty.																										
	(MT)	(MT)																										
Apr'24	5.6699	82.1																										
May'24	12.67	112.4																										
June'24	10.3713	115.0																										
July'24	9.254	91.0																										
Aug'24	8.505	313.1																										
Sep'24	10.13	275.8																										
TOTAL	56.6002	989.4																										



S. No.	EC Conditions	Compliance Status
	and sold to authorized oil recycles.	Used/Spent oil is collected separately and sold to authorized oil recyclers.
ix)	The project authorities shall store ETP sludge in leachate proof storage facility at site and shall be disposed of to TSDF. The company shall obtain membership of TSDF and copy of the same shall be submitted to the Ministry.	Complied. Leachate proof storage facility is provided for store of ETP sludge. 
		ETP sludge is disposed to active TSDF site namely Gujarat Enviro Protection & Infrastructure (Haryana) Pvt. Ltd. (GEPIL), Faridabad. Membership Certificate of TSDF site is attached as Annexure-3 .
x)	The project authorities shall obtain necessary commitment from IMT and HSIDC authorities for supply of requisite water within three months. The copy of the same shall be submitted to Ministry's Regional Office at Chandigarh.	Complied. Unit has obtained permission letter from IMT and HSIDC authorities for supply of requisite water i.e. 1312 m ³ /day and copy of the same is attached as Annexure-4 .
xi)	The company shall develop 33% of the total area as green belt as per the CPCB guidelines to mitigate the effect of fugitive emissions.	Complied. Unit has well developed greenbelt with 35% of total plot area. The existing total area of the plot is 129.27 Acres out of which approx. 45.14 acres i.e. 182666.44 m ² area is already developed as green belt. 

W

S. No.	EC Conditions	Compliance Status
xii)	The project authorities shall earmark adequate funds to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.	<p>Complied.</p> <p>Adequate fund has been allotted as expenditure on Environmental matters.</p>
xiii)	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	<p>Complied.</p> <p>The Medical surveillance all of the Workers is being carried out every six month & records are being maintained also.</p> <p>The copy of Medical health check up acknowledgement letter is attached as Annexure-5 for reference.</p>

(B) GENERAL CONDITIONS


(i)	The project authorities shall strictly adhere to the stipulations made by the state government, State Pollution Control Board and any other statutory body.	<p>Being Complied.</p> <p>Unit is adhering to requirements laid down by the state government and Haryana State Pollution Control Board from time to time.</p>
(ii)	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of	Noted and complied.



S. No.	EC Conditions	Compliance Status
	Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	
(iii)	At no time, the emissions shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.	<p>Complied.</p> <p>The unit has not faced any Emergency condition due to the failure of Pollution Control Devices during the period April 2024 to September, 2024. In no case, emission will go beyond the prescribed standards.</p>
(iv)	Levels of HC and VOC at various probable locations in the ambient air will be monitored. Regular monitoring of HC and VOC may be carried out in the ambient air in and around the plant.	Complied.
(v)	The locations of ambient air quality monitoring stations shall be reviewed in consultation with the State Pollution Control Board	<p>Complied.</p> <p>There are four areas throughout the plant where ambient air quality is being monitored, and this is done on a regular basis. Ambient Air Monitoring is carried out by third-party monitoring agency, M/s. Haryana Test House & Consulting Services. It is a NABL accredited laboratory & SPCB Approved Environmental Auditors. The parameters are</p>



S. No.	EC Conditions	Compliance Status																																															
	(SPCB) and additional stations shall be installed, if required, in the downwind direction as well as where maximum ground level concentrations are anticipated.	within the prescribed limits of SPCB & analysis results are being submitted to SPCB. Analysis Report of Ambient Air Quality is attached as Annexure-6. Analysis results summary of this 6-month period (April, 2024 to September, 2024) are given below:																																															
		<table border="1"> <thead> <tr> <th rowspan="3">Sampling Location</th> <th rowspan="3">Range</th> <th colspan="4">Pollutant Concentration</th> </tr> <tr> <th colspan="4">(All units are in $\mu\text{g}/\text{m}^3$)</th> </tr> <tr> <th>PM₁₀</th> <th>PM_{2.5}</th> <th>SO₂</th> <th>NO_x</th> </tr> </thead> <tbody> <tr> <td align="center" colspan="2">(24 Hours)</td><td align="center">100</td><td align="center">60</td><td align="center">80</td><td align="center">80</td></tr> <tr> <td>Gate-1</td><td>Average</td><td>87.31</td><td>46.5</td><td>19.94</td><td>78.48</td></tr> <tr> <td>ETP</td><td>Average</td><td>84.27</td><td>46.62</td><td>35.48</td><td>62.22</td></tr> <tr> <td>Gate-2</td><td>Average</td><td>89.68</td><td>48.7</td><td>19.57</td><td>38.05</td></tr> <tr> <td>Gate-3</td><td>Average</td><td>87.3</td><td>46.42</td><td>18.92</td><td>37.96</td></tr> </tbody> </table>				Sampling Location	Range	Pollutant Concentration				(All units are in $\mu\text{g}/\text{m}^3$)				PM ₁₀	PM _{2.5}	SO ₂	NO _x	(24 Hours)		100	60	80	80	Gate-1	Average	87.31	46.5	19.94	78.48	ETP	Average	84.27	46.62	35.48	62.22	Gate-2	Average	89.68	48.7	19.57	38.05	Gate-3	Average	87.3	46.42	18.92	37.96
Sampling Location	Range	Pollutant Concentration																																															
		(All units are in $\mu\text{g}/\text{m}^3$)																																															
		PM ₁₀	PM _{2.5}	SO ₂	NO _x																																												
(24 Hours)		100	60	80	80																																												
Gate-1	Average	87.31	46.5	19.94	78.48																																												
ETP	Average	84.27	46.62	35.48	62.22																																												
Gate-2	Average	89.68	48.7	19.57	38.05																																												
Gate-3	Average	87.3	46.42	18.92	37.96																																												
		Ambient Air Quality Monitoring Stations are set up in the downwind direction in consultation with SPCB.																																															
(vi)	Dedicated scrubbers and stacks of appropriate height as per the Central Pollution Control Board guidelines shall be provided to control the emissions from various vents. The scrubbed water shall be sent to ETP for further treatment.	<p>Complied.</p> <p>Unit has installed adequate pollution control measures to process vents for control of gaseous emission to atmosphere.</p>																																															
(vii)	All the storage tanks shall be under negative pressure to avoid any leakages. Breather valves, N ₂ blanketing and	<p>Complied.</p> <p>Liquid raw materials are stored in storage tanks and barrels. The storage tanks are manufactured using the MSDS of the material to be stored in it to avoid any reaction leading to deterioration and leakage from the tank.</p>																																															

S. No.	EC Conditions	Compliance Status
	<p>secondary condensers with brine chilling system shall be provided for all the storage tanks to minimize vapour losses. All liquid raw material shall be stored in storage Tanks and Drums.</p>	<p>The storage tanks are under negative pressure and are provided with PVRV (Pressure vacuum relief valve). Chilling system, secondary condensers and vent condensers are provided as per the raw material storage requirement.</p> 
(viii)	<p>The company shall undertake following Waste Minimization measures.</p> <ul style="list-style-type: none"> ➤ Metering and control of quantities of active ingredients to minimize waste. ➤ Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. ➤ Use of automated filling to minimize spillage. ➤ Use of "Closed Feed" system into batch reactors. ➤ Venting equipment through vapour recovery system. ➤ Use of high pressure hoses for equipment cleaning to reduce 	<p>Complied.</p> <ul style="list-style-type: none"> ➤ Raw ingredients are being added in closed loop manner and is metered for controlled addition in the equipment. ➤ Reactors'/Mixers' washing are being collected & reused back in products. ➤ Automated filling system is provided. ➤ All liquid raw materials are charged from storage tank to process vessels in a closed system. ➤ Vapour recovery system is provided for required processing equipment. ➤ High pressure hoses of pressure 100 bar & more are being used for equipment cleaning.

M

S. No.	EC Conditions	Compliance Status
	wastewater generation.	
(ix)	The project authorities shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 as amended in October, 1994 and January, 2000 and Hazardous Waste (Management and Handling) Rules, 1989, as amended from time to time. Authorization from the SPCB shall be obtained for collection, treatment, storage, and disposal of hazardous wastes.	<p>Complied.</p> <p>Unit is complying all the rules and guidelines under Manufacture, Storage, and Import of Hazardous Chemicals Rules, 1989 as amended in October, 1994 and January, 2000 and Hazardous Waste (Management and Handling) Rules, 1989, as amended from time to time.</p> <p>Unit is regularly getting hazardous waste management authorization. The latest authorization received from SPCB vides letter reference No. <u>HWM/ROH/2023/5743639</u> dated 26/02/2023 is valid till 30/09/2027. Copy of the same is attached as Annexure-7.</p>
(x)	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	<p>Complied.</p> <p>Adequate care has been taken in design itself to minimize the noise level. Acoustic enclosures are provided with noise generating equipment to reduce the noise level. In addition to this a canopy of trees in form of green belt has been developed. Noise levels have always been maintained below 75 dBA (day time) and 70 dBA (night time).</p> <p>Test reports of Noise monitoring are attached as Annexure-8.</p>

S. No.	EC Conditions	Compliance Status
(xi)	The company shall develop rain water harvesting structures to harvest the run-off water for recharge of ground water.	<p>Complied.</p> <p>Rain water harvesting system is developed with a harvesting capacity of 8120 KL.</p> 
(xii)	<p>The company shall undertake eco developmental measures including community welfare measures in the project area for the overall improvement of the environment. The eco-development plan should be submitted to the SPCB within three months of receipt of this letter for approval.</p>	<p>Complied. The unit has developed an Eco-development plan in consultation with the local PCB. In this plan, company has been focusing on two themes for community welfare, i.e., Health & Hygiene and Water conservation.</p> <p>Unit has taken up multiple developmental projects under this plan in the 10 km radius of plant. In the current financial year, Unit has been working on:</p> <ul style="list-style-type: none"> ➢ 7620-meter-long Canal lining work taken up in Nonand, Chuliana & Kharawar village Rohtak. Canal lining work helps in reducing water losses during irrigation process and enhances the livelihood of local farmers. In the past 5 years, unit has developed ~9 km of lined water supply channels.  <ul style="list-style-type: none"> ➢ Unit has also invested in maintenance of ~3200 trees, this year. These trees were planted in 2022-23. ➢ Unit has invested in MMU (Mobile Medical unit) in 12 local villages, which caters to the poor and elderly. ➢ Unit has been investing in 'SAFAR' projects which caters to the truck drivers of local truckers' union. It provides preliminary health services to the truckers. ➢ This unit has also been investing in Project 'Tarangini' which aims to improve anemia levels in women and adolescent girls through Nutrition and awareness.
(xiii)	The project proponent shall also comply with all the environmental protection measures	<p>Noted and Complied.</p>



S. No.	EC Conditions	Compliance Status
	and safeguards proposed in the EIA/EMP report.	
(xiv)	A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	<p>Complied.</p> <p>Environment Management Cell is functioning since the inception of the project and a well-equipped laboratory has been set up with modern instruments, for management and monitoring of environmental parameters.</p>
(xv)	The implementation of the project vis-a-vis environmental action plans shall be monitored by the concerned Regional Office of the Ministry/SPCB/CPCB. A six monthly compliance status report shall be submitted to monitoring agencies and shall be posted on the website of the Company.	<p>Complied.</p> <p>Six Monthly compliance reports are being submitted to MoEF & CC and are also uploaded on company's website regularly.</p>
(xvi)	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry at http://envfor.nic.in . This shall be advertised within	<p>Complied.</p> <p>Information has been published in the local newspaper "Haribhoomi" (Rohtak edition) and English newspaper "The Times of India" on dated 16th April, 2008. The copies of the same were forwarded to Regional Office Ministry of Environment & Forests.</p>



S. No.	EC Conditions	Compliance Status
	<p>seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.</p>	<p style="text-align: right;">TIMES GLOBAL 15</p>
(xvii)	<p>The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.</p> <p><i>[Handwritten signature]</i></p>	<p>Noted.</p>

Annexure – A: Copy of Environment Clearance

Annexure – 1: Organic Solvents Monitoring Reports

Annexure – 2: Stack Monitoring Reports

Annexure – 3: Membership Certificate of TSDF site

Annexure – 4: Conveyance deed with HSIIDC containing water supply details

Annexure – 5: Medical health check up acknowledgement letter

Annexure – 6: Ambient Air Quality monitoring reports

**Annexure – 7: Hazardous Waste Authorization copy issued by Haryana State
Pollution Control Board (HSPCB)**

Annexure – 8: Noise Monitoring Reports

A handwritten mark consisting of a stylized 'W' shape followed by a checkmark.

Annexure -1

July-24

Wipro Quality Air Quality Monitoring System & Reporting

Organic Solvent-TWA

MR ASIAN PAINTS LIMITED

P.O. No.-87, 1317, Kheri Sada,
Rohruk (Haryana) - 24001, India.



— ENVIRO-INTERNATIONAL —

Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E) S. No. 32 N.A.B.U. TC-6645, U.P.P.C.B. H-01600/CL/99



TEST REPORT

ISSUED TO:		SUBJECT: ORGANIC SOLVENT AREA SAMPLING-TWA	
MAASAN PAINTS LIMITED Plot No.—81, JST, Kheri Sadar, Agra-282001, Uttar Pradesh, India		METHODS : Based on NIOSH, OSHA INSTRUMENTS: Flame Ionization, FT, GC, UV etc.	
Sample Particle : ORGANIC SOLVENT Sample Reference: EL/ API-BUT/24/TW-00		Sample Collection Date: 25/07/24 Sample Reporting Date: 31/07/24	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NEOSH	WTB-CRASHED FLOOR-OLD BLOCK
Sampling Code:			W2-90
Actual Air Volume:			480 Minutes
Ambient Temperature:	°K		Normal
Ammonia	mg/m³	<10	ND
n-Butyl acetate	mg/m³	<70	ND
Ethyl acetate	mg/m³	<140	ND
Methyl Isobutyl Ketone (MIBK)	mg/m³	<200	ND
Ethylene Oxide	mg/m³	<0.14	ND
Ketone	mg/m³	<135	ND
Phthalic Anhydride	mg/m³	<0.1	ND
Toluene	mg/m³	<375	ND
2-Ethylhexanol Acid (2-EHA)	mg/m³	<40	ND
Butanol	mg/m³	<470	ND
Butyl Cellosolve	mg/m³	<145	ND
Ethyl Cellosolve Acetate	mg/m³	<125	ND
Nitrobenzene/Pyrene (Py/PyO)	mg/m³	<50	ND
Styrene	mg/m³	<15	ND
Methanol	mg/m³	<200	ND
Cyclohexane	mg/m³	<200	ND
Toluene diisopropenate (TDI)	mg/m³	—	NDL
Methyl Methacrylate	mg/m³	<0.142	NDL
Lead	mg/m³	<0.15	NDL
Chromium Metal & Unstable Compound	mg/m³	<1	NDL
Benzene	mg/m³	<1.5	NDL

N.B.: A. Methods Based on NIOSH, OSHA & OJCS.
Sampling Done By Mr. Shubh Singh & Mr. Purneshwar Singh.

B. Standard as per Food Act 1940. C. DOL, H-01600 (pphm).

Calibration
R.P. Measured



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.





ENVIRO-INTERNATIONAL



Lab Registered Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette No. 112/2013 S.D. 3744 (E), S. No. 32, H.A.B.L. TC-5415, Q.P.C.B. H-61600CL-93

TEST REPORT

ISSUED TO: M/s ASLAN PAINTS LIMITED Plot No. - 01, BMT, Kheri Sadak, Rohtak (Haryana) - 124001 India.	SUBJECT : ORGANIC SOLVENT AREA SANCTIONED-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handi Sampler, CT, GC, UV etc.		
Sample Details :- ORGANIC SOLVENT Sample Reference: EII/APL-B/07/14/WV-01	Sample Collection Date: 25/07/2014 Sample Reporting Date: 31/07/2014		
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS KIOSH	WFB- GROUND FLOOR-NEW BLOCK
Sampling Date	-	-	W2-91
Sampling Duration	-	-	480 MINUTES
Weather	-	-	Normal
Ambient Temperature	°C	-	30.3
Amonia	mg/m³	<0.8	0.7
n-Butyl acetate	mg/m³	<710	23
Ethyl acetate	mg/m³	<100	43
Methyl Isobutyl ketone (MIBK)	mg/m³	<205	NDL
Ethylene Oxide	mg/m³	<134	NDL
Xylo	mg/m³	<14	NDL
Phthalic Anhydride	mg/m³	<91	NDL
Toluene	mg/m³	<375	59
2-Ethylhexane and (2-EHA)	mg/m³	<374	27
Butanol	mg/m³	<151	NDL
Butyl Cellosolve	mg/m³	<123	NDL
Ethyl Cellosolve Acetate	mg/m³	<38	0.4
Mineral Turpentine Oil (MTO)	mg/m³	<68	NDL
Styrene	mg/m³	<215	NDL
Methanol	mg/m³	<260	NDL
Cyclohexanol	mg/m³	-	NDL
Toluene diisocyanate (TDI)	mg/m³	<142	NDL
Methyl Methacrylate	mg/m³	<419	NDL
Lanolin	mg/m³	<213	NDL
Chromium Metal & Immobile Compounds	mg/m³	<0.1	NDL
Benzene	mg/m³	<1.1	NDL

N.B.: A. Methods based on NIOSH, OSHA & CPCB.
B. Standard as per Fact Act 1948.
Sampling Done By Mr. Shiva Singh & Mr. Punjab Singh.

C. MLL > 0.05 mg/m³

Chennai
R.P. Mukund



N.B:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



CLAC
CLAC



— ENVIRO-INTERNATIONAL —

Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3724 (E), S. No. 32, 24 A.B.L.T.C. 6345, W.P.R.C. B. J. 4-16/MLC/2020



TEST REPORT

ISSUED TO:		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA	
MR ASIAN PAINTS LIMITED		METHODS : Based on NIOSH, OSHA &	
Plot No. - 91, INT, Kheri Saka, Donthi, Mumbai - 400011 India.		INSTRUMENTS: Handi Sampler, FT/ GC, UV etc.	
Sample Details : ORGANIC SOLVENT		Sample Collection Date : 25/07/24	
Sample Reference: ENVIRO-INTERNATIONAL/24/07/24		Sample Reporting Date : 31/07/24	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NUCLE	WPC-LT FLOOR OLD BLOCK
Sampling Code	—	—	9/2 - 92
Sampling Duration	—	—	180 Minutes
Weather	—	—	Normal
Ambient Temperature	°K	—	30.9
Ammonia	mg/m³	<15	0.9
n-Butyl acetate	mg/m³	<710	—
Ethyl acetate	mg/m³	<1400	—
Methyl Isobutyl ketone (MIBK)	mg/m³	<100	—
Ethylene Glycol	mg/m³	<152	BDL
Xylene	mg/m³	<184	BDL
Phthalic Anhydride	mg/m³	<435	—
Toluene	mg/m³	<91	BDL
2-Ethylhexyl Ester (2-EHE)	mg/m³	<375	—
Pentanol	mg/m³	<76	—
Diethyl Carbonate	mg/m³	<152	—
Ethyl Cellulose Acetate	mg/m³	<35	—
Mineral Turpentine Oil (MTO)	mg/m³	<540	—
Allylone	mg/m³	<15	BDL
Methanol	mg/m³	<60	BDL
Cyclohexane	mg/m³	—	BDL
Toluene Diisocyanate (TDI)	mg/m³	<142	BDL
Methyl Methacrylate	mg/m³	<410	BDL
Isopropyl	mg/m³	<15	BDL
Chromic Acid & Insoluble Compound	mg/m³	<01	BDL
Benzene	mg/m³	<1.5	BDL

N.B.: A. Methods Rimesed on NIOSH, OSHA & CPCB.
Sampling Done By Mr. Sanjay Singh & Mr. Pushkarom Singh.

Checked

R.P. Mehta



- N.B.:-
- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
 - The Result indicated only refer to the tested samples.
 - The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



CLAC



— ENVIRO-INTERNATIONAL —

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-01600/CL/89



TEST REPORT

ISSUED TO :		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA	
M/s ASIAN PAINTS LIMITED Plot No. -B1, INT, Kheri Sadh, Kohuk (Haryana) - 24001 India.		METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/24/WZ-93		Sample Collection Date: 25/07/24 Sample Reporting Date: 31/07/24	
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	WPH- 1st FLOOR NEW BLOCK
ANALYSIS REPORT			
Sampling Code	--	--	WZ - 93
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	303
Ammonia	mg/m³	<18	08
α-Butyl acetate	mg/m³	<710	19
Ethyl acetate	mg/m³	<1400	66
Methyl isobutyl ketone (MIBK)	mg/m³	<205	BDL
Ethylene Oxide	mg/m³	<0.154	BDL
Xylene	mg/m³	<435	43
Phthalic Anhydride	mg/m³	<81	BDL
Toluene	mg/m³	<375	25
2 - Ethylhexanoic acid (2-EHA)	mg/m³	<376	39
Butanol	mg/m³	<152	13
Butyl Cellosolve	mg/m³	<123	10
Ethyl Cellosolve Acetate	mg/m³	<55	08
Mineral Turpentine Oil (MTO)	mg/m³	<560	81
Styrene	mg/m³	<215	BDL
Methanol	mg/m³	<260	BDL
Cyclohexanol	mg/m³	--	BDL
Toluene diisocyanate (TDI)	mg/m³	<0.142	BDL
Methyl Methacrylate	mg/m³	<410	BDL
Lead	mg/m³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m³	<01	BDL
Benzene	mg/m³	<1.5	BDL

N.B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL > <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked
R.P. Malhotra

Enviro Lab-In-Charge
Dr. Vipul Kumar
Greater Noida



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



— ENVIRO-INTERNATIONAL —



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744(E), S. No. 12, H.A.B.I., T.C.-6545, U.P.P.C.B. H-01600123, 29

TEST REPORT

ISSUED TO:

M/S ASIAN PAINTS LIMITED

Plot No. - 01, JMT, Alber Sach

Rukhali H-Block, 1341120610

Sample Details : ORGANIC SOLVENT

Sample Reference ETL/APL-R07/RANV/01

SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA

METHOD : Based on USEPA OSHA

INSTRUMENTS: Handi Sampler, CT, CC, UV etc.

Sample Collected Date: 26/07/24

Sample Reporting Date: 31/07/24

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/DOORS NOOSH	WFO: 1st FLOOR GND BLOCK
Sampling Site	-	-	WFO - 94
Sampling Duration	-	-	490 Minutes
Weather	-	-	Normal
Ambient Temperature	°C	-	30.3
AMMONIA	mg/m³	<1.5	BDL
1-Butyl acetate	mg/m³	<700	62
Ethyl acetate	mg/m³	<100	90
Methyl Isobutyl Ketone (MIBK)	mg/m³	<300	BDL
Ethylene Oxide	mg/m³	<0.14	BDL
Xylool	mg/m³	<0.35	0.5
Phthalic Anhydride	mg/m³	<1	BDL
Toluene	mg/m³	<3.5	5.0
2-Ethylhexanoic acid (ZEHAN)	mg/m³	<3.0	0.0
Butanol	mg/m³	<152	21
Butyl Cellosolve	mg/m³	<1.21	0.0
Butyl Cellulosid Acetate	mg/m³	<0.5	0.0
Mineral Turpentine Oil (MTO)	mg/m³	<0.00	0.0
Siloxane	mg/m³	<0.15	BDL
Mercuric	mg/m³	<0.01	BDL
Cyclohexanol	mg/m³	<0.01	BDL
Toluene diisocyanate (TDI)	mg/m³	<0.142	BDL
Methyl Acrylate	mg/m³	<0.14	BDL
Lead	mg/m³	<0.13	BDL
Chromium Nitrate & Insoluble Compound	mg/m³	<0.1	BDL
Benzene	mg/m³	<1.5	BDL

N.B.: A. Methods followed are NIOSH, OSHA & EPA. B. Standard as per Fact Act 1948. C. B.D.L. = 60.00 mg/m³.

Sampling Done By Mr. Sunny Singh & Mr. Purneshwar Singh.

Chk'd by

R.P. Kishan

By Lab-to-Charge

The Head Kharar
Greater Noida
Noida
U.P.



N.B.:

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



ENVIRO-INTERNATIONAL



Lab Registered under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744(E), S. No. 22, M.P. R.L. TC-6545 (PP) 3, H-15230/LD/2015.

TEST REPORT

ISSUED TO: M/s ASIAN PAINTS (LIMITED) Plot No - 81, AMT Kheri Sada, Rudauli (Kheria) - 230011 (India).	SUBJECT: ORGANIC SOLVENT AREA SAMPLING-TWA METHODS: Based on NIOSH, OSHA. INSTRUMENTS: Handi Sampler, CP, GC, UV etc.		
Sample Details: ORGANIC SOLVENT Sample Reference no: PII/A11L-Riot/2AV7-93	Sample Collection Date: 23/07/24 Sample Reporting Date: 31/07/24		
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/REFORMS NIOSH	WPC-IIId FLOOR NEW BLOCK
Sampling Code:			WL - 95
Toluene solution	mg/m ³	-	BDL
Weather:			Normal
Ambient Temperature	°C	-	30.5
Amonia	mg/m ³	<10	07
n-Butyl acetate	mg/m ³	<700	31
Ethyl acetate	mg/m ³	<100	19
Methyl isobutyl ketone (MIBK)	mg/m ³	<105	BDL
Ethylene Glyde	mg/m ³	<9.15	BDL
Xylene	mg/m ³	<32	62
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	46
J - Ethylhexanoic acid (2-EHA)	mg/m ³	<375	29
Diphenol	mg/m ³	<552	45
Butyl Cellosolve	mg/m ³	<121	18
Ethyl Cellosolve Acetate	mg/m ³	<53	10
Mineral Turpentine Oil (MTO)	mg/m ³	<560	39
Styrene	mg/m ³	<115	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexane	mg/m ³	-	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.141	BDL
Methyl Methacrylate	mg/m ³	<10	BDL
Lead	mg/m ³	<0.11	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<0.1	BDL
Benzene	mg/m ³	<1.3	BDL

N.B.: A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948.

Sampling Done By Mr. Amit Singh & Mr. Parashtoti Singh.

C. BDL > 40.03 mg/m³

Chennai
R.P. (Signature)

Enviro-Int'l-Chennai
Dr. Vinod Kumar
Graha
Noida



CLAC

- N.B.:**
- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
 - The Result indicated only relate to the tested samples.
 - The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL



Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification B.O. 3744 (E), S. No. 32, N.A.B.L., TC-6345, U.P.R.C.B. H-03800CL/89

TEST REPORT

ISSUED TO: MR-ASIAN PAINTS LIMITED Plot No.-501, 1st Flr, Kesar Singh, Industrial Estate - Sector 10A Sample Details: ORGANIC SOLVENT Sample Reference: EIT/APL-R07M-A17-01	SUBJECT: ORGANIC SOLVENT - AREA SAMPLING-TWA METHODS: Based on NIOSH, OSHA INSTRUMENTS: Handi Sampler, CT, GC, UV etc.		
	Sample Collection Date: 24/07/24 Sample Reporting Date: 31/07/24		
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	POLYMER OR GROUND FLOOR CONCENTRATION
Sampling Grid			W1-SG
Sampling Duration			430 Minutes
Weather			N/Spec
Ambient Temperature	°C	-	30.3
Amonia	mg/m³	<1.6	0.3
n-Butyl acetate	mg/m³	<710	37
Ethyl Acetate	mg/m³	<1400	92
Methyl Isobutyl Ketone (MIBK)	mg/m³	<105	BDL
Ketone Oxide	mg/m³	<0.144	BDL
Styrene	mg/m³	<35	28
Phthalic Anhydride	mg/m³	<0.1	BDL
Toluene	mg/m³	<75	33
3-(Methylacetoxy)propanoic acid (MAPA)	mg/m³	<176	33
Buform	mg/m³	<152	70
Butyl Cellulose	mg/m³	<123	0.6
Ethyl Cellulose Acetate	mg/m³	<55	37
Acryloyl Turpentine Oil (ATTO)	mg/m³	<540	110
Styrene	mg/m³	<105	BDL
Methanol	mg/m³	<100	BDL
Cyclohexanone	mg/m³	<100	BDL
Toluene diisocyanate (TDI)	mg/m³	<1.62	BDL
Methyl Methacrylate	mg/m³	<1.0	BDL
Lead	µg/m³	<0.45	BDL
Chromous Metal & Insoluble Compound	mg/m³	<0.1	BDL
Benzene	mg/m³	<1.3	BDL

A. B.: A. Methods Based on NIOSH, OSHA & CPCC. B. Standard as per Fact Act 1948. C. BDL = <0.05 mg/m³

Sampling Done By Mr. Shekhar Singh & Mr. Purushottam Singh.

Chennai

R.H. Measured

En. Lab-in-Charge
Dr. Vinay Kumar
Greater Noida
U.P. - 201308



GLAC

- N.B.:-
 • The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
 • The Result indicated only refer to the tested samples.
 • The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



ENVIRO-INTERNATIONAL



Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E) S. No. 32, N.A.B.L.T.C. 5545, 3 P.P.C.B. H-16001CL/89

TEST REPORT

ISSUED TO:

M/s ASIAN PAINTS LIMITED

Plot No. - 01, INTE, Kheri Sada,
Bulandshahr - 201301, India.

Sample Details : ORGANIC SOLVENT

Sample Reference: MIA-APL-KU-2014/07-07

SUBJECT: ORGANIC SOLVENT AREA SAMPLING-TWA

METHODS : Based on IS05666, OSHA

INSTRUMENTS: Flame Sampler, CT, GC, UV etc.

Sample Collection Date: 24/07/24

Sample Reporting Date: 31/07/24

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NOTRALS NO/GR	POLYMER GROUP/STUDY/NEW BLOCK
Sampling Code:			W2-A7
Sampling Date/Time:			4:30 Minutes
Ambient Temperature:	°K		Normal
Ammonia:	mg/m ³	<1.0	ND
n-Butyl acetate:	mg/m ³	<10	ND
Ethyl acetate:	mg/m ³	<100	ND
Methyl Isobutyl Ketone (MIBK):	mg/m ³	<100	BDL
Ethyl Acetate:	mg/m ³	<100	BDL
Acetone:	mg/m ³	<100	ND
Phthalic Anhydride:	mg/m ³	<100	BDL
Toluene:	mg/m ³	<175	ND
2-Ethylhexanoic acid (2-EHA):	mg/m ³	<375	ND
Butanol:	mg/m ³	<1.57	ND
Butyl Cellosolve:	mg/m ³	<1.23	ND
Ethyl Cellulosic Acetate:	mg/m ³	<65	ND
Mineral Turpentine Oil (MTO):	mg/m ³	<300	ND
Styrene:	mg/m ³	<1.5	BDL
Methylcel:	mg/m ³	<1.04	BDL
Cyclohexane:	mg/m ³	<1.0	ND
Tobacco diacetyl (TDI):	mg/m ³	<1.12	ND
Diethyl Methacrylate:	mg/m ³	<1.0	BDL
Lead:	mg/m ³	<0.14	BDL
Chromium Metal & Inorganic Compound:	mg/m ³	<0.1	BDL
Benzene:	mg/m ³	<1.5	BDL

M. B. : A. Methods Based on Haz/GH, data A, B, CPCB. B. Standard as per Fact Act 1948. C. BDLs = 40.05 mg/m³
Sampling Done by Mr. Swapnil & Mr. Prashant Bilega.

Checked

R. Kumar



N.B.:

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Results indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.





— ENVIRO-INTERNATIONAL —



Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, M.A.B.E.T.C. 8543, U.P.C.C.B. H-418CNUCL, 32.

TEST REPORT

ISSUED TO :
MN ASIAN PAINTS LIMITED
 Plot No. - 81, IMT, Khari Sada,
 Noida (Uttar Pradesh) - 201301 India.
 Sample Details : **ORGANIC SOLVENT**
 Sample Identifier: EIL/APL-B/07/24/WZ-SH

SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA
 METHODS : Based on NIOSH, OSHA
 INSTRUMENTS: Handi Sampler, CT, GC, UV-VIS

Sample Collection Date: 31/07/24
 Sample Reporting Date: 31/07/24

ANALYSIS REPORT


SAMPLING SITE	UNIT	STANDARD/NORMS MOLE	POLYMER IN FLOOR OLD BLOCK
Sampling Code			WZ - 98
Sampling Date			150 Minutes
Ambient Temperature	°K		Normal
Ammonia	mg/m³	<18	ND
n-Dodecane	mg/m³	<10	21
Ethyl acetate	mg/m³	<1.0	NDL
Methyl Acetyl Ketone (MAK)	mg/m³	<1.0	29
Ethylene Oxide	mg/m³	<1.0	NDL
Xylenes	mg/m³	<1.0	NDL
PMMA/Alkyl Acrylates	mg/m³	<0.1	NDL
Volatile	mg/m³	<1.5	ND
2-Ethylhexanoic acid (2-EHA)	mg/m³	<0.6	26
Butanol	mg/m³	<1.0	15
Butyl Cellosolve	mg/m³	<1.0	2.3
Ethyl Acetate/ Acetone	mg/m³	<1.0	0.5
Toluene Isopropylate (TIPTO)	mg/m³	<0.6	81
Styrene	mg/m³	<0.1	NDL
Methanol	mg/m³	<0.1	NDL
Cyclohexanol	mg/m³	<0.0	NDL
Toluene diisocyanate (TDI)	mg/m³	<0.042	NDL
Methyl Methacrylate	mg/m³	<0.6	NDL
Lead	mg/m³	<0.1	NDL
Chromium Metal & Inorganic Compounds	mg/m³	<0.1	NDL
Benzene	mg/m³	<1.5	NDL

M.G.: A Method Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. NDL > 40 Samples.

Sampling Done By Mr. Shubh Singh & Mr. Purabchandra Singh.

Checked

R.P. Mukund



Glac

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018

N.B.:

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



ENVIRO-INTERNATIONAL



Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (P) S. No. 12; N.A.B.L. TC-8546; U.P.R.C.B. H-41600108.

TEST REPORT

ISSUED TO:

MR ASIAN PAINTS LIMITED

Plot No. - 01, LST, Kheri Singh,

M-1, Sector 10, Chandigarh - 160016.

Sample ID/Job : ORGANIC SOLVENT

Sample Reference: BIL/APL-Bat/26/WZ-99

SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA

METHODS : Based on NIOSH, OSHA

INSTRUMENTS: Handi Sampler, CT, GC, UV-VIS

Sample Collection Date : 21/07/2014

Sample Reporting Date : 31/07/2014

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	POLYMER GI FLOOR NEW BLOCK
Sampling Site:			WZ-99
Telluron - Disulfide	ppm	<1.0	480 Minutes
Water	ppm	<1.0	Natural
Ambient Temperature	°C		304
Ammonia	ppm	<1.0	0.4
o-Dinitrobenzene	ppm	<10	38
Ethyl Acetate	ppm	<100	45
Methyl Ethyl Ketone (MEK)	ppm	<204	BDL
Extolene Oil	ppm	<100	BDL
Xylene	ppm	<100	22
Phthalic Anhydride	ppm	<91	BDL
Toluene	ppm	<3.1	69
2-Ethylhexanoic acid (2-EHA)	ppm	<376	41
Benzene	ppm	<15	37
Butyl Cellulosic	ppm	<12	0.6
Ethyl Cellulosic Acetate	ppm	<55	0.4
Mineral Turpentine OH (MTO)	ppm	<540	100
Styrene	ppm	<215	BDL
Methanol	ppm	<168	BDL
Cyclohexanone	ppm	<1.0	BDL
Phenone dibromonate (FDI)	ppm	<1143	200
Methyl Methacrylate	ppm	<410	BDL
Lead	ppm	<0.15	BDL
Chromic Metal & Inhibitable Compounds	ppm	<0.1	BDL
Scenes	ppm	<1.5	BDL

N.B.: A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL = >0.02 mg/m³

Sampling Done By Mr. Shri Singh & Mr. Purneshwar Singh.

Checked

R.P. M/s.



N.B.2-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.





ENVIRO-INTERNATIONAL

Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), G. No. 32, M.A.B.I., T.C. 6515, U.R.P.C. # H-01600HCLB9



TEST REPORT

ISSUED TO:	SUBJECT:		
MH ASIAN PALETS LIMITED Plot No - D1, IMT, Khairatabad, Hyderabad - 500018, India.	ORGANIC SOLVENT AREA SAMPLING-TWA		
Sample Details: ORGANIC SOLVENT	METHODS: Based on NIOSH, OSHA		
Sample Reference: EIL/APL/Rq/2024/17-100	INSTRUMENTS: Handi Sampler, CT, GC, UV etc.		
	Sample Collection Date: 24/07/24		
	Sample Reporting Date: 31/07/24		
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS	POLYMERlined FLOOROLD BLOCK
Sampling Code:	-	NIOSH	W2-100
Kemlin - Durabon	-	-	4110 Microdot
Weather:	-	-	Normal
Ambient Temperature:	°C	-	30.4
Amonium:	mg/m³	<1M	0.4
n-Hexyl acetate:	mg/m³	<716	25
Ethyl acetate:	mg/m³	<100	BDL
Methyl Isobutyl Ketone (MIBK):	mg/m³	<105	BDL
Ethylene Oxide:	mg/m³	<0.161	BDL
Xylene:	mg/m³	<435	BDL
Parathio Anhydride:	mg/m³	<0.1	BDL
Toluene:	mg/m³	<175	37
2-Ethylhexylacetic acid (2-EHA):	mg/m³	<376	24
Butanol:	mg/m³	<782	48
Butyl Cellosolve:	mg/m³	<123	27
Ethyl Aceto Acetate:	mg/m³	<55	0.0
Mineral Turpentine (MTT)	mg/m³	<600	15
Styrene:	mg/m³	<115	BDL
Merchandise:	mg/m³	<368	BDL
Cyclohexane:	mg/m³	-	0.06
Toluene Diisocyanate (TDI):	mg/m³	<9,147	BDL
Methyl Methacrylate:	mg/m³	<110	BDL
Lead:	mg/m³	<0.15	BDL
Chromic Metal & Insoluble Compound:	mg/m³	<0.1	BDL
Benzene:	mg/m³	<1.5	BDL

N.B.: A. Method Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1943. C. BDL > 40.00 mg/m³.
Sampling Done by Mr. Amit Singh & Mr. Pankaj Kumar Singh.

Chennai

R.P. Singh



N.B.:

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.





— ENVIRO-INTERNATIONAL —



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-01600/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 81, IMT, Kheri Sadh, Rohilkhand (Hariana) - 247011 India.	SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.		
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/26/WZ-101	Sample Collection Date: 24/07/24 Sample Reporting Date: 31/07/24		
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	POLYMER IND FLOOR NEW BLOCK
Sampling Code	--	--	WZ - 101
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	304
Ammonia	mg/m ³	<18	05
n-Butyl acetate	mg/m ³	<710	47
Ethyl acetate	mg/m ³	<1400	31
Methyl Isobutyl ketone (MIBK)	mg/m ³	<285	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	29
Phthalic Anhydride	mg/m ³	<91	BDL
Toluene	mg/m ³	<375	68
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	24
Butanol	mg/m ³	<152	22
Butyl Cellosolve	mg/m ³	<123	30
Ethyl Cellosolve Acetate	mg/m ³	<55	06
Mineral Turpentine Oil (MTO)	mg/m ³	<560	78
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL > 0.05 mg/m³

Sampling Done by Mr Shiv Singh & Mr Purahotum Singh.

Checked
R.P. Maxwell

Sampling Done by Mr Shiv Singh & Mr Purahotum Singh.

EIL/Lab-In-Charge
Dr. Vipul Kumar
Greater Noida
Vipul
*
Vipul

N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.





— ENVIRO-INTERNATIONAL —

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-8545, U.P.P.C.B. H-01600/CL/89



TEST REPORT

ISSUED TO :

M/s ASIAN PAINTS LIMITED

Plot No. - 01, IMT, Kheri Sadh,
Rohtak (Haryana) - 24001 India.

Sample Details : ORGANIC SOLVENT

Sample Reference: EIL/APL-R/07/24/WZ-102

SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA

METHODS : Based on NIOSH, OSHA

INSTRUMENTS: Handy Sampler, CT, GC, UV etc.

Sample Collection Date: 27/07/24

Sample Reporting Date: 31/07/24

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	QUALITY ASSURANCE QA CHEMICAL ROOM
Sampling Code	--	--	WZ - 102
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	303
Ammonia	mg/m³	<18	06
n-Butyl acetate	mg/m³	<710	41
Ethyl acetate	mg/m³	<1400	16
Methyl isobutyl ketone (MIBK)	mg/m³	<205	BDL
Ethylene Oxide	mg/m³	<0.184	BDL
Xylene	mg/m³	<435	12
Phthalic Anhydride	mg/m³	<81	BDL
Toluene	mg/m³	<375	35
2 - Ethylhexanoic acid (2-EHA)	mg/m³	<376	77
Butanol	mg/m³	<152	34
Butyl Cellosolve	mg/m³	<123	20
Ethyl Cellosolve Acetate	mg/m³	<35	13
Mineral Turpentine Oil (MTO)	mg/m³	<560	92
Styrene	mg/m³	<215	BDL
Methanol	mg/m³	<260	BDL
Cyclohexanol	mg/m³	--	BDL
Toluene diisocyanate (TDI)	mg/m³	<0.142	BDL
Methyl Methacrylate	mg/m³	<410	BDL
Lead	mg/m³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m³	<81	BDL
Benzene	mg/m³	<1.5	BDL

N.B.: A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948.

Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

C. BDL :- <0.05 mg/m³

Checked

R.P. Murarka

EIL/Lab-In-Charge

Dr. Vipul Kumar
Greater
Noida

N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise
- The Result indicated only refer to the tested samples
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory





ENVIRO-INTERNATIONAL



Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 1744 (E), S. No. 32, N.A.B.L. TC-6543, U.P.P.C.B. H-016001C1/29

TEST REPORT

ISSUED TO: MR ASIAN PAINTS LIMITED Plot No.-D1, IMT, Khari Baoli, Delhi (Haryana) - 240011 India. Sampling Details : ORGANIC SOLVENT Sample Reference : IELIMPL-R07/17N02-163	SUBJECT : ORGANIC SOLVENT - AREA SAMPLING-TWA METHODS : Based on NIOSH 0514 INSTRUMENTS: Handi Sampler, CT, GC, UV etc.
	Sample Collection Date: 27/07/2017 Sample Reporting Date: 31/07/2017

ANALYSIS REPORT


SAMPLING SITE	UNIT	STANDARD/NORMS NO/SLI	QUALITY ASSURANCE-Q.C. COMMENTS
Sampling Code:	-	-	W2-102
Sampling Duration:	-	-	4RD Minutes
Ambient Temperature:	°K	-	Normal
Aerosols:	mg/m ³	<15	BDL
n-Butyl Acetate:	mg/m ³	<7.0	BDL
Ethyl Acetate:	mg/m ³	<140	BDL
Methyl Acetate (Methyl Acetate)	mg/m ³	<104	BDL
Ethylene Oxide:	mg/m ³	<1.44	BDL
Xylene:	mg/m ³	<25	BDL
Phthalic Anhydride:	mg/m ³	<0.1	BDL
Toluene:	mg/m ³	<25	BDL
2-Ethylhexanoic acid (2-EHA):	mg/m ³	<3.4	BDL
Butanol:	mg/m ³	<152	BDL
Butyl Cellosolve:	mg/m ³	<123	BDL
Ethyl Cellosolve Acetate:	mg/m ³	<123	BDL
Mineral Turpentine Oil (MTO):	mg/m ³	<55	BDL
Styrene:	mg/m ³	<240	BDL
Methanol:	mg/m ³	<155	BDL
Cyclohexane:	mg/m ³	<160	BDL
Toluene Diisocyanate (TDI):	mg/m ³	<0.142	BDL
Methyl Methacrylate:	mg/m ³	<110	BDL
Linal:	mg/m ³	<0.15	BDL
Chromic Metal & Isobutyl Compounds:	mg/m ³	<0.1	BDL
Benzene:	mg/m ³	<1.5	BDL

N.B.: A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL = <0.03 mg/m³

Sampling Done by Mr. Ashish Singh & Mr. Purnendu Singh.

Challan No:

R.P. Mukherjee



- N.B.:-
 • The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
 • The Result indicated only refer to the tested samples.
 • This Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Elac



— ENVIRO-INTERNATIONAL —



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India.
Gazette Notification S.O. 3744(E), S. No. 32-N.A.B.L.TC-6545, U.P.C.S. N-0160000099.

TEST REPORT

ISSUED TO:
MR. ASIAN PAINTS LIMITED
Plot No.-D-107, Kheri Sedi,
Bhukhuram - 294101
Sample Details: ORGANIC SOLVENT
Sample Reference: PIT/APL-R/07/1477-101

SUBJECT: ORGANIC SOLVENT AREA SAMPLING-TWA
METHODS: Based on NIOSH/OSHA
INSTRUMENTS: Flackey Sampler, CT/GC, UV-VIS
Sample Collection Date: 27/07/2018
Sample Reporting Date: 31/07/2018

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	QUALITY ASSURANCE QA/NPC ROOM
Sampling Code			WL - 104
Sampling Duration			160 Minutes
W.L.L.			Normal
Ambient Temperature	°C		301
Amonia	mg/m³	<15	07
n-Butyl acetate	mg/m³	<70	51
Ethyl acetate	mg/m³	<100	73
Methyl Isobutyl Ketone (MIBK)	mg/m³	<201	84
Ethylene Oxide	mg/m³	<0.14	BOL
Xylene	mg/m³	<35	28
Phthalic Anhydride	mg/m³	<01	BOL
Toluene	mg/m³	<73	44
2-Ethoxyethanol acid (EHA)	mg/m³	<7%	31
Butane	mg/m³	<53	06
Cetyl Cellosolve	mg/m³	<123	19
Ethyl Cellosolve Acetate	mg/m³	<53	45
Mineral Turpentine Oil (MTDF)	mg/m³	<568	83
Styrene	mg/m³	<215	BOL
Markonol	mg/m³	<60	BOL
Cyclohexane	mg/m³		BOL
Toluene Diisocyanate (TDI)	mg/m³	<0.13	BOL
Methyl Methacrylate	mg/m³	<10	BOL
Lead	mg/m³	<0.13	BOL
Chromium Metal & its soluble Compound	mg/m³	<01	BOL
Benzene	mg/m³	<1.5	BOL

To R. N. A. Method based on NIOSH, OSHA & CPCB. B. Standard aspiration Act 1948. C. BDL = Below Detection Limit.

Choksi
R. P. Mehta

Q.L.L. In-Charge
Dr. Ajay Kumar
Q.L.L. In-Charge
Heads



N.B:-
 - The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
 - The Result indicated only refer to the tested samples.
 - The Certificate shall not be used in any media as evidence in the court of law without prior written consent of the laboratory.



— ENVIRO-INTERNATIONAL —

Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India.
Gazette Notification S.O. 3744 (E) S. No. 32 N.A.B.L TC-6515, U.P.P.C.S. H-0162012189



TEST REPORT

ISSUED TO :
N/V ASIAN PAINTS LIMITED
Plot No. - 01, IMT, Noida Subj.

Kohat, Noida-201301 India

Sample Details : ORGANIC SOLVENT
Sampling Reference: BIL/ATM/ROUTE/INV-101

SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA
METHODS : Based on NIOSH, OSHA
INSTRUMENTS: Handi Sampler, CP, GC, UV etc.

Sample Collection Date: 27/07/24

Sample Reporting Date: 27/07/24


ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	QUALITY ASSURANCE QA & MICRO ECO
Sampling Code:			W2-103
Sampling Point:	m/m		480 Minutes
Weight:	g		Normal
Ambient Temperature:	°C	-	30L
Ammonia:	mg/m³	<13	00
n-Butyl acetate:	mg/m³	<700	44
Ethyl acetate:	mg/m³	<1400	27
Methyl Isobutyl Ketone (MIBK):	mg/m³	<200	BDL
Ethylene Oxide:	mg/m³	<0.14	BDL
Xylenes:	mg/m³	<345	00
Phthalic Anhydride:	mg/m³	<0.1	BDL
Toluene:	mg/m³	<3.0	40
2-Ethylhexanoic acid (2-EHA):	mg/m³	<0.76	31
Halogen:	mg/m³	<150	13
Diethyl Ether:	mg/m³	<120	00
Ethyl Cellulose Acetate:	mg/m³	<55	08
Mineral Turpentine Oil (MTO):	mg/m³	<500	57
Styrene:	mg/m³	<215	BDL
Methanol:	mg/m³	<200	BDL
Cyclohexanone:	mg/m³		BDL
Tetrachloroethylene (TCE):	mg/m³	<0.142	BDL
Methyl Methacrylate:	mg/m³	<410	BDL
Lead:	mg/m³	<0.15	BDL
Cadmium Metal & Insoluble Compound:	mg/m³	<0.1	BDL
Benzene:	mg/m³	<1.5	BDL

H. B. : A. Methods Based on NIOSH, OSHA & CPCB. B. Standard, as per Fact Act 1948. C. BDL = <0.05 mg/m³

Sampling Done By Mr. Shiva Singh & Mr. Purushottam Singh.

Checked:
R.P. Marwah



N.B:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Results indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.





— ENVIRO-INTERNATIONAL —



Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6645, U.P.F.C.B. H-01801025397

TEST REPORT

ISSUED TO:
MR ASIAN PAINTS LIMITED
 Plot No.-#1, JMT, Nheri Seva,
 Rohilkhand, 211101 India.
 Sample Details : ORGANIC SOLVENT
 Sample Reference: EJ-EATL-R/071/MWZ-100

SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA
 METHODS : Based on NIOSH OSHA
 INSTRUMENTS: Ready Sampler, CT, GC, UV etc.
 Sample Collection Date: 25/07/2014
 Sample Reporting Date: 31/07/2014

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	LQC
Sample Code:	mg/m ³	"	W2 - 106
Location: Relation	mg/m ³	"	430 Minutes
Wetted	"	"	Normal
Ambient Temperature	°C	"	300
Aerosols	mg/m ³	<1H	03
n-Butyl acetate	mg/m ³	<10	03
Ethyl acetate	mg/m ³	<100	04
Methyl Acetate, Acetone (MMA)	mg/m ³	<100	BDL
Ethylene Oxide	mg/m ³	<1104	BDL
Acetone	mg/m ³	<135	02
Phthalic Anhydride	mg/m ³	<10	BDL
Toluene	mg/m ³	<175	23
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<176	03
Butanal	mg/m ³	<157	07
Bis(2) Diethoxy	mg/m ³	<123	14
Ethyl Phenoxide Acetate	mg/m ³	<13	00
Mineral Turpentine Oil (MTO)	mg/m ³	<500	85
Styrene	mg/m ³	<115	BDL
Methanol	mg/m ³	<200	BDL
Cyclohexanol	mg/m ³	"	BDL
Toluene diisocyanate (TDI)	mg/m ³	<8.542	BDL
Methyl Methacrylate	mg/m ³	<10	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Inorganic Compounds	mg/m ³	<0.11	BDL
Benzene	mg/m ³	<1.5	BDL

N.B.: 1. Methods Based on NIOSH, OSHA & CPCB. 2. Estimated as per Fact Act 1948. 3. EDL = <0.05 mg/m³. Sampling Date By Mr. Swapnil & Mr. Purushottam Singh.

Chandru
R.P. Marwaha



N.B.:
 • The Samples/Samples received shall be destroyed after 2 weeks unless specified otherwise.
 • The Result indicated only refers to the tested samples.
 • The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.





— ENVIRO-INTERNATIONAL —

Lab Recognized Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 1744 (S) & No. 32, N.A.S.L TO-6545, B.P.P.C.B. H-015000CL-83



TEST REPORT

ISSUED TO:
ALL ASIAN PAINTS LIMITED
 Phirni - 01, P.M.T. New Gaddi,
 Bahadur Pharsala - 24/21 Halli.
 Sample Details : ORGANIC SOLVENT
 Sample Reference: BIL/ATL/RAW/20/WZ-107

SUBJECT : ORGANIC SOLVENT AREA SAMPLED-TWA
 METHODS : Based on NIOSH, USA
 INSTRUMENTS: Ready Sampler, CT, GC, UV, etc.

Sample Collection Date: 30/07/24
 Sample Reporting Date: 31/07/24

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	PC-1 NEW BLOCK
Sampling Date:			WZ-107
Total Duration:			480 Minutes
Ambient Temperature:	°C		Normal
Ammonia:	mg/m³	<18	0.9
n-Butyl acetate:	mg/m³	<714	63
Ethyl Acetate:	mg/m³	<1400	40
Methyl Isobutyl Ketone (MIBK):	mg/m³	<200	BDL
Ethylene Oxide:	mg/m³	<0.14	BDL
Xylo:	mg/m³	<0.24	0.1
Pthalic Anhydride:	mg/m³	<0.1	BDL
Volume:	ml/m³	<3.73	87
2-Ethoxyethanol acid (2-EHA):	mg/m³	<176	14
Boranol:	mg/m³	<153	43
Butyl Cellosolve:	mg/m³	<123	39
Ethyl Gallotannate Acetate:	mg/m³	<5	19
Mercuric Ferrocyanide OX (MFZO)	mg/m³	<500	70
Strychnine:	mg/m³	<215	BDL
Macanol:	mg/m³	<260	BDL
Cyclohexanol:	mg/m³	—	BDL
Toluene Diisocyanate (TDI):	mg/m³	<0.142	BDL
Methyl Methacrylate:	mg/m³	<10	BDL
Lead:	mg/m³	<0.15	BDL
Chromium Metal & Inorganic Compound:	mg/m³	<0.1	BDL
Benzene:	mg/m³	<1.3	BDL

N.B.: A. Methods based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL = <0.01 mg/m³.

Sampling Done By Mr. Shri Singh & Mr. Purushottam Singh.

Chennai
R. P. Mohan



- N.B.:-
- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
 - The Result indicated only refer to the tested samples.
 - The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.





— ENVIRO-INTERNATIONAL —

Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 1744 (E), S. No. 32, M.A.B.L.T.C. 4545, U.P.R.C.B. H-01600/C1/200.



TEST REPORT

ISSUED TO: MR ASIAN PAINTS LIMITED Plot No. - 01, INT. Kheti Sadi, Sector 11, Faridabad - 121001 India. Sample Details : ORGANIC SOLVENT Sample Reference: ELI/APL-1007/21/WZ-108	SUBJECT: ORGANIC SOLVENT AREA SAMPLING-TWA METHODS: Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.
	Sample Collection Date: 31/07/21 Sample Reporting Date: 31/07/21


ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	BG-1 OLD BLOCK
Sampling Code:			WL-108
Sampling Duration:			450 Minutes
Ambient Temperature:	°K	—	Normal
Ammonia:	mg/m³	<10	BDL
n-Butyl acetate:	mg/m³	<10	BDL
Ethyl acetate:	mg/m³	<100	BDL
Methyl Isobutyl Ketone (MIBK):	mg/m³	<305	BDL
Ethylene Dioxide:	mg/m³	<0.154	BDL
Xylool:	mg/m³	<35	BDL
Phthalic Anhydride:	mg/m³	<31	BDL
Toluene:	mg/m³	<7.5	BDL
2-Ethylhexanoic acid (2-EHA):	mg/m³	<76	BDL
Butanol:	mg/m³	<15	BDL
Butyl Cellosolve:	mg/m³	<12	BDL
Ethyl Cellulosolve Acetate:	mg/m³	<55	BDL
Mineral Turpentine Oil (MTO)	mg/m³	<50	BDL
Sterene:	mg/m³	<215	BDL
Methanol:	mg/m³	<50	BDL
Cyclohexanol:	mg/m³	—	BDL
Toluene diisocyanate (TDI):	mg/m³	<5.32	BDL
Mineral Methacrylate:	mg/m³	<10	BDL
Acet:	mg/m³	<115	BDL
Chloroform Metal & Immobile Compound:	mg/m³	<81	BDL
Benzene:	mg/m³	<1.5	BDL

N.B.: A. Method Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL = Below Detection Limit.

Sampling Done By Mr. Ashish Singh & Mr. Purnendu Singh.

Checked:
R.P. Kumar



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks, unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.





— ENVIRO-INTERNATIONAL —



Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TD-6546, U.P.P.C.B. H-2160/GCL/99

TEST REPORT

ISSUED TO:
M/s ASIAN PAINTS LIMITED
 Plot No. - 41, INT, Iberi Sector,
 Kharar (Haryana) - 161111 India
 Sample Details : ORGANIC SOLVENT
 Sample Reference: EIL/APL/RAT/3/WZ-109

SUBJECT : ORGANIC SOLVENT, AREA SAMPLING-TWA
 METHODS : Based on NIOSH, OSHA
 INSTRUMENTS Handi Sampler CT, GC, UV etc.
 Sample Collection Date: 26/07/24
 Sample Reporting Date: 31/07/24

ANALYSIS REPORT


SAMPLING SITE	UNIT	STANDARD METHODS NIOSH	PC-3 OIL BLOCK
Sampling Site	m/m		WZ-109
Sampling Duration	m/m		ABD Minutes
Ambient Temperature	°C		Normal
Ammonia	mg/m³	<10	05
n-Butyl acetate	mg/m³	<16	60
Ethyl acetate	mg/m³	<100	28
Methyl Isobutyl Ketone (MIBK)	mg/m³	<70	BDL
Ethylene Oxide	mg/m³	0.184	BDL
Ketene	mg/m³	<15	58
Phenac Acryloylida	mg/m³	<10	BDL
Toluene	mg/m³	<37	89
2-Ethylhexanoic Acid (2-EHA)	mg/m³	<16	22
Barbit	mg/m³	<10	05
Octyl Cetate	mg/m³	<23	42
1,3-Butanediol Acetate	mg/m³	<55	05
Mineral Turpentine Oil (MTO)	mg/m³	<60	53
Soyabean	mg/m³	<15	BDL
Mezanol	mg/m³	<60	BDL
Cyclohexanol	mg/m³	<10	BDL
Toluene Diisocyanate (TDI)	mg/m³	<1.2	BDL
Methyl Methacrylate	mg/m³	<10	BDL
Lead	mg/m³	<0.5	BDL
Chromium Metal & Inorganic Compound	mg/m³	<0.1	BDL
Benzene	mg/m³	<1.5	BDL

N.B.: A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL = >10.00 mg/m³.

Sampling Done By Mr. Sandeep Singh & Mr. Parasuram Singh.

Chemical

R.P. Marshal



N.B.:

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without unscripted consent of the laboratory.



CLAC



—ENVIRO-INTERNATIONAL—



Lab Recognised under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 92, N.A.B.I. TC-6545 U.P.P.C.B. H-01/ECCL/05

TEST REPORT

ISSUED TO:

MR ASIAN PAINTS LIMITED

Floor No. - 01, DHT, Kheri Sadar,

Kanpur (Uttar Pradesh) - 240011 India.

Sample Details : ORGANIC SOLVENT

Sample Reference: EII/ALP/PAINT/MWZ-110

Subject : ORGANIC SOLVENT AREA SAMPLING-TWA

METHODS : Based on NIOSH, OSHA

INSTRUMENTS: Handi Sampler, CT, GC, UV etc.

Sample Collection Date: 26/07/21

Sample Reporting Date: 31/07/21

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/MEASURED MEASL	TG-2 NEW BLOCK
Sampling Code	mg/m ³		BDL
Sampling Duration			480 Minutes
Velocity			Normal
Ambient Temperature	°C		30.5
Aerosol	mg/m ³	<10	0.3
n-Butyl acetate	mg/m ³	<700	58
Ethyl acetate	mg/m ³	<100	21
Methyl Isobutyl Ketone (MIBK)	mg/m ³	<20	BDL
Ethylene Oxide	mg/m ³	<0.14	BDL
Xylene	mg/m ³	<45	24
Phthalic Anhydride	mg/m ³	<0.1	BDL
Toluene	mg/m ³	<375	87
2-Ethylhexanoic acid (2-EHA)	mg/m ³	<175	39
Isopropyl	mg/m ³	<152	26
Ethyl Cellosolve Acetate	mg/m ³	<1	61
Nitrovinyl Isopentyl Ketone (NITO)	mg/m ³	<10	0.6
Syrene	mg/m ³	<15	BDL
Methanol	mg/m ³	<40	BDL
Cyclohexanol	mg/m ³		BDL
Toluene diisocyanate (TDI)	mg/m ³	<1.47	BDL
Methyl Methacrylate	mg/m ³	<10	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<0.05	BDL
Benzene	mg/m ³	<1.4	BDL

N.B.: All Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948.
Sampling Done By Mr Bhuvneshwar & Mr Pankaj Kumar Singh.

Chennai
R.P. Mukundan

E. BDL = <0.03 mg/m³

ELI Lab-In-Charge

Dr. Pankaj Kumar Singh

Date of Issue: 31/07/21

No. 6

Page No. 1

NOTE:-

- The Samples/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated copy refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.





— ENVIRO-INTERNATIONAL —



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-01600/CL/89

TEST REPORT

ISSUED TO :	SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA		
M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 240011 India.	METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.		
Sample Details : ORGANIC SOLVENT Sample Reference: ETL/APL-H/07/24/WZ-111	Sample Collection Date: 27/07/24 Sample Reporting Date: 31/07/24		
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	MTF
Sampling Code	--	--	WZ-111
Sampling Duration	--	--	400 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	306
Ammonia	mg/m³	<18	07
n-Butyl acetate	mg/m³	<710	19
Ethyl acetate	mg/m³	<1400	39
Methyl Isobutyl ketone (MIBK)	mg/m³	<285	BDL
Ethylene Oxide	mg/m³	<0.184	BDL
Xylene	mg/m³	<435	31
Phthalic Anhydride	mg/m³	<01	BDL
Toluene	mg/m³	<375	40
2 - Ethylhexanoic acid (2-EHA)	mg/m³	<376	32
Butanol	mg/m³	<152	17
Buyl Celllosolve	mg/m³	<123	13
Ethyl Celllosolve Acetate	mg/m³	<55	09
Mineral Turpentine Oil (MTO)	mg/m³	<560	103
Styrene	mg/m³	<215	BDL
Methanol	mg/m³	<260	BDL
Cyclohexanol	mg/m³	--	BDL
Toluene diisocyanate (TDI)	mg/m³	<0.142	BDL
Methyl Methacrylate	mg/m³	<110	BDL
Lead	mg/m³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m³	<01	BDL
Benzene	mg/m³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³

Sampling Done by Mr Shiv Singh & Mr Purshotam Singh.

Checked
R.P. Malwankar

EIL/Lab-in-Charge
Dr. Vipul Kumar
Greater Noida



- N.B.:-
 • The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
 • The Result indicated only refer to the tested samples.
 • The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



— ENVIRO-INTERNATIONAL —



Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 1744 (E), S. No. 32, M.A.B.L.YC-6545, U.P.P.C.B. H-0460WCL/33


TEST REPORT

ISSUED TO:	SUBJECT:	ORGANIC SOLVENT AREA SAMPLING-TWA	
MR ASIAN PAINTS LIMITED Plot No.-01, JMT, Kheri-Sada, Sanganer, Jaipur - 302016 India	METHODS:	Based on MOASH, OSHA &	
	INSTRUMENTS:	Hobby Sampler, CT, GC, UV etc.	
Sample Details:	Sample Collection Date:	16/07/24	
Sample Refinement ELLIAPL-R/07/24/972-113	Sample Reporting Date:	11/07/24	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS 300591	UCY
Sampling Code			WZ-11X
Sampling Location			480 Minutes
Weather			Normal
Ambient Temperature	°C		30.6
Ammonia	mg/m³	<1.8	0.6
n-Butyl Acetate	mg/m³	<110	24
Ethyl Acetate	mg/m³	<1.00	30
Methyl Acetyl Ketone (MAK)	mg/m³	<105	BDL
Ethylene Oxide	mg/m³	<0.10F	BDL
Xylenes	mg/m³	<135	38
Phthalic Anhydride	mg/m³	<0.1	BDL
Toluene	mg/m³	<375	27
2-Ethylhexanoic Acid (2-EHA)	mg/m³	<1.4	29
BuAc	mg/m³	<12	12
Butyl Cellosolve	mg/m³	<12	18
Ethyl Cellulose Acetate	mg/m³	<5.5	54
Mineral Turpentine Oil (MTO)	mg/m³	<10	70
Syrene	mg/m³	<2.5	BDL
Methanol	mg/m³	<0.04	BDL
Cyclohexane	mg/m³	<0.04	BDL
Toluene Diisocyanate (TDI)	mg/m³	<0.12	BDL
Acrylic Methacrylic	mg/m³	<10	EDL
Lod	mg/m³	<0.19	BDL
Chromium Metal & Insoluble Compound	mg/m³	<0.1	BDL
Barium	mg/m³	<1.5	BDL

N.B.: A. Methods Based on MOASH, OSHA & CPCB. B. Standard: As per Fact Act 1948. C. BDL = <0.05 mg/m³.
Sampling Done by Mr. Shekhar Singh & Mr. Purneshwar Singh.

Checked

R.P. Bhambhani



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refers to the tested samples.
- The Certificate shall not be cited in any court or as evidence in the court of law without prior written consent of the laboratory.





— ENVIRO-INTERNATIONAL —



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-01600/CL/89

TEST REPORT

ISSUED TO :		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA	
M/s ASIAN PAINTS LIMITED Plot No. - 91, IMT, Kheri Sadk, Rohak (Haryana) - 243011 India.		METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT , GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIT/APL-R/07/24/WZ-113		Sample Collection Date:	26/07/24
Sampling Site	UNIT	STANDARD/NORMS NIOSH	ETP CHEMICAL PREPARATION AREA
Sampling Code	--	--	WZ - 113
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	306
Ammonia	mg/m³	<18	04
n-Butyl acetate	mg/m³	<710	38
Ethyl acetate	mg/m³	<1400	23
Methyl Isobutyl Ketone (MIBK)	mg/m³	<205	BDL
Ethylene Oxide	mg/m³	<0.184	BDL
Xylene	mg/m³	<435	40
Phthalic Anhydride	mg/m³	<01	BDL
Toluene	mg/m³	<375	67
2 - Ethylhexanoic acid (2-EHA)	mg/m³	<376	27
Butanol	mg/m³	<152	39
Butyl Cellosolve	mg/m³	<123	28
Ethyl Cellosolve Acetate	mg/m³	<55	24
Mineral Turpentine Oil (MTO)	mg/m³	<560	92
Styrene	mg/m³	<215	BDL
Methanol	mg/m³	<260	BDL
Cyclohexanol	mg/m³	--	BDL
Toluene diisocyanate (TDI)	mg/m³	<0.142	BDL
Methyl Methacrylate	mg/m³	<410	BDL
Lead	mg/m³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m³	<81	BDL
Benzene	mg/m³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB.

B. Standard as per Fact Act 1948.

C. BDL :- <0.05 mg/m³

Sampling Done by Mr Shiv Singh & Mr Purshotam Singh.

Checked

R.P. Marwah

SIL/Lab In-Charge

Mr. Poul Kumar
Greater
Noida



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise
- The Result indicated only refer to the tested samples
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



— ENVIRO-INTERNATIONAL —



Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt of India
Gazette Notification S.O. 374 (E), S. No. 12, R.A. 93, T.O. 6545, U.P.R.C.B. H-01690CL/89

TEST REPORT

ISSUED TO: MR ASIAN PAINTS LIMITED Plot No. - 81, INT. Kheri Sada, Rajbir Jheel, 240011, India. Sample Details: ORGANIC SOLVENT Sample Reference: UJAPL-B07/24/VZ-II4	SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS: Based on NIOSH, OSHA INSTRUMENTS: Handheld Sampler, CT, GC, UV etc.
	Sample Collection Date: 21/07/24 Sample Reporting Date: 21/07/24

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	WPE PEL
Sampling Date:			WZ-114
Sampling Height:			480 Millimetres
Ambient Temperature:	°C	—	Normal
Amonia:	mg/m ³	<10	0.3
o-Butyl acetate:	mg/m ³	<719	45
Ethyl acetate:	mg/m ³	<1,400	38
Acetone (Nail Polish Ketone (NPK))	mg/m ³	<208	BDL
Ethylene Oxide:	mg/m ³	<1,144	BDL
Xylene:	mg/m ³	<135	74
Propane Anhydride:	mg/m ³	<101	BDL
Toluene:	mg/m ³	<375	58
2-Ethylhexanoic acid (2-EHA):	mg/m ³	<376	38
Pentanol:	mg/m ³	<1,172	0.2
Isobutyl Acetate:	mg/m ³	<123	40
Mineral Spirits (M.S.) (MTO)	mg/m ³	<600	83
Styrene:	mg/m ³	<213	BDL
Methanol:	mg/m ³	<268	BDL
Cyclohexane:	mg/m ³	—	BDL
Toluene Diisocyanate (TDI):	mg/m ³	<0.143	BDL
Methyl Methacrylate:	mg/m ³	<119	BDL
Lead:	mg/m ³	<0.15	BDL
Chromium Metal & Inorganic Compounds:	mg/m ³	<81	BDL
Benzene:	mg/m ³	<1.3	BDL

N. B.: A. Methods Based on NIOSH, OSHA & CPCB. B. Standard: Industrial Act 1948. C. BDL = 10.03 mg/m³. Sampling Done By Mr Bhup Singh & Mr Parasveer Singh.

Checked
R.P. Mehta

Envi. Lab In-Charge
Mr. Rakesh Kumar
Greater Noida



ENCL

M.B.:

- The Samples/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any medium or as evidence in the court of law without prior written consent of the laboratory.



— ENVIRO-INTERNATIONAL —

Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, H.A.B.L.TC-6646, U.P.P.C.B. 4-01800/CL/33.



TEST REPORT


ISSUED TO: MR ASIAN PAINTS LIMITED Plot No. - 01, IMP, Kheti Sada, Ridhi, Harsad - 38001 (India) Sample Details : ORGANIC SOLVENT Sampling Reference : ELL/APL/RD/724/WZ-111	SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on IS:0596, QSR INSTRUMENTS: Handi Sampler, CT, GC, UV etc
	Sample Collection Date: 30/07/21 Report Date: 31/07/21

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS NOHS	PACKING AREA OF O BLOCK
Sampling Site	mg/m ³		WZ-115
Sampling Duration	hr/min		4RD Maxima
Weather			Normal
Ambient Temperature	°C	—	30.6
Ammonia	mg/m ³	<1.0	0.8
n-Diethyl acetate	mg/m ³	<1.0	0.0
Ethyl Acetate	mg/m ³	<1.00	0.0
Acetone (Controlled ketone) (M12P)	mg/m ³	<0.05	0.00
Ethylene Oxide	mg/m ³	<0.144	BDL
Azime	mg/m ³	<0.55	0.4
Phthalic Anhydride	mg/m ³	<0.1	BDL
Toluene	mg/m ³	<1.0	0.6
2-Ethylhexanoic acid (2-EHA)	mg/m ³	<0.76	0.2
Butanol	mg/m ³	<1.5	0.0
Butyl Cellosolve	mg/m ³	<1.23	0.0
Ethyl Cellosolve Acetate	mg/m ³	<0.4	0.7
Mineral Turpentine Oil (MTO)	mg/m ³	<5.0	0.9
Styrene	mg/m ³	<0.15	BDL
Methanol	mg/m ³	<2.00	BDL
Cyclohexanol	mg/m ³	—	BDL
Toluene diisopropylate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<0.10	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<0.25	BDL
hexane	mg/m ³	<0.5	BDL

N. B.: A. Methods Based on NOHS, DSH & CPCB.
Sampling Done by Mr. Shiv Singh & Mr. Purushottam Singh.

Chennai
R.P. Mysore



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Results indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence of the court of law without prior written express consent of the laboratory.





— ENVIRO-INTERNATIONAL —

Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E) S. No. 32, N.A.S.L. TC-6548, 6 P.P.C.B. H-01800 GLB/89




TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 81, EMT, Khari Baoli, Rohini, New Delhi - 110018		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA	
Sample Details : ORGANIC SOLVENT		METHODS : Based on NIOSH, OSHA	
Sampling Reference : NIL/SP/10/17/84/MZ-114		INSTRUMENTS : Hand Sampler, CT, GC, UV-VIS	
		Sample Collection Date : 15/07/2013 Sample Reporting Date : 31/07/2013	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	PACKING AREA NEW BLOCK
Sampling Site			W2-116
Sampling Period			480 Minutes
Ambient Temperature	°C		Normal
Amonia	ppm	<10	0.5
n-Butyl acetate	ppm	<10	0.5
Ethyl acetate	ppm	<100	24
Methyl Isobutyl Ketone (MIBK)	ppm	<200	24
Ethylene Oxide	ppm	<0.154	0.01
Xylene	ppm	<0.1	0.1
Phthalic Anhydride	ppm	<0.1	0.01
Toluene	ppm	<375	22
Z-Ethoxyhexanoic acid (Z-EHA)	ppm	<376	39
Butanone	ppm	<153	23
Buyl Collosolve	ppm	<125	13
Ethyl Collosolve Acetate	ppm	<55	0.7
Mixed Turpentine Oil (MTO)	ppm	<500	84
Solvent	ppm	<100	0.01
Monomer	ppm	<100	0.01
Cyclohexane	ppm	—	0.01
Toluene Diisocyanate (TDI)	ppm	<16	0.01
Methyl Methacrylate	ppm	<10	0.01
Liquid	ppm	<0.15	0.01
Chromium Metal & Inorganic Compound	ppm	<0.1	0.01
Barium	ppm	<1.5	0.1

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard: Super Fact Act 1948. C. SDL : <0.05 ppm.

Sampling Done By Mr. Shiv Singh & Mr. Pawan Singh

Chennai
A.P. Mumbai



N.B.:

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested material.
- The Certificate shall not be used in any manner or as evidence in the court of law without prior written consent of the laboratory.





— ENVIRO-INTERNATIONAL —

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B, H-01600/CL/89



TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rehak (Haryana) - 240011 India.		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/24/WZ-117		Sample Collection Date: 26/07/24 Sample Reporting Date: 31/07/24	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	SCRAP YARD
Sampling Code	--	--	WZ - 117
Sampling Duration	--	--	400 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	306
Ammonia	mg/m ³	<18	06
n-Butyl acetate	mg/m ³	<710	33
Ethyl acetate	mg/m ³	<1400	06
Methyl Isobutyl Ketone (MIBK)	mg/m ³	<285	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	30
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	42
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	06
Butanol	mg/m ³	<152	05
Butyl Cellosolve	mg/m ³	<123	06
Ethyl Cellosolve Acetate	mg/m ³	<55	14
Mineral Turpentine Oil (MTO)	mg/m ³	<568	124
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanone	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N.B.: A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done by Mr. Shiv Singh & Mr. Purshotam Singh.

Checked
R.P. Macwahr

ENI Lab-In-Charge
Dr. Vipul Kumar
Greater Noida



- N.B.:-
 • The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
 • The Result indicated only refer to the tested samples.
 • The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

Annexure -2



HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132103 (HR)
Contact: (O/H) 86077-70160, 0180-4067223, (Env.) 86077-70164, 18M/86077-70166, (Food) 86077-70169
Web Site: www.hthlabs.com, e-mail: haryantesthouseenv@gmail.com, testing@hthlabs.com



TC-7-21

QHSE

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:	
Asian Paint Ltd.	
Plot No. 1, Sector- 30 B, IMT Rohtak (HR)	

Report No.:	HTH/EP/240906013
Job No.:	TC781124100006730E
Party's Ref No.:	Letter No. ND
Booking Date:	06/09/2024
Period of Testing:	06/09/2024 To 09/09/2024
Reporting Date:	09/09/2024

Sample Description:	Stack Emission (Dust Collector No. 501)
Type of Industry:	Paint Industry
Name of Plant/ Section:	Dust Collector
Date of sampling:	06/09/2024
Source of Emission:	Stack Attached to Dust Collector No. 1
Instrument used:	Stack Sampler VSS1 (Sr. No. 247 GSTK 2019)
Instrument Calibration Status:	Calibrated (upto 27.12.2024)
Type of Chimney:	Metal
Type of Fuel used:	NA
Stack height (from the ground level):	8 Feet
Stack diameter (at the sampling point):	12 inch
Sample Location:	As Per Standard Norms
Purpose of sampling:	Monitoring
Sample collected by:	By our lab. Representative

A Observations

1. Stack gas temperature, °C : 36.0
2. Temperature at Metering point, °C : 33.0
3. Avg. stack gas velocity, m/sec : 5.87
4. Sampling flow rate, lt./min : 24.0
5. Period of sampling, Minutes : 30.0
6. Volumetric flow rate, Nm³/hr : 1428.90

B Results

S.M. / Test Parameters	Units	Result	Standard Limit	Test Method
Sampling: Chemical, Geology, Atmospheric Pollution				
1. Particulate Matter (PM)	mg/Nm ³	17.93	50 Max	IS 11253 (Part-II) : 1985

End of Report

[Signature]
Review by



Page No.: 1 of 1

Note: 1. This report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of law.
2. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
3. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
4. The results contained in this test report pertain only to the sample tested not for the entire lot.
5. Sample sent by you to us is under your sole responsibility. Lab does not confirm about it and hence does not take any responsibility towards it.
6. Analysis done by HTH Laboratories Pvt. Ltd. is Subject to the terms & conditions only.
7. Sample sent by you to us is under your sole responsibility. Lab does not confirm about it and hence does not take any responsibility towards it.



HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)



TG-781

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR)

Contact: [Off] 86077-70160, 0180-4047223, [Ext] 86077-70164, [BMT] 86077-70154, [Fax] 86077-70169
Web Site: [www.hthlabs.com](http://hthlabs.com); e-mail: haryantesthousesec@gmail.com, testing@hthlabs.com

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory



TEST REPORT

Issued To:	
Asian Paints Ltd.	
Plot No.1, Sector-30-B, IIMT Rohtak (HR)	

Report No.	HTH/EP/240906016
UIN No.	16781124100006799F
Party's Ref. No.	Letter No. N9
Booking Date	06/09/2024
Period of Testing	06/09/2024 To 09/09/2024
Reporting Date	09/09/2024

Sample Description	: Stack Emission (Dust Collector No. 502)
Type of Industry	: Paint Industry
Name of Plant/Section	: Dust Collector
Date of Sampling	: 06/09/2024
Source of Emission	: Stack Attached to Dust Collector No. 2
Instrument used	: Stack Sampler VSS1 (Sr. No. 247 Dated 2019)
Instrument Calibration Status	: Calibrated (upto 17.12.2024).
Type of Chimney	: Metal
Type of Fuel used	: NA
Stack Height (from the ground level)	: 3 Feet
Stack diameter (at the sampling point)	: 12 Inch
Sample Location	: As per Standard Norms
Purpose of sampling	: Monitoring
Sample collected by	: By our lab Representative
A Observations	
1. Stack gas temperature, °C	: 37.0
2. Temperature at Metering point, °C	: 34.0
3. Avg. stack gas velocity, m/sec	: 5.56
4. Sampling flow rate, ltr/min	: 23.0
5. Period of sampling, Minutes	: 30.0
6. Volumetric flow rate, Min ³ / Hr	: 1349.07

A Observations	Units	Result	Standard Units	Test Method
1. Stack gas temperature, °C		37.0		
2. Temperature at Metering point, °C		34.0		
3. Avg. stack gas velocity, m/sec		5.56		
4. Sampling flow rate, ltr/min		23.0		
5. Period of sampling, Minutes		30.0		
6. Volumetric flow rate, Min ³ / Hr		1349.07		
B Results				
1. Particulate Matter (PM)	mg/Nm ³	15.63	SD M3	IS 13255 (Part-I)-1985

End of Report

Review by:



Page No. 1 of 1

- Note : This report should not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 1. The report is for your guidance, and not for legal purposes, commercial decisions, and for advertisement.
 2. Sample will be rejected after one month from the date of issue of test report unless otherwise specified.
 3. The sample received from customer is to be returned by the testing lab unless otherwise specified.
 4. The results contained in this test report pertain only to the sample tested and for no other purpose.
 5. Total liability of HTH Laboratories Pvt. Ltd. is limited to the amount of account only.
 6. Sample not sent by HTH unless otherwise specified.



HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

T
DOC No. HTH/GF/2A

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (H.R.)
Contact : [Off] 86077-70160, 0180-4087223, [Env.] 86077-70164, [B.M.] 86077-70166, [Food] 86077-70169
Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



TC-7611

ISI Mark

ISI Mark

ISI Mark

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:	
Asian Paint Ltd	
Plot No.1, Sector-30 B, IMT Rohtak (H.R.)	

Report No.:	HTR/DP/240906037
User No.:	TC/311241000068005
Party's Ref No.:	Letter No. N.I.
Booking Date:	06/09/2024
Period of Testing:	06/09/2024 to 09/09/2024
Reporting Date:	09/09/2024

Sample Description:	Stack Emission (Dust Collector No.303)			
Type of Industry:	Paint Industry			
Name of Plant/ Section:	Dust Collector			
Date of sampling:	06/09/2024			
Source of Emission:	Stack Attached to Dust Collector No. 3.			
Instrument used:	Stack Sampler VSS1 (Sr.No. 247, DTK 2019).			
Instrument Calibration Status:	Calibrated (upto 17.12.2024)			
Type of Chimney:	Metal			
Type of Fuel used:	NA			
Stack height (from the ground level):	8 Feet			
Stack diameter (at the sampling point):	12 Inch			
Sample Location:	As Per Standard Norms			
Purpose of sampling:	Monitoring			
Sample collected by:	By our Lab. Representative			
A Observations:				
1. Stack gas temperature, °C:	35.0			
2. Temperature at Metering point, °C:	32.0			
3. Avg. stack gas velocity, m/sec:	4.95			
4. Sampling flow rate, Ltr/min:	20.0			
5. Period of sampling, Minutes:	30.0			
6. Volumetric flow rate, Nm ³ / Hr:	1216.19			
B Results:				
S.N. Test Parameters	Units	Result	Standard Limit	Test Method
Bipartite Chemical, Gravim Atmospheric Pollution.				
1. Particulate Matter (PM) :	mg/Nm ³	14.11	50 Msp	IS 11255 (Part-D 1985)

End of Report

Review by:



Page No. 1 of 1

- Note : 1. This report shall not be reproduced in whole or in part and cannot be used as its evidence in the court of law.
 2. This report is for your guidance, and not for legal purpose & commercial execution, and for government.
 3. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 4. Sample not dried by HTH unless otherwise specified.
 5. The details received from customer on its own responsibility, left done not liable to it, and hence does not take any responsibility whatsoever.

HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)



Plot No. 50-C, Sector-26 Part-II, HUDA, PANIPAT-132 103 (HR)

Contact : (Off) 84077-70160, 080-4067223, (Env) 84077-70164, (Fax) 84077-70166, (Mobile) 84077-70167
Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlab.com

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Report No.:
Asian Paint Ltd	TCH/EP/24090601B
Plot No.1, Sector-30 B, HMT Rohak (HR)	TCH/124100006801E
	Party's Ref No.: Letter No. NII
	Booking Date: 06/09/2024
	Period of Testing: 06/09/2024 to 09/09/2024
	Reporting Date: 09/09/2024

Sample Description:	1. Stack Emission (Dust Collector No. 50)			
Type of Industry:	2. Paint Industry			
Name of Plant/ Section:	3. Dust Collector			
Date of sampling:	4. 06/09/2024			
Source of Emission:	5. Stack Attached to Dust Collector No. 5			
Instrument used:	6. Stack Sampler VSS1 (Sr.No. 247, DTK 2019)			
Instrument Calibration Status:	7. Calibrated (upto 17.12.2024)			
Type of Chimney:	8. Metal			
Type of Fuel used:	9. NA			
Stack height (from the ground level):	10. 8 Feet			
Stack diameter (at the sampling point):	11. 12 Inch			
Sample Location:	12. As Per Standard Norms			
Purpose of sampling:	13. Monitoring			
Sample collected by:	14. By our lab. Representative			
A Observations				
1. Stack gas temperature, °C:	15. 39.0			
2. Temperature at Metering point, °C:	16. 33.0			
3. Avg. stack gas velocity, m/sec:	17. 6.10			
4. Sampling flow rate, lit/min:	18. 25.0			
5. Period of sampling, Minutes:	19. 30.0			
6. Volumetric flow rate, Nm ³ /hr:	20. 1470.65			
B Results				
S1. Test Parameters	Units	Result	Standard Limit	Test Method
Obnoxious Chemical, Group I Atmospheric Pollution				
1. Particulate Matter (PM)	mg/Nm ³	11.14	50 Max	IS 21255 (Part-I) : 1985

End of Report

Review by:

- Note: 1. Test report shall not be reproduced in whole or in part and cannot be used as evidence in the court of Law.
 2. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertising.
 3. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 4. The details mentioned in customer on its own responsibility, lab does not confirm about it and hence does not take any responsibility whatsoever.
2. The results contained in this test report pertains only to the sample tested and for the above test.
 3. Total capacity of HTH Laboratories Pvt. Ltd. is limited to the indicated amount only.
 4. Sample size varies by HTH unless otherwise specified.
 5. Sample size varies by HTH unless otherwise specified.



Page No. 1 of 1



HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)



DOC No. 5THL0078

Contact : (Off) 86077-70160, 0160-4067223; (Env.) 86077-70164, (Lab) 86077-70166; (Food) 86077-70167
Web Site: www.hthlabs.com, e-mail: haryantesthousecs@gmail.com, testing@hthlabs.com

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

QHSE

TEST REPORT

Issued To:	Asian Paint Ltd
Plot No. 1, Sector- 30 B, JMT Rohak [HR]	

Report No.:	HHT/EP/240928020
BUK No.:	TC781124100007281F
Party's Ref No.:	Letter No. NII
Booking Date:	28/09/2024
Period of Testing:	28/09/2024 to 01/10/2024
Reporting Date:	01/10/2024

Sample Description:	: Stack Emission (Dust Collector No. S01).
Type of Industry:	: Paint Industry.
Name of Plant/ Section:	: Dust Collector.
Date of sampling:	: 27/09/2024
Source of Emission:	: Stack Attached to Dust Collector No. 1
Instrument used:	: Stack Sampler VSS1 (Sr. No. 247 DTX 2019)
Instrument Calibration Status:	: Calibrated (up to 17.12.2024)
Type of Chimney:	: Metal
Type of Fuel used:	: NA
Stack height (from the ground level):	: 8 Feet
Stack diameter (at the sampling point):	: 12 inch
Sample Location:	: As Per Standard Norms
Purpose of sampling:	: Monitoring
Sample collected by:	: By our lab. Representative

A Observations

1. Stack gas temperature, °C	: 42.0
2. Temperature at Metering point, °C	: 32.0
3. Avg. stack gas velocity, m/sec	: 5.22
4. Sampling flow rate, ltr/min	: 25.0
5. Period of sampling, Minutes	: 30.0
6. Volumetric flow rate, Nm ³ / hr	: 1485.26

B Results

S.N. Test Parameters	Units	Result	Standard Limit	Test Method
Disciplinary Chemical, Group Atmospheric Pollution				
1. Particulate Matter (PM) ¹	mg/Nm ³	17.14	50 mg/m ³	IS 11255 (Part-II) / 1985

"End of Report"

Review by:

Mr. Aman Singh
Sr. Manager (Env.)

- Note: 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of law.
 2. This report is only for your guidance, and not for legal purposes, commercial purposes, and for advertisement.
 3. Sample will be destroyed after one month from the date of issue of test report unless otherwise specified.
 4. Total validity of HHT Laboratories Pvt. Ltd. is limited to the mentioned period only.
 5. Sample not shown by HHT policy otherwise specified.
 6. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility.



HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)



TC-7011

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR)

Contact : [Off] 86077-70160, 0160-4067223, [Env] 86077-70164, [SM] 86077-70166, [Fax] 86077-70159
Web Site: www.hthlabs.com, e-mail: haryanatesthousecs@gmail.com, testing@hthlabs.com

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TC-7011

TEST REPORT

Issued To:	Report No.:	HTH/ZP/240928021
Asian Paint Ltd. Plot No.1, Sector-30 B, SMT Rohtak (HR)	ULR No.:	TC701124100007283F
	Party's Ref No.:	Letter No. NIT
	Booking Date:	28/09/2024
	Period of Testing:	28/09/2024 to 01/10/2024
	Reporting Date:	01/10/2024

Sample description:	Stack Emission (Dust Collector No. S02)
Type of Industry:	Paint Industry
Name of Plant/ Section:	Dust Collector
Date of sampling:	27/09/2024
Source of Emission:	Stack Attached to Dust Collector No. 2
Instrument used:	Stack Sampler VSS1 (S/N. No. 247 DTI 2019)
Instrument Calibration Status:	Calibrated (upto 37.12.2024)
Type of Chimney:	Metal
Type of Fuel used:	NA
Stack height (from the ground level):	8 Feet
Stack diameter (at the sampling point):	12inch
Sample Location:	As Per Standard Norms
Purpose of sampling:	Monitoring
Sample collected by:	By our BOS Representative
A Observations:	
1. Stack gas temperature, °C	44.0
2. Temperature at Metering point, °C	33.0
3. Avg. stack gas velocity, m/sec	0.89
4. Sampling flow rate, ltr/min	28.0
5. Period of sampling, Minutes	30.0
6. Volume/ft (flow rate, Nm ³ /lit)	1634.87
B Results:	

S.N.	Test Parameters	Units	Result	Standard Limit	Test Matched
Discipline: Chemical, Group: Atmospheric Pollution					
1.	Particulate Matter (PM)	mg/Nm ³	43.92	50 Max	IS 18255 (Part-V) 1995

End of Report

Review by:

Mr. Ashok Kumar
Sr. Manager (Env.)

Page No.1/1 of 1

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 2. The report is only for your guidance and not for your purposes, commercial decision and for advertisement.
 3. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 4. The report referred from customer on its own responsibility, both sides not confirm about it and hence does not take any responsibility whatsoever.
 5. The results contained in the test report pertain only to the sample tested not for the whole lot.
 6. Total liability of HTH Laboratories Pvt. Ltd. is limited to the amount paid only.
 7. Sample not drawn by HTH unless otherwise specified.



HTH Laboratories Pvt. Ltd.

(Formerly Known as Maryada Test House & Consultancy Services)



TC-7811

Plot No: 60-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR)

Contact: (91) 9811203000, 0100-4007220, (91) 9811201154, (91) 940177-7043
Email: www.hthlabs.com, e-mail: haryadatatesthouse88@gmail.com, testing@hthlabs.com.

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory



TEST REPORT

Issued To:	Report No.:	HTR/EP/240928022
Asian Paint Ltd.	IRL No.:	TCT811204100007284F
Plot No.1, Sector-13B, JMT Rohtak (HR)	Party's Ref No.:	Letter No: Nil
	Booking Date:	28/09/2024
	Period of Testing:	28/09/2024 To 01/10/2024
	Reporting Date:	01/10/2024

Sample Description:	Stack Emission (Dust Collector No. 504)
Type of Industry:	Paint Industry
Name of Plant/ Section:	Dust Collector
Date of sampling:	27/09/2024
Source of Emission:	Stack Attached to Dust Collector No. 4
Instrument used:	Stack Sampler VSS1 (Se. No.: 247 DTX 2019)
Instrument Calibration Status:	Calibrated (up to 17.12.2024)
Type of Chimney:	Metal
Type of Fuel used:	NH
Stack height (from the ground level):	8 Feet
Stack diameter (at the sampling point):	12 inch
Sample Location:	As Per Standard Norms
Purpose of sampling:	Monitoring
Sample collected by:	By our Lab. Representative

A Observations

1. Stack gas temperature, °C	1. 40.0
2. Temperature at Metering point, °C	1. 31.0
3. Avg. stack gas velocity, m/sec	1. 7.02
4. Sampling flow rate, L/min	1. 28.0
5. Period of sampling, Minutes	1. 30.0
6. Volumetric flow rate, Nm ³ /hr	1. 1687.00

B Results


S.No. Test Parameters	Units	Result	Standard Devt.	Test Method
Physical, Chemical, Group, Atmospheric Pollution				
1. Particulate Matter (PM)	mg/Nm ³	13.40	±0.10%	IS 11255 (Part-D) 1985

End of Report

Review by:



- Note: 1. This report shall not be reproduced in whole or in part and cannot be used as evidence in the court of law.
 2. The report is given for your guidance, and not for legal purposes, commercial purposes, and for advertising purpose.
 3. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 4. The results are of HTH Laboratories Pvt. Ltd. is limited to the samples tested only.
 5. Sample not covered by HTH unique reference number.
 6. The data received from customer is at own responsibility. Lab does not validate any responsibility whatsoever.



HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR).

DOC No. HTHDFR.0
TC-741

Contact: (Off) 86077-70160, 0162-4067223, [Env.] 86077-70164, [BMO] 86077-70366, [Food] 86077-70167
Web Site: www.hthlab.com, e-mail: haryanatesthousecs@gmail.com; testing@hthlab.com



TC-741

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Report No.:
Asian Paint Ltd.	HTH/EP/260928023
Plot No.1, Sector-30 B, IMT Rohtak, (HR)	URL No.:
	TC/81124/00007285F
	Party's Ref No.:
	Letter No. Nil.
	Booking Date:
	28/09/2024
	Period of Testing:
	28/09/2024 To 01/10/2024
	Reporting Date:
	01/10/2024

Sample Description	1. Stack Emission (Dust Collector No. 505)			
Type of Industry	1. Paint Industry			
Name of Plant/ Section	1. Dust Collector			
Date of sampling	1. 28/09/2024			
Source of Emission	2. Stack Attached to Dust Collector No. 5			
Instrument used	1. Stack Sampler VSS3 (Sr.No. 247 DTK 2019)			
Instrument Calibration Status	2. Calibrated (upto 17.12.2024)			
Type of Chimney	1. Metal			
Type of Fuel used	1. NA			
Stack height (from the ground level)	2. 8 Feet			
Stack diameter (at the sampling point)	3. 32 Inch			
Sample Location	4. As Per Standard Norms			
Purpose of sampling	5. Monitoring			
Sample collected by	1. By our lab Representative			
A Observations				
1. Stack gas temperature, °C	1. 43.0			
2. Temperature at Measuring point, °C	2. 32.0			
3. Avg. stack gas velocity, m/sec	3. 7.22			
4. Sampling flow rate, ltr/min	4. 25.0			
5. Period of sampling, Minutes	5. 30.0			
6. Volumetric flow rate, Nm ³ /Hr	6. 3718.59			
B Results				
S.N. Test Parameters	Unit	Result	Standard limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution				
1. Particulate Matter (PM)	mg/Nm ³	11.40	80 Max.	IS 11255 (Part-II : 3985)

End of Report

Review by:



Page No. 1 of 2

1. This report shall not be reproduced in whole or part and cannot be used in any proceeding in the court of law.
 2. The results contained in this test report pertain only to the sample tested and for the whole lot.
 3. This report is only for your guidance, and not for legal purposes, commercial disposal, and for advertisement.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoice amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not shown by HTH unless otherwise specified.
 7. The responsibility lies entirely on the customer. Lab does not hold itself liable and not bear any responsibility whatsoever.



HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (B.M) 86077-70166, (Food) 86077-70169
Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:
Asian Paint Ltd
Plot No.1, Sector- 30 B, IMT Rohtak (HR)

Report No. : HTH/EP/240928024
ULR No. : TC781124100007286F
Party's Ref No. : Nil
Booking Date : 28/09/2024
Period of Testing : 28/09/2024 To 01/10/2024
Reporting Date : 01/10/2024

Sample Description
 Type of Industry : Paint Industry
 Name of Plant/ Section : Boiler Section
 Date of sampling : 28/09/2024
 Capacity of Boiler : 2 TPH
 Source of Emission : Stack Attached to Boiler No. 501
 Instrument used : Stack Sampler APM 160 (Sr.No. 88 DTL 2016)
 Instrument Calibration Status : Calibrated (upto 17.12.2024)
 Type of stack : Metal
 Type of Fuel used : LPG
 Stack height (from the ground level) : 30 meter
 Stack diameter (at the sampling point) : 0.83 meter
 Sample Location : As per standard norms
 Purpose of sampling : Monitoring
 Sample collected by : By our Lab. Representative
 Type of APCM : NS

A Observations

1. Stack gas temperature, °C : 128.0
 2. Temperature at Metering point, °C : 32.0
 3. Avg. stack gas velocity, m/sec : 7.63
 4. Sampling flow rate, Lt./min. : 24.0
 5. Period of sampling, Minutes : 30.0
 6. Volumetric flow rate, Nm³/Hr : 10612.78

B Results

S.N. Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution				
1. Particulate Matter (PM)	mg/Nm ³	18.97	80 Max	IS 11255 (Part-I) : 1985
2. Sulphur Dioxide (SO ₂)	mg/Nm ³	8.0 (LOQ:3.0)	50 Max	HTH/QF/7.2/2/CH-02, SOP No-23
3. Nitrogen Dioxide (NO ₂)	mg/Nm ³	20.70	50 Max	HTH/QF/7.2/2/CH-02, SOP No-23
4. Carbon Dioxide (CO ₂)	% v/v	5.20	-	HTH/QF/7.1/2/CH-02, SOP No-23

End of Report

Remarks : Standard Limit as per Commission for Air Quality Management in NCR and Adjoining Areas F.NO.A- 110018101/2021-CAQM/7267-7298, dated: 17.03.2022.

Review by
Review by
17.10.2024



Page No.: 1 of 1

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of law.
 2. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 3. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoice amount only.
 5. Sample not drawn by HTH unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR)
 Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
 Web Site : www.hthlabs.com, e-mail : haryonatesthousecs@gmail.com, testing@hthlabs.com



DOC No. HTH/QF/7.8

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:
Asian Paint Ltd
 Plot No.1, Sector- 30 B, IMT Rohtak (HR)

Report No.	:	HTH/EP/240928025
ULR No.	:	TC781124100007287F
Party's Ref No.	:	Nil
Booking Date	:	28/09/2024
Period of Testing	:	28/09/2024 To 01/10/2024
Reporting Date	:	01/10/2024

Sample Description
 Type of Industry : Paint Industry
 Name of Plant/ Section : Boiler Section
 Date of sampling : 28/09/2024
 Capacity of Boiler : 2 TPH
 Source of Emission : Stack Attached to Boiler No. 502
 Instrument used : Stack Sampler APM 160 (Sr.No. 88 DTL 2016)
 Instrument Calibration Status : Calibrated (upto 17.12.2024)
 Type of stack : Metal
 Type of Fuel used : PNG
 Stack height (from the ground level) : 30 meter
 Stack diameter (at the sampling point) : 0.83 meter
 Sample Location : As per standard norms
 Purpose of sampling : Monitoring
 Sample collected by : By our Lab. Representative
 Type of APCM : NS

A Observations

- 1. Stack gas temperature, °C : 122.0
- 2. Temperature at Metering point, °C : 31.0
- 3. Avg. stack gas velocity, m/sec : 7.86
- 4. Sampling flow rate, Lt./min. : 25.0
- 5. Period of sampling, Minutes : 30.0
- 6. Volumetric flow rate, Nm³/ Hr : 11098.76

B Results

S.N.	Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Particulate Matter (PM)	mg/Nm ³	14.93	80 Max	IS 11255 (Part-I) : 1985
2	Sulphur Dioxide (SO ₂)	mg/Nm ³	BLQ(LDQ:3.0)	50 Max	HTH/QF/7.2/2/CH-02, SOP No-23
3	Nitrogen Dioxide (NO ₂)	mg/Nm ³	16.93	50 Max	HTH/QF/7.2/2/CH-02, SOP No-23
4	Carbon Dioxide (CO ₂)	% w/v	5.10	-	HTH/QF/7.2/2/CH-02, SOP No-23

End of Report

Remarks : Standard Limit as per Comission for Air Quality Management in NCR and Adjoining Areas F.NO.A- 110018101/2021-CAQM/7267-7298,dated: 17.03.2022.

Review by
[Signature]
 01.10.2024



Page No.: 1 of 1

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertain only to the sample tested not for the whole lot.
 3. This report is only for your guidance, and not for legal purposes, commercial decisions, and for advertisement.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoice amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)



Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off) 86077-70160, 0180-4067223, (Env) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:
Asian Paint Ltd
Plot No.1, Sector- 30 B, IMT Rohtak (HR)

Report No.	:	HTH/EP/240928026
ULR No.	:	TC781124100007288F
Party's Ref No.	:	NII
Booking Date	:	28/09/2024
Period of Testing	:	28/09/2024 To 01/10/2024
Reporting Date	:	01/10/2024

Sample Description	:	Stack Emission (Boiler 503, 4 TPH)
Type of Industry	:	Paint Industry
Name of Plant/ Section	:	Boiler Section
Date of sampling	:	28/09/2024
Capacity of Boiler	:	4 TPH
Source of Emission	:	Stack Attached to Boiler No. 503
Instrument used	:	Stack Sampler APM 160 (Sr.No. 88 DTL 2016)
Instrument Calibration Status	:	Calibrated (upto 17.12.2024)
Type of stack	:	Metal
Type of Fuel used	:	PNG
Stack height (from the ground level)	:	30 meter
Stack diameter (at the sampling point)	:	0.83 meter
Sample Location	:	As per standard norms
Purpose of sampling	:	Monitoring
Sample collected by	:	By our Lab. Representative
Type of APCM	:	NS

A Observations

1. Stack gas temperature, °C	:	132.0
2. Temperature at Metering point, °C	:	32.0
3. Avg. stack gas velocity, m/sec	:	7.57
4. Sampling flow rate, Lt./min.	:	24.0
5. Period of sampling, Minutes	:	30.0
6. Volumetric flow rate, Nm ³ / Hr	:	10425.33

B Results

S.N. - Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution				
1. Particulate Matter (PM)	mg/Nm ³	21.91	80 Max	IS 11255 (Part-I) : 1985
2. Sulphur Dioxide (SO ₂)	mg/Nm ³	5.24	50 Max	HTH/QF/7.2/2/CH-02, SOP No-23
3. Nitrogen Dioxide (NO ₂)	mg/Nm ³	22.58	50 Max	HTH/QF/7.2/2/CH-02, SOP No-23
4. Carbon Dioxide (CO ₂)	% w/v	5.40	-	HTH/QF/7.2/2/CH-02, SOP No-23

End of Report

Remarks : Standard Limit as per Commission for Air Quality Management in NCR and Adjoining Areas F.NO.A- 110018101/2021-CAQM/7267-7298, dated: 17.03.2022.

[Signature]
Review by
9-10-2024



Page No.: 1 of 1

- Note 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
 3. This report is only for your guidance and not for legal purposes, commercial decision, and for advertisement.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoice amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer or its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
Contact : (Off) 86077-70160, 0180-4067223, (Env) 86077-70164, (BM) 86077-70166, (Food) 86077-70167
Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:
Asian Paint Ltd
Plot No.1, Sector- 30 B, IMT Rohtak (HR)

Report No. : HTH/EP/240928035
ULR No. : TC781124100007278F
Party's Ref No. : Nil
Booking Date : 28/09/2024
Period of Testing : 28/09/2024 To 01/10/2024
Reporting Date : 01/10/2024

Sample Description : Stack Emission (GG 2875 KVA, CDCR 501)
Type of Industry : Paint Industry
Name of Plant/ Section : GG Section
Date of sampling : 28/09/2024
Capacity of DG : 2875 KVA [GG CDCR 501]
Source of Emission : Stack Attached to GG
Instrument used : Stack Sampler VSS1 (Sr.No. 247 DTK 2019)
Instrument Calibration Status : Calibrated (upto 17.12.2024)
Type of stack : Metal
Type of Fuel used : PNG
Stack height (from the ground level) : 30 meter
Stack diameter (at the sampling point) : 0.45 meter
Sample Location : As per standard norms
Purpose of sampling : Monitoring
Sample collected by : By our Lab. Representative

A Observations

1. Stack gas temperature, °C : 340.0
2. Temperature at Metering point, °C : 32.0
3. Avg. stack gas velocity, m/sec : 17.02
4. Sampling flow rate, Lt./min. : 16.0
5. Period of sampling, Minutes : 30.0
6. Volumetric flow rate, Nm³/Hr : 4552.15

B Results

S.N.	Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Particulate Matter (PM)	mg/Nm ³	17.88	80 Max	IS 11255 (Part-I) : 1985
2	Nitrogen Dioxide (NO ₂)	mg/Nm ³	113.52	650 Max	HTH/QF/7.2/2/CH-02, SOP No-23
3	Sulphur Dioxide (SO ₂)	mg/Nm ³	BLQ LOQ(0.0)	-	HTH/QF/7.2/2/CH-02, SOP No-23
4	Carbon Monoxide (CO)	mg/Nm ³	35.33	100 Max	HTH/QF/7.2/2/CH-02, SOP No-23
5	Oxygen (O ₂)	%	12.10	-	HTH/QF/7.2/2/CH-02, SOP No-23
6	Total Non-Methyl Hydro Carbon (NMHC)	mg/Nm ³	20.99	100 Max	IS 5182 : Part 21 : 2001

End of Report

Remarks : PM, NO₂ & CO value Corrected @ 15 % O₂.

Standard Limit of PM as per client CTD.

Standard Limit of NO₂, CO & NMHC as per Commission for Air Quality Management in National Capital Region and Adjoining Areas Act, 2021

F.No.A-11018/01/2021-CAQM/15322-15331 Dated: 29.09.2023.

Review by
10-10-2024



- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 2. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 3. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoice amount only.
 5. Sample not drawn by HTH unless otherwise specified.
 6. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.

2. The results contained in this test report pertains only to the sample tested not for the whole lot.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoice amount only.
 5. Sample not drawn by HTH unless otherwise specified.



HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR)
Contact : (Off) 86077-70160, 0180-4067223, (Env) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:
Asian Paint Ltd
Plot No.1, Sector- 30 B, IMT Rohtak (HR)

Report No. : HTH/EP/240928036
ULR No. : TC781124100007279F
Party's Ref No. : Nil
Booking Date : 28/09/2024
Period of Testing : 28/09/2024 To 01/10/2024
Reporting Date : 01/10/2024

Sample Description : Stack Emission (GG 2875 KVA, CDCR 504)
Type of Industry : Paint Industry
Name of Plant/ Section : GG Section
Date of sampling : 28/09/2024
Capacity of DG : 2875 KVA [GG CDCR 504]
Source of Emission : Stack Attached to GG
Instrument used : Stack Sampler VSS1 (Sr.No. 247 DTK 2019)
Instrument Calibration Status : Calibrated (upto 17.12.2024)
Type of stack : Metal
Type of Fuel used : PNG
Stack height (from the ground level) : 30 meter
Stack diameter (at the sampling point) : 0.45 meter
Sample Location : As per standard norms
Purpose of sampling : Monitoring
Sample collected by : By our Lab. Representative

A Observations

1. Stack gas temperature, °C : 329.0
2. Temperature at Metering point, °C : 32.0
3. Avg. stack gas velocity, m/sec : 16.93
4. Sampling flow rate, l.t./min. : 16.0
5. Period of sampling, Minutes : 30.0
6. Volumetric flow rate, Nm³/ Hr : 4610.82

B Results

S.N.	Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Particulate Matter (PM)	mg/Nm ³	19.82	80 Max	IS 11255 (Part-I) : 1985
2	Nitrogen Dioxide (NO ₂)	mg/Nm ³	113.58	650 Max	HTH/QF/7.2/2/CH-02, SOP No-23
3	Sulphur Dioxide (SO ₂)	mg/Nm ³	BLO[LOQ;3.0]	-	HTH/QF/7.2/2/CH-02, SOP No-23
4	Carbon Monoxide (CO)	mg/Nm ³	35.37	100 Max	HTH/QF/7.2/2/CH-02, SOP No-23
5	Oxygen (O ₂)	%	12.30	-	HTH/QF/7.2/2/CH-02, SOP No-23
6	Total Non-Methyl Hydro Carbon (NMHC)	mg/Nm ³	20.49	100 Max	IS 5182 : Part 21 : 2001

End of Report

Remarks : PM, NO₂ & CO value Corrected @ 15 % O₂.

Standard Limit of PM as per client CTO.

Standard Limit of NO₂, CO & NMHC as per Commission for Air Quality Management in National Capital Region and Adjoining Areas Act, 2021.

F.No.A-11018/01/2021-CAQM/15322-15331 Dated: 29.09.2023.

Review by

- Dharmendra*
01.10.2024
- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertains only to the sample tested and for the analysis done.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



Md. Asif Ansari
Sr. Manager (Env.)



HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR)
 Contact : (Off.) 86077-70160, 0180-4067223, (Env) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
 Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:	
Asian Paint Ltd	
Plot No.1, Sector- 30 B, IMT Rohtak (HR)	

Report No.	: HTH/EP/240928037
ULR No.	: TC781124100007280F
Party's Ref No.	: Nil
Booking Date	: 28/09/2024
Period of Testing	: 28/09/2024 To 01/10/2024
Reporting Date	: 01/10/2024

Sample Description	:	Stack Emission (DG 2000 KVA, CDCR 505)
Type of Industry	:	Paint Industry
Name of Plant/ Section	:	DG Section
Date of sampling	:	28/09/2024
Capacity of DG	:	2000 KVA (DG CDCR 505)
Source of Emission	:	Stack Attached to DG
Instrument used	:	Stack Sampler VSS1 (Sr.No. 247 DTK 2019)
Instrument Calibration Status	:	Calibrated (upto 17.12.2024)
Type of stack	:	Metal
Type of Fuel used	:	HSD
Stack height (from the ground level)	:	30 meter
Stack diameter (at the sampling point)	:	0.45 meter
Sample Location	:	As per standard norms
Purpose of sampling	:	Monitoring
Sample collected by	:	By our Lab. Representative

A Observations

1. Stack gas temperature, °C	:	360.0
2. Temperature at Metering point, °C	:	33.0
3. Avg. stack gas velocity, m/sec	:	18.65
4. Sampling flow rate, Lt./min.	:	17.0
5. Period of sampling, Minutes	:	30.0
6. Volumetric flow rate, Nm ³ /Hr	:	4830.51

B Results

S.N.	Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Particulate Matter (PM)	mg/Nm ³	29.27	80 Max	IS 11255 (Part-I) : 1985
2	Nitrogen Dioxide (NO ₂)	mg/Nm ³	161.22	650 Max	HTH/QF/7.2/2/CH-02, SOP No-23
3	Sulphur Dioxide (SO ₂)	mg/Nm ³	7.85	-	HTH/QF/7.2/2/CH-02, SOP No-23
4	Carbon Monoxide (CO)	mg/Nm ³	55.52	100 Max	HTH/QF/7.2/2/CH-02, SOP No-23
5	Oxygen (O ₂)	%	12.50	-	HTH/QF/7.2/2/CH-02, SOP No-23
6	Total Non-Methyl Hydro Carbon (NMHC)	mg/Nm ³	25.66	100 Max	IS 5182 : Part 21 : 2001

End of Report

Remarks : PM, NO₂ & CO value Corrected @ 15 % O₂.

Standard Limit of PM as per client CTO.

Standard Limit of NO₂, CO & NMHC as per Commission for Air Quality Management in National Capital Region and Adjoining Areas Act, 2021


F.No.A-11018/01/2021-CAQM/15322-15331 Dated: 29.09.2023.

Type Of APCM Installed- RECD (Retrofit Emission Control Device)

Review by



- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of law.
 2. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 3. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the incurred amount only.
 5. Sample not drawn by HTH unless otherwise specified.
 6. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR)
Contact : (Off) 86077-70160, 0180-4067223, (Env) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:	
Asian Paint Ltd	
Plot No.1, Sector- 30 B, IMT Rohtak (HR)	

Report No.	: HTH/EP/240928038
ULR No.	: TC781124100007281F
Party's Ref No.	: Nil
Booking Date	: 28/09/2024
Period of Testing	: 28/09/2024 To 01/10/2024
Reporting Date	: 01/10/2024

Sample Description	:	Stack Emission (DG 2000 KVA, CDCR 506)
Type of Industry	:	Paint Industry
Name of Plant/ Section	:	DG Section
Date of sampling	:	28/09/2024
Capacity of DG	:	2000 KVA (DG CDCR 506)
Source of Emission	:	Stack Attached to DG
Instrument used	:	Stack Sampler VSS1 (Sr.No. 247 DTK 2019)
Instrument Calibration Status	:	Calibrated (upto 17.12.2024)
Type of stack	:	Metal
Type of Fuel used	:	HSD
Stack height (from the ground level)	:	30 meter
Stack diameter (at the sampling point)	:	0.45 meter
Sample Location	:	As per standard norms
Purpose of sampling	:	Monitoring
Sample collected by	:	By our Lab. Representative

A Observations

1. Stack gas temperature, °C	:	371.0
2. Temperature at Metering point, °C	:	33.0
3. Avg. stack gas velocity, m/sec	:	19.01
4. Sampling flow rate, Lt./min.	:	17.0
5. Period of sampling, Minutes	:	30.0
6. Volumetric flow rate, Nm ³ / Hr	:	4839.65

B Results

S.N.	Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Particulate Matter (PM)	mg/Nm ³	32.58	80 Max	IS 11255 (Part-I) : 1985
2	Nitrogen Dioxide (NO ₂)	mg/Nm ³	159.15	650 Max	HTH/QF/7.2/2/CH-02, SOP No-23
3	Sulphur Dioxide (SO ₂)	mg/Nm ³	5.24	-	HTH/QF/7.2/2/CH-02, SOP No-23
4	Carbon Monoxide (CO)	mg/Nm ³	54.56	100 Max	HTH/QF/7.2/2/CH-02, SOP No-23
5	Oxygen (O ₂)	%	12.60	-	HTH/QF/7.2/2/CH-02, SOP No-23
6	Total Non-Methyl Hydro Carbon (NMHC)	mg/Nm ³	26.20	100 Max	IS 5182 : Part 21 : 2001

End of Report

Remarks : PM, NO₂ & CO value Corrected @ 15 % O₂.

Standard Limit of PM as per client CTD.

Standard Limit of NO₂, CO & NMHC as per Commission for Air Quality Management in National Capital Region and Adjoining Areas Act, 2021

F.No.A-11018/01/2021-CAQM/15322-15331 Dated: 29.09.2023.

Type Of APCM Installed- RECD (Retrofit Emission Control Device)

Review by
10.10.2024

HTH LABORATORIES PVT LTD
Md. Afzal Ansari
Sr. Manager (Env.)

Page No.: 1 of 1

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.

Annexure -3



Renewal

Certificate

To whomsoever it may concern
This is to certify that

ASIAN PAINTS LTD

PLOT NO - 01, SECTOR-30B,
IMT, VILLAGE - KHERISADH,
ROHTAK
Haryana

is a valid member of

Gujarat Enviro-Protection And Infrastructure (Haryana) Pvt Limited

for Integrated Common Hazardous Waste Management Facility.

This membership is valid for a period of
5 Years

For, Gujarat Enviro-Protection And Infrastructure (Haryana)
Pvt Limited

Date of issue : 15.03.2021

Date of expiration : 14.03.2026

Place of Issue : SURAT

Waste Information

SrNo	Type Of Waste	Sign Qty(TPA)
1	CHEMICAL RESIDUE FROM DECONTAMINATION	10.000
3	DISCARDED LINER CONTAINERS.	25.000
5	OIL & GREASE SKIMMING RESIDU.	5.000
7	PROCESS WASTE.	125.000
9	WASTE RESIDUE.	80.000

Director/Authorised signatory

SrNo	Type Of Waste	Sign Qty(TPA)
2	CHEMICAL SLUDGE.	225.000
4	FILTER CONTAMINATED WITH OIL.	10.000
6	OIL CONTAMINATED WITH WW SLUDGE	10.000
8	SPENT CARBON.	5.000
10	WASTE SOLVENT.	30.000
Total Sign Qty (TPA)		525.000

SUBJECT TO FARIDABAD JURISDICTION

Annexure -4

Date of purchase of stamp paper 15/10/2007
Total cost of plot - Rs.80,15,67,000.00
Stamp duty @ 5% - Rs. 4,00,78,350.00

CONVEYANCE DEED

This deed of conveyance made and executed on the 31st day of December in the year 2008 between the Haryana State Industrial & Infrastructure Development Corporation Limited, Registered Office C-13 & 14, Sector-6, Panchkula, hereinafter called the transferor of the one part, which expression shall include its successor, assignees, administrators, executors through its authorized signatory; Mr.

Gulshan Kumar, Dy. General Manager (E) Bahadurgarh, M/S ASIAN PAINTS LIMITED, having its registered office at 6A, Shantinagar, Santacruz East, Mumbai - 400055 (hereinafter called the transferee of the other part of the conveyance deed, which expression shall include his/her/its heirs, successors, assignees, administrators, nominees, executive etc. through its authorized signatory Mr. Jayesh Merchant S/o Mr. Tulsidas Merchant, resident of 4 Sai Manzil, 18 Almond Road, Mumbai - 400026.

Whereas the plot hereinafter described and intended to be hereby conveyed is owned by the transferor with full proprietary rights.

Whereas Industrial Plot No. 1, in I M T - Rohtak (Industrial Model Township) measuring 129.285 Acres, was allotted to the transferee, in pursuance to its application for allotment of the plot for the purpose of setting up of Integrated paint manufacturing plant with final capacity of 400000 Kilo Liter per Annum as per the terms and conditions, contained in the Regular Letter of Allotment (RLA), dated 24th August 2008 and Agreement dated 6th November 2007 which shall continue to remain part and parcel of this deed.

FOR ASIAN PAINTS LIMITED

JAYESH MERCHANT

Dy. Gen. Manager (E),
HSIIDC
B. O. Bahadurgarh

Whereas the transferee has made the full payment amounting to Rs.80,15,67,000/- (Rs. Eighty Crores Fifteen Lacs and Sixty Seven Thousands only) as on date, towards the full price of the said plot to the transferor.

NOW THEREFORE, this deed witness that for the purpose of carrying into effect the Regular Letter of Allotment (RLA) and the Agreement and further in consideration of the said sum of Rs. 80,15,67,000/- (Rs. Eighty Crores Fifteen Lacs and Sixty Seven Thousands only) paid by the transferee, the transferor hereby grants and conveys to the transferee all that part and parcel of plot No. 1, in I M T - Rohtak, measuring 129.285 Acres on the following terms and conditions :-

1. That any additional price of the aforesaid plot, as a consequence of enhancement in compensation that may be awarded by the Court (s) in the matters/cases arising out of the acquisition proceedings or any incidental or connected matter thereto, shall be payable by the transferee, in lump-sum, within 30 days from the date of issuance of demand notice, alongwith interest @15% p. a. or in the installments as per the Policy of the Corporation approved from time to time. In case if the amount will be deposited in installments, interest @ 15% p.a. will be charged. In case of default, penal interest @ 2% higher than the above rate on the defaulted amount for the defaulted period will also be charged.
2. That the aforesaid plot has been allotted on the "as is where is basis" and that the transferor will not be responsible for leveling uneven site; and that the transferee shall be liable to pay additional sum/money for any structure/super structure, trees & plants, boundary/compound wall or any other fixture that may be standing/existing thereon at the time of allotment, for which compensation, as assessed, had been paid by the transferor.

FOR ASIAN PAINTS LIMITED

JAYESH MERCHANT
CHIEF FINANCIAL OFFICER &
COMPANY SECRETARY


Dy. Gen. Manager
HSIIDC
O. Bahadurgarh

3. That the transferee shall be required to implement the project, for which the aforesaid plot has been allotted, within a period of three years from the date of offer of possession; and that implementation of the project shall mean the commencement of commercial production, after coverage of construction in accordance with the norms specified in the Estate Management Procedure - 2005, as amended from time to time (hereinafter called EMP) and installation of the plant and machinery.
4. That notwithstanding the period of three years stipulated qua implementation of the project on the plot, the allottee shall comply with the following norms:-
 - a) The allottee shall be required to take possession of plot, submit building plan and start construction at site within Six months of allotment.
 - b) The allottee shall raise construction at least to the extent of plinth level within one Year of allotment.
 - c) The allottee shall complete the minimum required construction for completion of project and finalize tie-up for procurement of plant and machinery within two years.
 - d) The allottee shall implement the project after constructing at least 25% of the permissible covered area and raising investment in fixed capital assets (minimum of Rs.100 crores) in the project as per project report within three years of allotment and submit documents in this regard to the corporation.

Upon failure on the part of allottee to adhere to the schedule/time available for implementation of the project and investment of minimum Rs.100 crores

FOR ASIAN PAINTS LIMITED


JAYESH MERCHANT
CHIEF FINANCIAL OFFICER &
COMPANY SECRETARY


Dy. Gen. Manager (E)
HSIIDC
P. O. Bahadurgarh

in fixed capital assets in the project, HSILDC shall be competent to resume the aforesaid plot.

5. Keeping in view that the aforesaid plot has been allotted under the ongoing scheme as per the provisions of EMP-2005; cost of the project being more than Rs.780 crores, the licensee hereby agrees and undertakes to implement the project within the stipulated period with an investment of Rs.500 crores as provided in the project report, failing which, the afore said plot shall be liable to the resumed. However, extension for implementation of project/raising investment in fixed capital assets as per project report can be considered under exceptional circumstances, subject to payment of extension fee at double the rates as stipulated in the EMP-2005, which may be revised from time to time.
6. That the transferee shall be deemed to have completed the project if he, within the period available for implementation of the project, achieves construction coverage as per the norms specified in EMP and starts commercial production of the project after installation of plant & machinery. The transferee shall, within one month of completion of project, inform the concerned field office of the transferor, in writing, that the project has been completed, along with documentary proofs in this regard.
7. That the transferee shall use and utilize the aforesaid plot for the purposes for which it has been allotted and shall not change the nature of the project or related activities in any manner whatsoever, except with the prior permission, which may be granted by the transferor only after considering the ground (s) and such other factors, as contemplated in the EMP, provided that the transferee has paid requisite fee along with written request in this behalf. Violation, if any, shall entail resumption of the plot.


FOR ASIAN PAINTS LIMITED

JAYESH MERCHANT
CHIEF FINANCIAL OFFICER &

Dy. Gen. Manager
HSILDC
B. O. Bahadurgarh

8. That the transferee shall construct the building on the aforesaid plot after getting the building plans approved from the competent authority and the said building plans shall be approved in conformity with the building bye-laws, as applicable from time to time. However, before start of construction, the transferee shall submit a copy of the approved building plans to the transferor.
9. That the transferee shall apply for an occupation certificate in the concerned field office of transferor. Further, the procedure to grant occupation certificate shall be governed by the rules and regulations of Department of Town and Country Planning, Haryana, as amended from time to time.
10. That the use of the land and the building erected on the above said plot shall be governed by the zoning plan of the Estate. The permissible covered area shall be governed as per rules and regulations of the Department of Town and Country Planning, Haryana, as amended from time to time. Zoning violations and the deviation from the approved building plans at any stage shall cause a notice to rectify the breach by the transferee. In the event of non-compliance by the transferee, the aforesaid plot shall be liable to be resumed and the transferee shall be required to remove the plant and machinery within a period of two months from the order of the resumption at the cost and peril of the transferee.
11. That the transferee shall not bifurcate the aforesaid plot except with the prior permission of the transferor. Bifurcation of the plot shall, however, be governed and regulated in the manner as provided in the EMP. Bifurcation of shed shall not be allowed.

FOR ASIAN PAINTS LIMITED


JAYESH MERCHANT
CHIEF FINANCIAL OFFICER &
COMPANY SECRETARY


Dy. Gen. Manager (E)
HSIIDC
R. O. Bahadurgarh

12. That the transferee shall have no right to transfer the land and building standing thereon by way of sale or gift, mortgage, lease or any other way without specific written approval from the transferor.
13. That further alienation of the above said plot may be allowed by the transferor only after the expiry of one year from the date of commencement of commercial production, after coverage of construction in accordance with the norms specified in EMP and installation of the plant and machinery, subject to further condition that the person, who steps into the shoes of the transferee, shall not be allowed to further transfer the plot for atleast one year from the date of transfer of the aforesaid plot in his/her/its name. Such transfer shall, however, be subject to the compliance of provisions and payment of transfer fee as prescribed in the EMP, as revised from time to time.

No transfer fee would be leviable after the project of the transferee has been in commercial production for more than five years and is free from all encumbrances. However, prior permission of transferor shall be necessary for such transfer of the plot. The fee at the rates, prescribed from time to time in the EMP, shall however, be payable by the transferee.

14. That the transfer of the aforesaid plot, due to inheritance, succession upon the death of the transferee/majority share holders or the project has been taken over by a financial Institution may be allowed without charging transfer fee, but on the payment of processing fee at the rates as prescribed in the EMP, from time to time. The change of management by transfer of majority shareholding shall also be treated as transfer.

FOR ASIAN PAINTS LIMITED

Jayesh Merchant
JAYESH MERCHANT
CHIEF FINANCIAL OFFICER &
COMPANY SECRETARY

Dy. Gen. Manager(E)
HSIDC - 33
C. O. Batalurgarh

15. That for seeking permission for further transfer of the aforesaid plot, the transferee shall apply to the transferor along with following documents :-
- Original letter of allotment.
 - Proposed agreement to sell.
 - Project report of the proposed transferee, in case of any change of project.
 - Statement of means of financing of the proposed transferee.

The transferee shall, however, be required to submit his request for the proposed transfer within a period of 30 days from the date of proposed Agreement to Sell, failing which a penalty equivalent to the transfer fee shall be imposed upon the transferee, while allowing such transfer. In case the transfer is allowed, the person who steps into the shoes of the transferee, shall be required to enter into a fresh Agreement with the transferor in respect of the industrial plot.

16. That the change in shareholding may be allowed only if the original allottee/transferee or his family members (spouse, son, daughter, wife, parents, brother, sister) retain a minimum of 51% share in the project/company/firm. In case the original allottee / transferee and his family fail to retain the prescribed share holding of 51%, it shall be deemed to be transfer, for which the transfer fee at the rates prescribed in EMP, from time to time shall be payable by the transferor.
17. That the transferee, being a private limited company, if becomes a public limited company and is listed with recognized stock exchange, the change in constitution may be allowed subject to the condition that the transferee or his associates (family members), retain the largest share holding and having management control, otherwise it shall be treated as a case of transfer and the

FOR ASIAN PAINTS LIMITED

JAYESH MERCHANT


CORPORATE SECRETARY

Dy. Gen. Manager (E)
HSIIDC
D. Bahadurgarh

transfer fee at the rates prescribed in EMP, from time to time, shall be payable by the transferee.

18. That in order to ensure optimum utilization of the industrial areas/industrial estates, leasing/renting of the premises of the building may be allowed if the transferee has made construction as per the standard norms and has remained in production for one year. Such permission may be granted by the transferor on payment of leasing fee, as prescribed in the EMP, from time to time. However, prior approval of the transferor for leasing shall be mandatory.
19. That the number of leases on the aforesaid plot shall be permitted as per the provisions contained in EMP. The permission for leasing shall be valid for the period specified in the permission letter and after having obtained permission for leasing, the transferee shall be at liberty to change the tenants within the period so specified subject to the transferee keeping transferor informed about any change made in the tenancy and getting the project of the lessee/ tenant approved from transferor and payment of leasing fee as prescribed in the EMP, from time to time.
20. That the transferee shall have to take water for the unit set up and other area of the said plot from the water supply system of the transferor on payment in accordance with the rates fixed from time to time. The transferee shall not dig or install any tube well/bore-well within his plot/shed for meeting his water requirements.
21. That the transferor shall continue to be the owner of all mines and minerals, whatsoever including sub-soil water in or underneath the surface of the plot with all such rights and powers as may be necessary or expedient for the purpose of searching, working, obtaining, removing and enjoying the same at

FOR ASIAN PAINTS LIMITED



DAYESH MERCHANT


Dy. Gen. Manager (E),
HSIIDC
B. O. Bahadurgarh

all such times and in such manner as transferor may deem fit, with power to carry out any survey of all or any part of the said plot and to sink pits, erect building, construct lines and generally appropriate and use surface of the said plot for the purpose of doing the full enjoyment of the exceptions and reservations herein contained.

Provided that the transferee shall be entitled to receive from transferor such payment for the occupation by transferor of the surface and for the damage done to the surface or building on the said land by such works or workings or letting down as may be agreed upon between the transferor and the transferee or failing such agreement, the same shall be ascertained by reference to arbitration.

22. That the Government may in the near future acquire possession and proprietary rights over the land surrounding the industrial estates and the Government or any other authority on behalf of the Govt. may thereafter, in its discretion, decide to convert this area or a part thereof into a green belt or to use it for any other common purpose and in the event of such happening, the cost of the acquisition and development of the part of land so utilized payable by transferor to the Government or any authority on its behalf will be recoverable by transferor from its transferees proportionately. An amount demanded by transferor on account of such external development charges will be payable by the transferee to transferor in lump-sum or in installments, as may be decided by transferor.
23. That the transferee shall pay to the transferor such proportionate external development charges spent by the transferor or as may be payable to the Government or any other agency by the transferor for external water supply, electricity installation, Roads, Strom Water, drainage, sewerage, CETP, STP,

FOR ASIAN PAINTS LIMITED


JAYESH MERCHANT

Dy. Gen. Manager
HSIDC
B. O. Behadurgarh

pumping charges etc., in addition to already stated in Clause 22 above, within 30 days from the date of the letter of demand failing which the transferee shall be liable to pay the sum along with interest @ 14% p.a. In the event of failure of the transferee to make payment of the amount demanded within three months from the date of issue of the said letter of demand, the plot shall be liable to be resumed.

24. That the transferor may, but its officers and servants, at all reasonable times and in reasonable manner after giving 24 hours notice in writing, enter in and upon any part of the plot and building erected thereon for the purpose of ascertaining that the transferee has duly performed and observed the conditions to be observed under the provisions of the RLA/Agreement and this deed.
25. That the transferor shall have full right, power and authority at all times, to do through its officers or servants, all acts and things which may be necessary or expedient for the purpose of enforcing compliance of all or any of the terms, conditions and reservations imposed and to recover from transferee, as first charge upon the said land, the cost of doing all or any such acts and things and all costs incurred in connection therewith or in any way relating thereto.
26. That the transferee shall comply with all the Estate Management regulations dealing with malba, cleanliness, quantum and the quality of effluent discharge, solid waste disposal, green cover obligations, vehicle parking regulations etc. among other things for proper maintenance of the industrial estate and its surrounding. Transferor shall be within its rights to ensure compliance of measures considered necessary for its maintenance and levy

FOR ASIAN PAINTS LIMITED


JAYESH MERCHANT
CHIEF FINANCIAL OFFICER &
COMPANY SECRETARY

Dy. Gen. Manager (E)
HSIIDC
R. O. Baladurgarh

charges, fines and penalties, if necessary, towards achievement of its objectives.

27. That the transferee shall have to pay local and general taxes, rates or cesses etc., as imposed on the said plot by the competent authority from time to time.
28. That the transferee shall pay the proportionate maintenance and service charges fixed from time to time and as communicated by the transferor. The maintenance and service charges will be payable on per square meter basis.
29. That the transferee agrees and undertakes that he/she/it shall, as far as possible, employ 75% of un-skilled workforce and shall give preference for other categories to candidates from among the Haryana domiciles in the unit set up/to be set up on plot.
30. That the transferor transfers this plot for setting up and running an industry and thereby contributing to the overall economic activity in the State. In case the transferee does not continue to remain in production and the production gets held up, transferor shall issue a notice to resume production within a period of three months. In case the transferee fails to resume production activity within the given time, the plot shall be liable to be resumed.
31. That if the transferee appoints ANY ATTORNEY, he/she/they shall submit the certified copy of the Registered Power of Attorney along with photograph and signatures of the transferee duly attested by the Magistrate First Class within a week from the registration of the deed by Registered A/D post or in person.

FOR ASIAN PAINTS LIMITED


JAYESH MERCHANT
CHIEF FINANCIAL OFFICER &
COMPANY SECRETARY

Dy. Gen. Manager
HSIIDC
S. O. Betadurgarh

32. That so long as the transferee fully performs and complies with and continues to so perform and comply with each and all the terms and conditions herein made and provided, but not otherwise, the transferor will ensure to the transferee full and peaceful enjoyment of the rights and privileges herein and hereby conveyed in this deed.
33. That the transferor will be competent to resume plots in its Industrial Estates in case an transferee defaults in complying with the terms and conditions of allotment/transfer/leasing etc. The resumption of plot would be done by the transferor after giving show cause notice. Upon resumption, the principal amount deposited by the transferee will be refunded and deducting 10% of the price of the plot without any interest. The amount of interest and penalty, if any, paid on the installment (s), if any, shall also stand forfeited. The transferee will be free to remove the structure/debris, if any, within a period of two months of resumption order at his own cost, failing which it shall be removed by the transferor at the transferee's cost. The transferee shall not be entitled to any payment/compensation for building constructed by it on the resumed plot.
34. That the plot once resumed shall not be restored by transferor. However, an appeal shall lie to a committee, comprising of the Financial Commissioner Industries, Haryana, Director of Industries, Haryana and Managing Director, Haryana Financial Corporation against the order of the Transferor ordering resumption. The decision of the aforesaid committee shall be final and binding.
35. That all the acts and expenses of or incidental to the execution of this deed including the cost of stamp duty, registration etc. shall be borne by the transferee.


FOR ASIAN PAINTS LIMITED

[Signature]

JAYESH MERCHANT

Cy. Gen. Manager (E)
HSIIDC
O. Bahadurgarh

Reg. No. Reg. Year Book No.
1574 2008-2009 1



संपत्ति

निवेदित
निवेदित दिन

संपत्ति

हरियाणा प्रौद्योगिकी विभाग द्वारा जारी कर्तव्य

प्राप्ति 1- दिनांक नम्बर

1/01/2009

प्राप्ति 2- राशि कुल

S. B. Singh

प्रमाण-पत्र

प्रमाणित किया जाता है कि यह प्रतीक्षा क्रमांक 1,574 आज दिनांक 31/12/2008 को वही नं: 1 विलंब नं: 2 के
पृष्ठ नं: 195 पर पंजीकृत किया गया तथा इसकी एक प्रति अतिरिक्त वही संज्ञा । विलंब नं: 41 के
पृष्ठ संख्या 83 से 95 पर चिपकाई गयी। यह भी प्रमाणित किया जाता है कि इस दस्तावेज के प्रस्तुतकर्ता और
गकारों ने अपने हस्ताक्षर/निराजन अंगुब मेरे सामने किये हैं।

दिनांक 31/12/2008


S. B. Singh
उप/संयुक्त पंजीकृत अधिकारी
सापत्ति सापत्ति

PROPOSED 30m. WIDE ROAD

PROPOSED 30m. WIDE ROAD

ASIAN PAINT'S BRY. LIMIT

PLOT AREA : 129.285 Acres



FOR ASIAN PAINTS LIMITED

JAYESH MERCHANT
CHIEF FINANCIAL OFFICER &
COMPANY SECRETARY

Annexure -5



ISO 27001:2022 CERTIFIED • DIN : U24120MH2011PTC214111

Corporate Office: 610, Techno IT Park, Navi Ti Eskay Report, Link Road, Borivali (W), Mumbai 400 092, India. ☎: +91 (022) 68 490 490
✉: myhealthmeterservices@gmail.com • www.myhealthmeter.com

MSME No.: UDYAM-MH-19-0024212

To:
Asian Paints Limited
Plot No. 1, Sector 30B,
VIT, HSIDC, Kherwadi,
Rohtak
(Haryana)-124027

Subject: Acknowledgement of Medical Checkup at Asian Paints Rohtak

We are pleased to acknowledge the successful completion of the annual medical checkup conducted at your plant in December 2023. During this period, a total of 416 employees were thoroughly examined. Enclosed with this letter is an annexure detailing the comprehensive list of tests that were performed. [Package mentioned in Annexure A]

We also wanted to acknowledge the successful execution of the half-yearly medical checkup at your facility. To date, we have conducted thorough examinations for 376 employees. Additionally, the medical checkups for an additional 40 employees are scheduled to take place next week. Please find enclosed an annexure that details the comprehensive list of tests performed during this checkup. [Package Mentioned in Annexure B]



Name: Dr. Vishal Jain

Designation: Director

Signature:



Annexure A [Annual Medical Check-up December 2023]

Service/Material Detailed Description	Below 40 years	Above 40 years
1. Complete Blood Count	Yes	Yes
2. Blood Sugar (Random) and HbA1C	Yes	Yes
3. Lipid Profile (Cholesterol, LDL, HDL, VLDL, Triglycerides, ratios)	Yes	Yes
4. Routine Urine (Microscopic)	Yes	Yes
5. Audiometry Test - Air Conduction	Yes	Yes
6. Vision Test - Far, Near & Color with computerized machine with sight correction and Colour blindness check	Yes	Yes
7. Computerized ECG (Electrocardiography)	Yes	Yes
8. Body Fat Analysis by Body Fat Analyzer Machine	Yes	Yes
9. Liver Function tests (SGOT, SGPT, Bilirubin)	Yes	Yes
10. Abdomen Ultrasound	Yes	Yes
11. Kidney Function test (BUN, S. Creatinine)	Yes	Yes
12. Thyroid profile test (T3, T4, TSH)	Yes	Yes
13. X-Ray (Chest)	Yes	Yes
14. Computerized Lung Function Test	Yes	Yes
15. 2D Echo Test	No	Yes
16. Uric Acid	No	Yes
Quotation Per Employee	₹100/-	₹150/-

Annexure B (Half Yearly Health Check-up: July 2024)

Investigation
Complete Blood Count
Routine Urine
Vision Test with Computerized Machine with Sight Correction and Color blindness test
Physical Examination
Quotation Per Employee INR 540/-



Annexure -6

July-24

Workshop/Air Quality Monitoring, Sampling & Reporting

VOC-TWA

ASIAN PAINTS LIMITED

Plot No. - 01, BII, Kheri Sadak,
Rohtak (Haryana) - 24001- India.



— ENVIRO-INTERNATIONAL —

Lab Recognised Under Ministry of Environment, Forest & Climate Change Govt. of India
Gazette Notification S.O. 1745 (E), S.N. 32, M.A.B.L.T.C. 6545, U.P.P.C. B.H. 1160005/BS



TEST REPORT

ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/RIFOSIS NICOSH	EFU CURNICAL STORAGE ROOM
Sampling Code			W2 - 01
Sampling Date/In			BBU 10/07/21
Date/Ex			Normal
Ambient Temperature	°K	<130	300
Acetone	mg/m³	<130	261
Acrylonitrile	mg/m³	<10	03
α-Benzoic Acetate	mg/m³	<70	21
β-Benzoic Acetate	mg/m³	<10	01
Ethyl Acetate	mg/m³	<1400	13
Ethyl Alcohol	mg/m³	<1000	56
Formaldehyde	mg/m³	<1.5	0.4
Isobutyl Alcohol	mg/m³	<150	28
Manganese dust and compounds (as Mn)	mg/m³	<25	BDL
Phosphoric Acid	mg/m³	<11	BDL
Pyrrole	mg/m³	<15	BDL
Methyl Isobutyl Acetate (Miba)	mg/m³	<205	BDL
Ethylene Oxide	mg/m³	<10	BDL
Xylene	mg/m³	<135	27
Phthalic Anhydride	mg/m³	<10	BDL
Toluene	mg/m³	<13	37
2-Ethylhexanoic acid (2-EHA)	mg/m³	<74	26
Butanol	mg/m³	<100	02
Butyl Acetate	mg/m³	<15	03
Ethyl Cellulosic Acetate	mg/m³	<5	02
Mineral Spirits/Oil (MTD)	mg/m³	<50	201
Acetone Acid	mg/m³	<25	BDL
2-Guanone (Methyl Ethyl Ketone - MEK)	mg/m³	<900	BDL
sec/tert. Butyl Acetate	mg/m³	<900	BDL
Chloroform Acid & Chromato as Cr	mg/m³	<10.5	BDL
Dibutyl Phthalate	mg/m³	<5	BDL
Hydrogen Fluoride as F	mg/m³	<1	BDL
Iron Oxide Fume (Fe₂O₃)	mg/m³		BDL
Nitric Acid	mg/m³	<15	BDL
Phenol	mg/m³	<10	BDL
Styrene	mg/m³	<15	BDL
Methanol	mg/m³	<100	BDL
Cyclohexane	mg/m³		BDL
Toluene Diisocyanate (TDI)	mg/m³	<0.142	BDL
Methyl Methacrylate	mg/m³	<400	BDL
Lead	mg/m³	<0.14	BDL
Chromic Metal & Inorganic Compounds	mg/m³	<0.1	BDL

At D. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL = Below Detection Limit.

Sampling Date by Mr. Shyam Singh & Mr. Parasaben Singh.
Checked

R.P. Signature

- N.B.:
 • The Sample/Samples received shall be destroyed after 2 weeks unless so specified otherwise.
 • The Result indicated only refers to the tested samples.
 • This Certificate shall not be used in any media or as evidence in the court.
 • It is valid without prior written consent of the laboratory.



ENVIRO-INTERNATIONAL



Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notifications S.O. 3744 (E), S. No. 32, N.A.B.C. TC-8845, U.P.R.C.G. H-01500-CL/93

TEST REPORT

ISSUED TO:
M/S ASIAN PAINTS LIMITED
Plot No - D1, IMT, Noida Sub-Area,
Noida, Uttar Pradesh - 201301 India.

Sample Details : VOC-TWA
Sample Reference : EIL/APL-BM72/SW77-2

SUBJECT : VOC-TWA
METHODS : Based on MDSS1, USMA
INSTRUMENTS : Handy Sampler, CP, GC, UV etc.

Sample Collection Date : 13/07/24
Sample Reporting Date : 25/07/24

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS NOEL	WPF - GROUND FLOOR-OLD BLOCK
Sampling Date			W2-03
Sampling Time/Hour			400 Minutes
Latitude			Normal
Ambient Temperature	mg/m ³	-	30.1
Acetone	mg/m ³	<174	2.84
Alkanes	mg/m ³	<1H	0.8
n-Butyl acetate	mg/m ³	<710	1.9
n-Butyl alcohol	mg/m ³	<150	0.6
Ethyl acetate	mg/m ³	<1400	2.0
Ethyl alcohol	mg/m ³	<1900	4.0
Formaldehyde	mg/m ³	<1.5	0.0
Isobutyl alcohol	mg/m ³	<150	0.7
Manganese dust and compounds (as Mn)	mg/m ³	<0.5	BDL
Phosphoric Acid	mg/m ³	<1	BDL
Pyrrole	mg/m ³	<1.5	BDL
Methyl Isobutyl Ketone (MIBK)	mg/m ³	<214	BDL
Estyrene Oxide	mg/m ³	<0.134	BDL
Acid	mg/m ³	<400	0.1
Formic Anhydride	mg/m ³	<0.1	BDL
Toluene	mg/m ³	<375	6.3
2-Ethyhexanoic acid (2-EHA)	mg/m ³	<370	0.8
Butanol	mg/m ³	<150	0.0
Butyl Cellulose	mg/m ³	<1.2	0.2
Ethyl Cellulose Acetate	mg/m ³	<5	0.1
Mineral Turpentine Oil (MTO)	mg/m ³	<10	BDL
Acrylic Acid	mg/m ³	<2	BDL
2-Butanone (Methyl Ethyl Ketone - MEK)	mg/m ³	<300	BDL
sec. Butyl Acetate	mg/m ³	<950	BDL
Chromic Acid & Chromates as Cr	mg/m ³	<0.01	BDL
Dibutyl Phthalate	mg/m ³	<3	BDL
Dimethyl Fluoride as F	mg/m ³	<1.5	BDL
Iron Oxide Fume (FeO)	mg/m ³	-	BDL
Malic Acid	mg/m ³	<0.1	BDL
Phenol	mg/m ³	<1.0	BDL
Styrene	mg/m ³	<215	BDL
Metabolites	mg/m ³	<260	BDL
Cyclohexane	mg/m ³	-	BDL
Toluene Diisocyanate (TDI)	mg/m ³	<1.1-12	BDL
Methyl Methacrylate	mg/m ³	<10	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compounds	mg/m ³	<0.1	BDL

N. B.: A. Method is based on ACGIH, OSHA & OPCA. B. Standard, as per Fact Act, 1948.
Sampling Done By Mr. Shiv Singh & Mr. Purushottam Singh.

C. BDL > 0.03 mg/m³

- N.B.:-
 - The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
 - The Result indicated only refer to the tested samples.
 - The Certificate shall not be used in any trade or as evidence in the court
 of law without prior written consent of the laboratory.



CLAC



— ENVIRO-INTERNATIONAL —

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.C. TC-8545, U.P.P.C.B. HS-1505/C/L/H.



TEST REPORT


ISSUED TO:	SUBJECT :
MAIASEAN PAINTS LIMITED	VOC-TWA
Plot No.: B1, IMT, Kheri Sadr, Kharar, Manesar- 140074, Haryana.	METHODS : Based on MOASH, CISCA
Sample Details : VOC-TWA	INSTRUMENTS: Handi Sampler, CT, GC, UV-VIS
Sample Reference: EMA/TP-140724/WZ-1	Sample Collection Date: 17/07/24
	Sample Reporting Date: 19/07/24

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/REFRS	WPR GROUND FLOOR NEW BLOCK
Sampling Date			WZ-03
Sampling Duration			600±40 minutes
Values			Normal
Ambient Temperature	°C		30.3
Acetone	mg/m³	<1.00	0.27
Ammonia	mg/m³	<10	0.5
n-Butyl acetate	mg/m³	<100	2.0
n-Butyl alcohol	mg/m³	<100	0.4
Ethyl acetate	mg/m³	<1400	6.2
Ethyl alcohol	mg/m³	<1000	7.0
Formaldehyde	mg/m³	<1.5	0.3
Methyl alcohol	mg/m³	<100	0.8
Manganese Oxide and compounds (as Mn)	mg/m³	<0.5	BDL
Phosphoric Acid	mg/m³	<11	BDL
Pyrrole	mg/m³	<1.5	BDL
Styrene Isobutyl ketone (MIBK)	mg/m³	<1.5	BDL
Ethylene Oxide	mg/m³	<0.184	BDL
Etylene	mg/m³	<3.5	4.2
Phthalic Anhydride	mg/m³	<0.1	BDL
Toluene	mg/m³	<37.5	3.4
2-Ethylhexanoic acid (2-EHA)	mg/m³	<37.5	3.1
Dioxane	mg/m³	<1.5	0.6
Butyl Cellosolve	mg/m³	<12	0.4
Ethyl Cellulosic Acetate	mg/m³	<3	3.4
Mineral Turpentine oil (MTO)	mg/m³	<500	BDL
Acetic Acid	mg/m³	<15	BDL
2-Butanone (butan-2-one) Ketone - (MEK)	mg/m³	<70	BDL
sec-Butyl Acetone	mg/m³	<0.50	BDL
Chromic Acid & Chromates as Cr	mg/m³	<0.05	BDL
Dimethyl Phthalate	mg/m³	<5	BDL
Hydrogen fluoride as F	mg/m³	<0.5	BDL
Iron Oxide Fume (Fe₂O₃)	mg/m³	<10	BDL
Nitrite Acid	mg/m³	<0.5	BDL
Pheno	mg/m³	<1.5	BDL
Styrene	mg/m³	<15	BDL
Methanol	mg/m³	<160	BDL
Cyclohexane	mg/m³	<10	BDL
Toluene disulfonate (TDS)	mg/m³	<0.142	BDL
Methyl Methacrylate	mg/m³	<10	BDL
Liquid	mg/m³	<0.15	BDL
Chromium Metal & Inorganic Compounds	mg/m³	<0.1	BDL

N.B. - A. Methods Based on MOASH, CISCA & CPCB. B. Standard as per Fact Act 100A. C. BDL = 0.03 mg/m³
Sampling Done By Mr Balwinder Singh & Mr Purneshwar Singh.

- N.B. -
 - The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
 - The Results indicated only refer to the tested samples.
 - The Certificate shall not be used in any media or as evidence in the court
 of law without prior written consent of the laboratory.



EIAQCI



— ENVIRO-INTERNATIONAL —

Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gobar Gas Notification S.O. 3744 (EY) S. No. 12 N.A.B.U. T.C. 6545 U.P.P.C.B. H-06300/CL/05

25

TEST REPORT

ISSUED TO :
MR. ASIAN PAINTS LIMITED
 Plot No. - 61, D-13, Kheri Sada,
 K. Alka, Hariharanpur - 240011 India.
 Sample Details : 1-VOC-TWA
 Sample Reference: E11A/P/L/UNIT/2014

SUBJECT : VOC-TWA
 METHODS : Based on NIOSH/USEPA
 INSTRUMENTS: Heady Sampler, CT, GC, UV etc.
 Sample Collection Date: 17/07/14
 Sample Reporting Date: 29/07/14

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/BOARDS REFERENCE	WPC 6th FLOOR OLD BLOCK
Sampling Site			WT - 04 450 Minutes
Altitude			Normal
Ambient Temperature	mg/m ³	<1000	304
Acetone	mg/m ³	<18	224
Acrylonitrile	mg/m ³	<7EU	55
n-Butyl Acetate	mg/m ³	<150	63
n-Butyl Alcohol	mg/m ³	<1000	50
Ethyl acetate	mg/m ³	<1000	04
Ethyl alcohol	mg/m ³	<1.5	28
Formaldehyde	mg/m ³	<10	BDL
IsoButyl alcohol	mg/m ³	<10	BDL
Manganese dust and compounds (as Mn)	mg/m ³	<0.5	BDL
Phenolphloro Acid	mg/m ³	<0.1	07
Piculine	mg/m ³	<15	BDL
Monoethyl Substituted Acetone (MEGA)	mg/m ³	<0.05	BDL
Ethylene Oxide	mg/m ³	<0.1M	51
Xylene	mg/m ³	<0.1	BDL
Phthalic Anhydride	mg/m ³	<15	50
Toluene	mg/m ³	<10	33
2 - Ethylhexanol Octa (2-EHA)	mg/m ³	<10	50
Butanol	mg/m ³	<12	23
Butoyl Cellulose	mg/m ³	<55	100
Ethyl Cellulose Acetate	mg/m ³	<10	BDL
Methyl Varnamine Oil (NITRO)	mg/m ³	<10	BDL
Acrylic Acid	mg/m ³	<10	BDL
2 - Butanone (Methyl Ethyl Ketone - MEK)	mg/m ³	<100	BDL
sec/tert Butyl Acetate	mg/m ³	<10	BDL
Crotonic Acid & Chromane as Cr	mg/m ³	<0.5	BDL
Styrene Propionate	mg/m ³	<5	BDL
Hydrogen Fluoride as F	mg/m ³	<1.5	BDL
Iron Oxide Ferric (Fe ₂ O ₃)	mg/m ³	<0.5	BDL
Nitric acid	mg/m ³	<10	BDL
Perchloric	mg/m ³	<213	BDL
Styrene	mg/m ³	<260	BDL
Mercury	mg/m ³	—	BDL
Cyclohexane	mg/m ³	—	BDL
Toluene Diisocyanate (TDI)	mg/m ³	<0.14	BDL
Methyl Methacrylate	mg/m ³	<0.10	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compounds	ug/m ³	<0.1	BDL

H.P.C. A Method Based on NIOSH, OSHA & CACB. B. Standard as per Fact Act 1948.

Sampling done By Mr. Shri Singh & Mr. Purushottam Singh.

Checked

R.P. Manohar

N.D.

The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.

The Result indicated may refer to the tested samples.

The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

OT-6 Lab

138-139, Udyog Kendra-A Extn, Eco Tech St, Greater Noida-201 305
9810985544, 9810725868, 9910235955

L


vipl.kumar4@envirointernational.com

G

envirointernational@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



E.I.C



— ENVIRO-INTERNATIONAL —



135 Recognised Under, Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 22, N.A.D.I., T.C. 6545, W.P.P.C.B. H-01600-CL-03

TEST REPORT

ISSUED TO :
MH ASIAN PAINTS LIMITED
 Plot No. A-01, IMP. Kheti Sain,
 Rohini Sector-10, 270001 New Delhi
 Sample Detail - : VOC-TWA
 Sample Reference: ETU/APL-R002/MV7-5

SUBJECT : VOC-TWA
 METHODS : / Based on MCGSB, OSHA
 INSTRUMENTS: Handi Sampler, CT, GC, UV etc.
 Sample Collection Date: 17/07/21
 Sample Reporting Date: 20/07/21

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS	WFB III FLOOR NEW BLOCK
Sampling Code			≤0.2 - DS
Sample Type			450 Minutes
Well	m³/m³	Normal	303
Ambient Temperature	°C	-	33.1
Acetone	mg/m³	-	0.7
Ammonia	mg/m³	<13	52
2-Bromoacetic	mg/m³	<730	66
n-Butyl alcohol	mg/m³	<150	67
Ethyl acetate	mg/m³	<1000	44
Ethyl alcohol	mg/m³	<1.5	0.3
Formaldehyde	mg/m³	<150	63
Isobutyl alcohol	mg/m³	<150	BDL
Manganese dust and compounds (as Mn)	mg/m³	<25	BDL
Phosphoric Acid	mg/m³	<10	0.5
Pyrrole	mg/m³	<15	BDA
Nominal Product Name (NPN)	mg/m³	<1.61	BDL
Ethylene Oxide	mg/m³	<1.04	50
Ketone	mg/m³	<40	800
Phthalic Anhydride	mg/m³	<0.1	94
Toluene	mg/m³	<375	43
2-Ethoxyethane (2-EHA)	mg/m³	<375	26
Butanol	mg/m³	<150	13
Butyl Cellosolve	mg/m³	<150	0.8
Ethyl Cellosolve Acetate	mg/m³	<55	89
Mineral Turpentine Oil (MTO)	mg/m³	<20	BDL
Acrylic Acid	mg/m³	<20	BDL
2-Butanone (Acetyl Ethyl Ketone - MEK)	mg/m³	<300	BDA
sec-Butyl Acetate	mg/m³	<250	BDL
Chromic Acid & Chromates as Cr	mg/m³	<0.5	BDL
Decetyl Phenylate	mg/m³	<5	BDL
Hydrogen Fluoride as F	mg/m³	<1.5	BDL
Iron Oxide (Ferric Oxide)	mg/m³	<0.5	BDL
Nitrite Acid	mg/m³	<10	BDL
Phenol	mg/m³	<200	BDL
Styrene	mg/m³	<200	BDL
Methanol	mg/m³	<100	BDL
Cyclohexanone	mg/m³	<100	BDL
Toluene diisocyanate (TDI)	mg/m³	<0.142	EDL
Methyl Methacrylate	mg/m³	<1.0	EDL
Lead	mg/m³	<0.15	EDL
Chromium Metal & Inorganic Compounds	mg/m³	<0.05 mg/m³	EDL

N.T. - A. Method Based on MCGSB, OSHA & CPCB. B. Standard as per Fact Act 1948.

Sampling Done By Mr. Shiv Singh & Dr. Purushottam Singh.

Chennai

R. P. Mukundan

N.D. - The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.

The Result indicated only refer to the tested samples.

The Certificate shall not be used in any media or as evidence in the court

of law without prior written consent of the laboratory.

By Lab In-Charge

Dr. Pradeep Kumar

Signature

Date: 21/07/2021

Place: New Delhi

Lab: Enviro-International

Address: 138-139, Udyog Kendra-II Ext, Eco Tech-IV, Greater Noida-201306

Phone: 9810725606 9910233666

Email: kumarpradeep@redmail.com

envirointernational2003@gmail.com

Off. & Lab:

Plot No.

Area:

City:

State:

Pin Code:

Country:

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



— ENVIRO-INTERNATIONAL —

Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.C. 2744 (Ex-S. No. 32) N.A.B.U. TG-6445, U.P.P.C.B. H-176001LJWS



TEST REPORT

ISSUED TO:	SUBJECT: VOC-TWA		
MR ASIAN PAINTS LIMITED Plot No. - 01, IMT, Khur Sirha, Haryana (India)-122001 India	METHODS : Based on MOSEL, OSHA INSTRUMENTS: Handi Sampler, CT, GC, UV etc.		
Sample Type: VOC-TWA Sampling Reference: NH3 API-TR47-1994	Sample Collection Date: 17/1/2011 Sample Reporting Date: 18/01/2011		
	ANALYSIS REPORT		
SAMPLING SITE	DATE	STANDARD/METHOD	W2B RNU FLUOR OF IN BLOCK
		MDSH	WZ - 06
Sampling Date:			480 Minutes
Time of Day:			Normal
Weather:			304
Ambient Temperature:	°C	-	125
Acetone:	mg/m³	<100	05
Ammonia:	mg/m³	<1	54
n-Butyl acetate:	mg/m³	<10	03
n-Butyl alcohol:	mg/m³	<150	04
Ethyl acetate:	mg/m³	<100	13
Ethyl alcohol:	mg/m³	<1.5	0.4
Formic acid:	mg/m³	<100	21
Isobutyl alcohol:	mg/m³	<100	004
Manganese dust and compounds (as Mn):	mg/m³	<15	BDL
Phosphoric Acid:	mg/m³	<15	05
Praline:	mg/m³	<25	BDL
Methyl Isobutyl Ketone (MIBK):	mg/m³	<0.14	BDL
Ethylene Oxide:	mg/m³	<3.5	38
Xylene:	mg/m³	<1	BDL
Phthalic Anhydride:	mg/m³	<15	52
Toluene:	mg/m³	<16	45
2-Ethoxyethanol (2-EHA):	mg/m³	<52	52
Butanol:	mg/m³	<12	14
Buyl Cyclohexane:	mg/m³	<5	126
Ethyl Cellulose Acetate:	mg/m³	<50	BDL
Mineral Turpentine Oil (MTO):	mg/m³	<15	BDL
Acetic Acid:	mg/m³	<50	BDL
2-Butanone (Methyl Ethyl Ketone - MEK):	mg/m³	<50	BDL
aceto/nitro, Butyl Acetate:	mg/m³	<0.95	BDL
Chromic Acid & Chromates as Cr:	mg/m³	<5	BDL
Dibutyl Phthalate:	mg/m³	<2.4	BDL
Hydrogen Fluoride as F:	mg/m³	<1	BDL
Inorganic Phosphate (P ₂ O ₅):	mg/m³	<0.5	BDL
Maleic Acid:	mg/m³	<15	BDL
Phenol:	mg/m³	<15	BDL
Silicons:	mg/m³	<20	BDL
Monobut:	mg/m³	<10	BDL
Cyclohexanol:	mg/m³	<142	BDL
Toluene diisophthalate (TDI):	mg/m³	<108	BDL
Methyl Methacrylate:	mg/m³	<0.15	BDL
Lap:	mg/m³	<01	BDL
Chromium Metal & Inorganic Compounds:	mg/m³	<0.05 mg/m³	

N.B.: A. Methods based on MDSH, OSHA & CPCB. B. Standard as per Fact Act 1984. C. BDL = <0.05 mg/m³.

Sampling Done By Mr. Babbu Singh & Mr. Purnabir Singh.

- N.B:-
 - The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
 - The Result indicated only refer to the tested samples.
 - The Certificate shall not be used in any media, or as evidence in the court of law without prior written consent of the laboratory.



CLAC



— ENVIRO-INTERNATIONAL —

Cal Recognition Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E) S. No. 32 N.A.B.T. TC-6645 U.P.P.C.E. H-0160304/89



TEST REPORT

ISSUED TO:
MR. ASIAN PAINTS LIMITED
 Plot No. - 41, JMT, Sector 10A,
 Noida (U.P.) - 201301
 Sample Details : VOC-TWA
 Sample Reference ID: EPL-10175-MATZ-1*

SUBJECT : VOC-TWA
 METHODS : Based on NIOSH, OSHA
 INSTRUMENTS: Hand Sampler, GC, GC-UV etc.
 Sample Collection Date: 16/07/2014
 Sample Reporting Date: 20/07/2014

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	POLYMERISED FLICK OLD BLOCK
Sampling Code			W2-12
Sampling Duration			<0.0 Norms
Ambient Temperature	°C	<17.00	Normal
Acetone	mg/m³	<10.0	303
Ammonia	mg/m³	<700	127
n-Butyl acetate	mg/m³	<140	0.9
n-Butyl alcohol	mg/m³	<1400	0.7
Ethyl acetate	mg/m³	<900	0.3
Ethyl alcohol	mg/m³	<1.5	0.7
Formaldehyde	mg/m³	<350	BDL
Isobutyl alcohol	mg/m³	<15	BDL
Manganese dust and compounds (as Mn)	mg/m³	<1	BDL
Phosphoric Acid	mg/m³	<1	BDL
Pyridine	mg/m³	<0.04	BDL
Naphthal Isopropyl Ketone (NIK)	mg/m³	<0.004	BDL
Ethylene Oxide	mg/m³	<2.5	4.0
Nitro	mg/m³	<0.1	BDL
Potassium Anhydride	mg/m³	<175	2.1
Toluene	mg/m³	<75	0.5
2-Ethylhexanoic acid (2-EHA)	mg/m³	<1.5	0.6
Butane	mg/m³	<25	2.1
Butyl Cellosolve	mg/m³	<55	0.3
Ethyl Cellosolve Acetate	mg/m³	<50	12.0
Almond Turpentine Oil (MTD)	mg/m³	<25	BDL
Acetic Acid	mg/m³	<500	BDL
2-Butanone (Methyl Ethyl Ketone - MEK)	mg/m³	<500	BDL
2,2,2-Tribromo Ethanol	mg/m³	<100	BDL
Chromic Acid & Chromates as Cr	mg/m³	<1	BDL
Diphenyl Phthalate	mg/m³	<1.5	BDL
Hydrogen Peroxide as H₂O₂	mg/m³	<1.5	BDL
Iron Oxide Fume (Fe₂O₃)	mg/m³	<1	BDL
Nitric Acid	mg/m³	<1.0	BDL
Phenol	mg/m³	<25	BDL
Styrene	mg/m³	<50	BDL
Methacet	mg/m³	<100	BDL
Cyclohexanone	mg/m³	<100	BDL
Toluene Disulfide (TDS)	mg/m³	<0.142	BDL
Methyl Methacrylate	mg/m³	<400	BDL
Lead	mg/m³	<1	BDL
Chromate Metal & Insoluble Compounds	mg/m³	<100	BDL

N.M. B. : A Method Board on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL = Below Detection Limit.

Sampling Done by Mr. Satyajit Singh & Mr. Pancham Singh
Chennai

R.P. Signature

N.B. : The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.

* The Results listed only refer to the tested samples.

The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

GMI Admin-Charge

Mr. Vinod Kumar

Chennai

Enviro-International

Ltd.

Chennai

Enviro-International

Ltd.



— ENVIRO-INTERNATIONAL —

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-01600/CLJ/89



TEST REPORT

ISSUED TO :
M/s ASIAN PAINTS LIMITED
 Plot No. - 01, IMT, Kheri Sadak,
 Rohtak (Haryana) - 24001 India.
 Sample Details : VOC-TWA
 Sample Reference: EIL/APL/R/07/24/WZ-7

SUBJECT : VOC-TWA
 METHODS : Based on NIOSH, OSHA
 INSTRUMENTS: Handy Sampler, CT, GC, UV etc.

Sample Collection Date: 17/07/24
 Sample Reporting Date: 29/07/24

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	WPB 11nd FLOOR NEW BLOCK
Sampling Code	—	—	WZ - 07
Sampling Duration	—	—	480 Minutes
Weather	°K	—	Normal
Ambient Temperature	mg/m³	<1760	304
Acetone	mg/m³	<18	11
Ammonia	mg/m³	<710	42
n-Butyl acetate	mg/m³	<150	07
n-Butyl alcohol	mg/m³	<1400	66
Ethyl acetate	mg/m³	<1900	81
Ethyl alcohol	mg/m³	<1.5	0.5
Formaldehyde	mg/m³	<150	46
Isobutyl alcohol	mg/m³	<65	BDL
Manganese dust and compounds (as Mn)	mg/m³	<01	BDL
Phosphoric Acid	mg/m³	<15	05
Pyridine	mg/m³	<205	BDL
Methyl Isobutyl Ketone (MIBK)	mg/m³	<0.184	BDL
Ethylene Oxide	mg/m³	<435	71
Xylene	mg/m³	<01	BDL
Phthalic Anhydride	mg/m³	<375	99
Toluene	mg/m³	<376	30
2 - Ethylhexanoic acid (2-EHA)	mg/m³	<152	39
Butanol	mg/m³	<123	13
Butyl Cellosolve	mg/m³	<55	06
Ethyl Cellosolve Acetate	mg/m³	<560	127
Mineral Turpentine Oil (MTO)	mg/m³	<25	BDL
Acetic Acid	mg/m³	<590	BDL
2 - Butanone (Methyl ethyl Ketone - MEK)	mg/m³	<950	BDL
sec./tert. Butyl Acetate	mg/m³	<0.05	BDL
Chromic Acid & Chromates as Cr	mg/m³	<5	BDL
Dibutyl Phthalate	mg/m³	<1.5	BDL
Hydrogen Fluoride as F	mg/m³	—	BDL
Iron Oxide Fume (Fe₂O₃)	mg/m³	<05	BDL
Nitric Acid	mg/m³	<19	BDL
Phenol	mg/m³	<215	BDL
Styrene	mg/m³	<260	BDL
Methanol	mg/m³	—	BDL
Cyclohexanol	mg/m³	<0.142	BDL
Toluene diisocyanate (TDI)	mg/m³	<410	BDL
Methyl Methacrylate	mg/m³	<0.15	BDL
Lead	mg/m³	<01	BDL
Chromium Metal & Insoluble Compound	mg/m³	<0.05 mg/m³	

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948.

Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked
R. P. Mehta

- N.B.-
- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
 - The Result indicated only refer to the tested samples.
 - The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



ENVIRO
INTERNATIONAL
LABORATORY
Noida
INDIA
ISO : 9001 : 2015, ISO : 14001 : 2015
ISO : 45001 : 2018

ciac



ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Registration No.: S.O. 3744 (E) S. No.: 32 N.A.B.L. EC-6545, U.P.C.C.B. H-33G301CL/99

TEST REPORT

ISSUED TO:	SUN ASIAN PAINTS LIMITED Plot No.-41, JNTT, Kheri Sada, Kurukshetra (Haryana) - 136101 India	SUBJECT : VOC-TWA
Sample Details :	VOC-TWA	Methods : Based on M/SPL/OSHA
Sample Reference:	RITAMPL-RNTA/1012-9	INSTRUMENTS: Handi Sampler, GC, UV
Sample Collection Date:	18/07/21	Sample Reporting Date: 20/07/21

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/COMSIS #205H	POLYURETHANE FLOOR OLD BLACK%
Sampling Code			WZ - DB
Sampling Duration			480 Minutes
Method			Normal
Ambient Temperature	°C	<170	302
Acetone	mg/m³	<18	222
Ammonia	mg/m³	<10	04
Butyl acetate	mg/m³	<150	04
z-Butyl Alcohol	mg/m³	<1400	75
Ethyl Acetate	mg/m³	<1900	91
Ethyl alcohol	mg/m³	<1.3	0.8
Formaldehyde	mg/m³	<1.0	14
Kobunji phenol	mg/m³	<0.5	BDL
Nitrogen dust and compounds (as NH3)	mg/m³	<0.1	BDL
Phosphoric Acid	mg/m³	<15	03
Pyrrole	mg/m³	<104	BDL
Methyl Methoxy Ketone (MMK)	mg/m³	<0.184	BDL
Ethylene Oxide	mg/m³	<435	85
Xylene	mg/m³	<11	50
Imidic Anhydride	mg/m³	<3.5	402
Toluene	mg/m³	<24	29
3-Ethylhexanoic acid (3-EHA)	mg/m³	<15	26
Acetone	mg/m³	<1.23	11
Beta Caffeine	mg/m³	<5.8	10
Ethyl Octoate Acetate	mg/m³	<5.6	135
Mineral Tar pentane Oil (MTPO)	mg/m³	<15	BDL
Acetic Acid	mg/m³	<300	BDL
2-Butanone (Methyl ethyl Ketone - MEK)	mg/m³	<344	BDL
sec/tert. Butyl Acetate	mg/m³	<0.05	BDL
Chromic Acid & Chromates As Cr	mg/m³	<5	BDL
Bibutyl Phthalate	mg/m³	<1.5	BDL
Hydrogen Fluoride As F	mg/m³	<1.5	BDL
Iron Oxide Fume (Fe2O3)	mg/m³	<0.5	BDL
Mercuric Acid	mg/m³	<15	BDL
Phenol	mg/m³	<15	BDL
Silane	mg/m³	<0.0	BDL
Merchanol	mg/m³	<0.0	BDL
Dichloro-dust	mg/m³	<0.142	BDL
Toluene disulfonate (TDS)	mg/m³	<10	BDL
Methy Methacrylate	mg/m³	<1.5	BDL
Lead	mg/m³	<0.1	BDL
Cadmium Metal & Insoluble Compound	mg/m³	<0.1	BDL

N.B. : A. Methods Based on IR/MS, OSHA, ACGIH, B. Standard as per Fact Act 1948 : C. BDL > 0.05 mg/m³
Sampling Done By Mr. Shrikant Singh & Mr. Purushottam Singh.

Chennai

N.B. : R.P. Manager
- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested sample.
- The Certificate shall not be used in any mode or as evidence in the Court
of law without prior written consent of the laboratory.



Off. & Lab:
138-139, Udyog Kendra-II East, Eco Tech-II, Greater Noida-201 306
9810298864, 9810725608, 9810233568
Email: sunpaints@rediffmail.com
envirointernational@rediffmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL



Law Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L.T.C. 5845 U.P.R.C. IL-H-01603/GJ/83

TEST REPORT

ISSUED TO:
MEASIAN PAINTS LIMITED
Plot No - 01, INT. Kheri Singh,
Kheri (Haryana) - 124101 India.
Sample Details : VOC-TWA
Sample No. Reference : E11APL-GUJ07-8

SUBJECT : VOC-TWA
METHODS : Based on NIOSH, OSHA
INSTRUMENTS: Handy Sampler, CT / GC, UV-VIS
Sample Collection Date: 18/07/24
Sample Report Date: 20/07/24

ANALYSIS REPORT

SAMPLING SITE	UNITS	STANDARD/REGS.	POLYMER GROUND FLOOR NEW SILICATE
Sampling Site:			W/ - 05
Sampling Location:			450 Minutes
Medium:			Normal
Ambient Temperature:	°C	<100	32.8
Acetone:	mg/m³	<10	1.3
Ammonia:	mg/m³	<10	5.1
n-Butyl Acetate:	mg/m³	<100	0.6
n-Butyl Alcohol:	mg/m³	<1000	1.8
Ethyl Acetate:	mg/m³	<1000	30.3
Ethyl Alcohol:	mg/m³	<1.5	0.3
Formaldehyde:	mg/m³	<10	0.0
Isobutyl alcohol:	mg/m³	<100	BDL
Manganese dust and compounds (as Mn):	mg/m³	<0.1	BDL
Phosphoric Acid:	mg/m³	<15	0.4
Pickling:	mg/m³	<0.5	BDL
Methyl Isobutyl Ketone (MIBK):	mg/m³	<0.154	BDL
Thylene Oxide:	mg/m³	<155	6.1
Xylene:	mg/m³	<0.1	BDL
Phthalic Anhydride:	mg/m³	<15	0.9
Toluene:	mg/m³	<75	6.5
α - Ethoxyacetic acid (2-EHA):	mg/m³	<0.1	0.4
Butanone:	mg/m³	<10	2.3
Butyl Cellosolve:	mg/m³	<10	0.3
Ethyl Cellulosolve Acetate:	mg/m³	<10	1.2
Mineral Turpentine Oil (MTO):	mg/m³	<10	BDL
Acetic Acid:	mg/m³	<100	BDL
2 - Butanone (Methyl Ethyl Ketone - MEK):	mg/m³	<0.1	BDL
α/β/γ/β/γ Butyl Acetate:	mg/m³	<0.1	BDL
Citric Acid & Citronellol (as C):	mg/m³	<1	BDL
Dibutyl Phthalate:	mg/m³	<2.5	BDL
Hydrogen Fluoride (HF):	mg/m³	-	BDL
Iron Oxide Frits (Fe-Ox):	mg/m³	<10	BDL
Nitro Acid:	mg/m³	<10	BDL
Phenol:	mg/m³	<15	BDL
Silane:	mg/m³	<250	BDL
Mathanol:	mg/m³	-	BDL
Cyclohexane:	mg/m³	<0.152	BDL
Toluene Diisocyanate (TDI):	mg/m³	<0.1	BDL
Methyl Methacrylate:	mg/m³	<0.1	BDL
Lead:	mg/m³	<0.1	BDL
Chromium Metal & Inorganic Compounds:	mg/m³	<0.005 mg/m³	C. RCS - <0.05 mg/m³

NOTE: A. Methods Based on ILO/WHO, OSHA & CPCB. B. Standard, as per perfect Act 9442.
Sampling Done by Mr. Bhin Singh & Mr. Parasuram Singh.

Check by
D. L. Verma

- N.B:-
 - The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
 - The Result indicated only refer to the tested samples.
 - The Certificate shall not be used in any manner or as evidence in the court of law without prior written consent of the laboratory.



CUC



— ENVIRO-INTERNATIONAL —

Lab Recognised Under Ministry of Environment, Forest & Climate Change: Govt. of India
Gazette Notification S.O. 3744 (E), Sett-32, H.A.B.L., T.C. 6545, U.P.P.C.B.R. 01600/CL/89



TEST REPORT

ISSUED TO :
ASIAN PAINTS LIMITED
 Plot No. - 93, INT. Khetri Singh,
 JALAKPUR, RAJASTHAN INDIA.
 Sample Details : VOC-TWA
 Sample Reference : E/1/1/1/1/1/100734/TW-19

SUBJECT : VOC-TWA
 METHODS : Based on NIOSH, OSHA
 INSTRUMENTS: Handi Sampler, CT, GC, UV etc.

Sample Collection Date : 10/07/24
 Sample Reporting Date : 10/07/24

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/REFERS HIGH	POLYMER IN FLOOR CLEANER
Sampling Code			W2 - 10 450 Minutes
Sampling Period			Normal
Weather	°K		303
Ambient Temperature	mg/m³	<100	120
Acetone	mg/m³	<15	0.8
Ammonia	mg/m³	<10	2.8
n-Butyl acetate	mg/m³	<150	0.7
n-Butyl alcohol	mg/m³	<1400	24
Ethyl acetate	mg/m³	<1000	17
Ethyl alcohol	mg/m³	<100	0.6
Formaldehyde	mg/m³	<1.5	3.3
Isobutyl alcohol	mg/m³	<150	BDL
Manganese salts and compounds (as Mn)	mg/m³	<5	BDL
Phosphoric Acid	mg/m³	<1	0.5
Pyridine	mg/m³	<10	BDL
Acetyl Isobutyl Acetate (AIBA)	mg/m³	<100	BDL
Ethylen Oxide	mg/m³	<15	4.6
Ketone	mg/m³	<35	BDL
Phthalic Anhydride	mg/m³	<11	103
Toluene	mg/m³	<75	28
2 - Ethylhexanediol (2-EHA)	mg/m³	<70	47
Butanol	mg/m³	<150	0.4
Butyl Cellosolve	mg/m³	<15	0.4
Ethyl Cellulosic Acetate	mg/m³	<60	130
Mineral Suspended Oil (MSO)	mg/m³	<1	BDL
Acetic Acid	mg/m³	<1	BDL
2 - Butanone (Methyl Ethyl Ketone - MEK)	mg/m³	<400	BDL
sec-Butyl Acetate	mg/m³	<50	BDL
Chromic Acid & Chromates as Cr	mg/m³	<100	BDL
DiButyl Phthalate	mg/m³	<1	BDL
Hydrogen Fluoride as F	mg/m³	<1	BDL
Inorganic Fertilizers	mg/m³	<5	BDL
Nitric Acid	mg/m³	<10	BDL
Phenol	mg/m³	<10	BDL
Styrene	mg/m³	<15	BDL
Methanol	mg/m³	<100	BDL
Cyclohexane	mg/m³	<100	BDL
Toluene Disocyanate (TDI)	mg/m³	<400	BDL
Methyl Methacrylate	mg/m³	<10	BDL
Lead	mg/m³	<0.1	BDL
Chromic Metal & Inorganic Compounds	mg/m³	<1	BDL

N.T. A. Method is Based on NIOSH, OSHA & CPCB. B. Standard - as per Fact Act 1948. C. BDL - <0.05 mg/m³

Sampling Done by Mr. Shiv Singh & Mr. Purneshwar Singh.

Checked
R.P. Mehta

- N.D. - The Samples/Samples received shall be destroyed after 2 weeks unless specified otherwise.
 The Results indicated only refer to the tested samples.
 The Certificate shall not be used in any media or as evidence in the court
 of law without prior written consent of the laboratory.

Mr. Arun Kumar
In-Charge



ENVIRO-INTERNATIONAL



Lao Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L.T.C. 5445, U.P.P.C.B. H-016001CLB/9

TEST REPORT

ISSUED TO:
M/S ASIAN PAINTS LIMITED
Plot No.- 01, INTL. Khetri Sada,
IL-100, M.R.K. 24001 Indu.
Sample Details : VOC-TWA
Sample Reference: PH/APL-100714/WZ-11

SUBJECT : VOC-TWA
METHODS : Followed on MOHS, OSHA
INSTRUMENTS: Handi Sampler, CT, GC, UV etc.

Sample Collection Date: 18/07/21
Sample Reporting Date: 29/07/21

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS	POLYMER IN FLOOR NEW BLOCK
Sampling Location			WZ-11
Sampling Date (DD/MM/YY)			480 Minutes
N.D.C.T			Normal
Ambient Temperature	mg/m ³	<1200	50
Acetone	mg/m ³	<10	12
Acrylonitrile	mg/m ³	<100	25
n-Buyl Acetate	mg/m ³	<140	10
n-Buyl alcohol	mg/m ³	<100	30
Ethyl acetate	mg/m ³	<1000	0.6
Ethyl alcohol	mg/m ³	<1.5	0.9
Formaldehyde	mg/m ³	<100	BDL
Isobutyl alcohol	mg/m ³	<100	BDL
Manganese dust and compounds (as Mn)	mg/m ³	<0.1	BDL
Phosphoric Acid	mg/m ³	<15	0.5
Pyridine	mg/m ³	<25	BDL
Methyl Isobutyl Ketone (MIBK)	mg/m ³	<0.15	BDL
Elemental Carbon	mg/m ³	<15	51
Xyloene	mg/m ³	<10	BDL
Polymethyl Anhydride	mg/m ³	<15	BDL
Toluene	mg/m ³	<70	24
2-Ethylhexanoic acid (2-EHA)	mg/m ³	<1.2	1.2
Butanol	mg/m ³	<120	0.4
Butyl Cellosolve	mg/m ³	<55	100
Ethyl Cellulosolve Acetate	mg/m ³	<100	BDL
Mineral Turpentine Oil (MTO)	mg/m ³	<5	BDL
Acetic Acid	mg/m ³	<300	BDL
2-Butanone (Methyl Ethyl Ketone - MEK)	mg/m ³	<0.50	BDL
sec/tert. Butyl Acetate	mg/m ³	<0.05	BDL
Chromic Acid & Chromates as Cr	mg/m ³	<5	BDL
Diisobutyl Phthalate	mg/m ³	<2.5	BDL
Hydroquinone Bisulfide as F	mg/m ³	<1	BDL
Born Oxide Fume (FeOx)	mg/m ³	<15	BDL
Hydric Acid	mg/m ³	<10	BDL
Phenol	mg/m ³	<215	BDL
Styrene	mg/m ³	<0.04	BDL
Aliphatic	mg/m ³	<100	BDL
Cyclohexane	mg/m ³	<0.042	BDL
Toluene diisocyanate (TDI)	mg/m ³	<100	BDL
Methyl Methacrylate	mg/m ³	<0.15	BDL
Lead	mg/m ³	<0.1	BDL
Dioctyl-Metal & Inorganic Compound	mg/m ³	<0.001	C. 010. > 40. mg/m ³

Y.M. B. A. Methods Based on MOHS, OSHA & CPCB
Sampling Done By Mr. Shrikant Kumar & Mr. Purushottam Shinde

Chennai
N.B.: T.S. Measured

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

Mr. Lab-in-Charge

Dr. Naveen Kumar

Signature

Date:

2021-07-29

ELAC



ENVIRO-INTERNATIONAL

Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744(E), S. No. 32, N.A.B.I.TC.6513, U.P.R.C.B. M.D.16/01/CL/RJ.



TEST REPORT

ISSUED TO AN ASIAN PAINTS LIMITED Plot No - D1, 1st, Kheri Sada Kheri, Lucknow - 226010 State: Uttar Pradesh India	SUBJECT : VOC-TWA		
	METHODS : Based on ADOSE, OSHA		
	INSTRUMENTS: Handi Sampler, CT, GC, UV etc.		
Sample Received : VOC-TWA			
Sample Reference: ELLA/ANL-180724/VZ-13			
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS MACSH	POLYMER THD FLOOR NEW BLOCK
Sampling Code:	m		WZ-13
Sampling Date/Time:			480 Minutes
Wet/Dry:			Normal
Ambient Temperature:	°C	<1.30	120
Acetone:	mg/m³	<1.8	0.4
Ammonia:	mg/m³	<1.8	27
n-Butyl acetate:	mg/m³	<150	0.3
n-Butyl alcohol:	mg/m³	<1000	21
Ethyl acetate:	mg/m³	<1000	44
Ethyl alcohol:	mg/m³	<1.5	0.6
Formaldehyde:	mg/m³	<150	0.7
Isobutyl alcohol:	mg/m³	<150	BDL
Manganese dust and compounds (as Mn):	mg/m³	<0.1	BDL
Phthalic Acid:	mg/m³	<1.5	0.4
Pyridine:	mg/m³	<200	BDL
Methyl Isobutyl Acetone (MIBK):	mg/m³	<0.1H4	BDL
Ethylene Oxide:	mg/m³	<150	23
Xylene:	mg/m³	<0.1	BDL
Phthalic Anhydride:	mg/m³	<100	35
Toluene:	mg/m³	<1.0	23
2-Ethylhexyl Acrylate (EHA):	mg/m³	<100	23
Butane:	mg/m³	<120	0.9
Butyl Cellosolve:	mg/m³	<55	0.3
Ethyl Cellosolve Acetate:	mg/m³	<100	0.3
Mineral Turpentine Oil (MTO):	mg/m³	<3	BDL
Acetic Acid:	mg/m³	<100	BDL
2-Butanone (Methyl Ethyl Ketone - MEK):	mg/m³	<100	BDL
Acetone, Butyl Acetate:	mg/m³	<1000	BDL
Chromic Acid & Chromates as Cr:	mg/m³	<5	BDL
Dibutyl Phthalate:	mg/m³	<0.5	BDL
Hydrogen Fluoride as F:	mg/m³	-	BDL
Monobromo Fluoride (FB-01):	mg/m³	<0.5	BDL
Alkyl Lead:	mg/m³	<1.0	BDL
Phenol:	mg/m³	<215	BDL
Siloxane:	mg/m³	<100	BDL
Terpenol:	mg/m³	-	BDL
Cyclobutene:	mg/m³	<0.142	BDL
Toluene Diisocyanate (TDI):	mg/m³	<100	BDL
Methyl Mercuric Chloride:	mg/m³	<0.1	BDL
Lead:	mg/m³	<0.1	BDL
Chromic Metal & Inorganic Compound:	mg/m³	-	BDL

N.B.: A Method Based on ADOSE, OSHA & CPB. B. Standard, as per Fact Act 1948. C. BDL = <0.01 mg/m³
Sample Collected by Mr. Shekhar Singh & Mr. Parasuram Singh.

R.P. Signature

- N.B.-
 • The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
 • The Result indicated only refer to the tested samples.
 • The Certificate shall not be used in any means or as evidence in the court of law without prior written consent of the laboratory.



ENVIRO-INTERNATIONAL
Environmental Laboratory
Mumbai, India



ENVIRO-INTERNATIONAL



Lab Recognized Under, Ministry of Environment, Forest & Climate Change, Govt of India
Gazette Notification S.O. 3744 (E), S. No. 12, N.A.B.I. TC-6545, U.P.R.C.S. N.O. 600139

TEST REPORT

ISSUED TO:
MR. ASEAN PAINTS LIMITED
Plot No.-86, M.T. Khetri Saddi,
M.T.K. (Lokhand) - 361 004 India
Sampling Details: VOC-TWA
Sampling Reference IS 11711:2011/RP/14112-T4

SUBJECT: VOC-TWA
METHODS: Based on T009A, QSR-A
INSTRUMENTS: Randy Sampler, LT, GC, UV etc.

Sample Collection Date: 20/07/21
Sample Reporting Date: 20/07/21

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS MDL	QUALITY ANALYSIS QA CHEMICAL ROOM
Sampling Code:			W2 - 11
Sampling Location:			180 Minutes
VOC-TWA	mg/m ³	<100	Normal
Ambient Temperature	mg/m ³	<10	BOL
Acetone	mg/m ³	<10	03
Acetone	mg/m ³	<10	26
n-Butyl acetate	mg/m ³	<10	13
n-Butyl alcohol	mg/m ³	<100	07
Ethyl acetate	mg/m ³	<100	39
Ethyl alcohol	mg/m ³	<1.3	0.7
Formic acid	mg/m ³	<10	03
Ketone alcohol	mg/m ³	<15	BOL
Manganese dust and compounds (as Mn)	mg/m ³	<01	BOL
Phosphoric Acid	mg/m ³	<15	02
Pyridine	mg/m ³	<100	BOL
Methyl Isobutyl Ketone (MIBK)	mg/m ³	<0.104	BOL
Chloroform	mg/m ³	<1.5	15
Xylool	mg/m ³	<10	BOL
Phthalic Anhydride	mg/m ³	<175	53
Toluene	mg/m ³	<15	38
2-Ethylnecarboxylic acid (2-EHA)	mg/m ³	<100	64
Butanol	mg/m ³	<125	34
Butyl Cellosolve	mg/m ³	<55	09
Ethyl Cellosolve Acetate	mg/m ³	<5.00	131
Natural Terpenes Oil (NTO)	mg/m ³	<15	BOL
Acetic Acid	mg/m ³	<100	BOL
2-Butanone (Methyl Isobutyl Ketone - MIBK)	mg/m ³	<950	BOL
sec/Tert Butyl Acetate	mg/m ³	<0.65	BOL
Chloro Acid & Chloroaldehyde	mg/m ³	<5	BOL
Diethyl Phthalate	mg/m ³	<1	BOL
Hydrogen Fluoride (as F)	mg/m ³	<1	BOL
Iron Oxide Fume (Fe ₂ O ₃)	mg/m ³	<05	BOL
Nitric Acid	mg/m ³	<10	BOL
Phenol	mg/m ³	<1.5	BOL
Silene	mg/m ³	<100	BOL
Methanol	mg/m ³	—	BOL
Cyclohexanol	mg/m ³	<0.143	BOL
Toluene Disulfonimide (TDI)	mg/m ³	<10	BOL
Methyl Methacrylate	mg/m ³	<1.5	BOL
Lead	mg/m ³	<01	BOL
Chromium Metal & Insoluble Compound	mg/m ³	—	BOL

N.B.: A. Method based on MDL, QSR-A & CPCB. B. Standard as per Fact Act 1948. C. BOL = Below Limit
Sampling Done by Mr. Bhin Singh & Mr. Purushottam Singh

Chemical
R.P. Mehta

N.B.:
The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
The Result indicated only refers to the tested samples.
The Certificate shall not be used in any media or its evidence in the court
of law without prior written consent of the laboratory.

PLC Lab-In-Charge
Mr. Vinay Kumar
S. P. M. I. T.
VAC



— ENVIRO-INTERNATIONAL —



Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744(E) S. No. 32, N.A.B.I., TC-6345, U.P.R.C.B. H-356035 U/83

TEST REPORT

ISSUED TO:
MS ASIAN PAINTS LIMITED
Plot No. - 81, M.T.Y, Kheri Sadar,
Akhola (Kharar), Chandigarh
Sample Type/Code : VOC-TWA
Sample Reference: EIA/PL-1007/24/WZ/3

SUBJECT : VOC-TWA
METHODS : Based on MCGH, OSHA
INSTRUMENTS: Handi Sampler, CT, GC, UV etc.
Sample Collection Date: 19/07/24
Sample Reporting Date: 29/07/24

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS	QUALITY ASSURANCE BY GC ROOM
		MCGH	WZ-15
Sampling Code			480 Minutes
Sampling Duration			Normal
Ambient Temperature	mg/m³	<100	220
Acetone	mg/m³	<10	23
Ammonia	mg/m³	<10	56
n-Dutyl acetate	mg/m³	<10	09
n-Butyl alcohol	mg/m³	<10	33
Ethyl acetate	mg/m³	<1000	38
ethyl alcohol	mg/m³	<1000	0.9
Formic acid	mg/m³	<1.5	04
Isooctyl acetate	mg/m³	<10	BOL
Methanethiol dust and compounds (as Mn)	mg/m³	<0.1	BOL
Phosphoric Acid	mg/m³	<15	02
Pyrrole	mg/m³	<200	BOL
Methyl Isobutyl Ketone (MIBK)	mg/m³	<0.15	BOL
Ethylene Oxide	mg/m³	<35	47
Xylenes	mg/m³	<1	BOL
Phthalic Anhydride	mg/m³	<0.75	54
Toluene	mg/m³	<10	23
2-Ethylhexanoic acid (2-EHA)	mg/m³	<152	08
Citronellol	mg/m³	<12	03
Benzyl Cetophorol	mg/m³	<15	237
Ketyl Diisobutyl Acetate	mg/m³	<50	BOL
Nitrosalicylic acid (NSA)	mg/m³	<5	BOL
Acetic Acid	mg/m³	<100	BOL
2-Butanone (Methyl Propanoate, Kabone - MEK)	mg/m³	<45	BOL
sec/tert. Butyl Acetate	mg/m³	<0.15	BOL
Chromic Acid & Chromates as Cr	mg/m³	<1	0.5
Dimethyl Phthalate	mg/m³	<2.5	BOL
Hydrogen Fluoride as F	mg/m³	<1	BOL
Inert Oxide Fume (FeOx)	mg/m³	<0.5	BOL
Nitric Acid	mg/m³	<10	50
Phenol	mg/m³	<215	BOL
Styrene	mg/m³	<10	BOL
Alachandol	mg/m³	<10	BOL
Cyclohexanol	mg/m³	<10	BOL
Toluene diisocyanate (TDI)	mg/m³	<10	BOL
Methyl Methacrylate	mg/m³	<0.1	BOL
Lead	mg/m³	<0.1	BOL
Chromium Metal & Insoluble Compound	mg/m³	<0.01	0.03 mg/m³

IN. G. A. Methods Based on MCGH, OSHA & CPCB. B. Standard as per Fact Act 1985.
Sampling Done by Mr. Shiv Singh & Mr. Purushottam Singh.

Signature: _____
R.P. _____

- M.B.—
 • The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
 • The Result indicated only refer to the tested samples.
 • The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

Off. & Lab : 138-139, Uday Kendra-A Extr, Eco Tech-II, Greater Noida-201 300
Ph: 01098554, 9410725066, 9910211368
E-mail: vipul.kumar4@envirointernational.com
envirointernational@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



CLACI



— ENVIRO-INTERNATIONAL —

Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L.T.C. 6445, V-P.C.B. M-01602020-J89

25

TEST REPORT

ISSUED TO : **MR ASIAN PAINTS LIMITED**
Plot No. - D1, IMC Kheri Sada,
Bhaktapur, Kathmandu - Nepal India.
Sample Details : VOC-TWA
Sample Reference: BH/ALP-KOTM/LVZ-11

SUBJECT : VOC-TWA
METHOD : Based on NIOSH OSHA
INSTRUMENTS: Handi Sampler, CT, GC, UV etc.
Sample Collection Dates: 18/07/2017
Sample Reporting Dates: 20/07/2017

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMA NIOSH	QUALITY ASSURANCE QA (HPLC ROOM)
Sampling Code			WZ-15
Sampling Parallel			480 Minutes
V-Vial	mg/m ³	-	Normal
Ambient Temperature	mg/m ³	<1.00	05
Acetone	mg/m ³	<1.0	31
Acetone	mg/m ³	<1.0	21
n-Butyl acetate	mg/m ³	<1.00	36
n-Butyl alcohol	mg/m ³	<1.000	26
Ethyl acetate	mg/m ³	<1.000	0.4
Ethyl alcohol	mg/m ³	<1.0	31
Formaldehyde	mg/m ³	<1.0	BDL
Isobutyl acetate	mg/m ³	<0.5	BDL
Manganese dust and compounds (as Mn)	mg/m ³	<0.1	06
Phosphoric Acid	mg/m ³	<1.0	BDL
Pyridine	mg/m ³	<0.05	BDL
Monotolyl Phthalide (MTPA)	mg/m ³	<0.1	64
Ethylene Oxide	mg/m ³	<1.0	BDL
Toluene	mg/m ³	<0.1	28
Phthalic Anhydride	mg/m ³	<1.0	21
Toluene	mg/m ³	<1.0	06
2-Ethylhexanoic acid (2-EHA)	mg/m ³	<1.0	23
Butane	mg/m ³	<1.0	09
Butyl Cellulosate	mg/m ³	<1.0	132
Ethyl Cellulosate Acetate	mg/m ³	<1.00	BDL
Mineral Turpentine (CH ₁₀ H ₁₆)	mg/m ³	<1.0	BDL
Acetic Acid	mg/m ³	<5.0	BDL
2-Butanone (Methyl Ethyl Ketone - MEM)	mg/m ³	<1.00	BDL
4-tert-Butyl Acetate	mg/m ³	<1.00	BDL
Chromic Acid & Chromates as Cr	mg/m ³	<1.0	30.0
Dimethyl Phthalate	mg/m ³	<1.0	BDL
Hydrogen Fluoride as F	mg/m ³	-	BDL
Iron Oxide Yellow (Fe ₂ O ₃)	mg/m ³	<0.5	BDL
Nitric Acid	mg/m ³	<1.0	BDL
Phenol	mg/m ³	<1.0	BDL
Solvent	mg/m ³	<1.0	BDL
Terphenol	mg/m ³	-	BDL
Cyclohexanol	mg/m ³	<1.00	BDL
Toluene oil (specifying) (TO)	mg/m ³	<1.00	BDL
Monobutyl Methacrylate	mg/m ³	<1.0	BDL
Lead	mg/m ³	<0.1	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<1.00	C. BDL - 50.0 mg/m ³

N.B.: A. Method Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL - 50.0 mg/m³
Sample Received by Mr. Kishan Singh & Mr. Purushottam Singh
Certified

R.P. Kishan
N.B.:
The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
The Result indicated only refer to the tested samples.
The Certificate shall not be used in any media or as evidence in the court
of law without prior written consent of the laboratory.



EAC



ENVIRO-INTERNATIONAL

120 Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E) S. No. 32, M.A.B.L. TC-8545, U.P.P.C.G. H-01506/G/L/199



TEST REPORT

ISSUED TO:	SUBJECT : VOC-TWA		
MR. ASIAN PAINTS LIMITED Plot No.- 01, JMT, Kharadi Sopat Rohit Mahanand - 234001 India	METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handi Sampler, CT, GC, BV etc.		
Hazardous Details :	Sample Collection Date: 18/07/24 Sample Reporting Date: 23/07/24		
Sample Reference: ETI/MAPL-RC/T/24/M7-17			
ANALYSIS REPORT			
Sampling Site	Unit	Standard/Norms NIOSH	Quality Assurance QA Micro Room
Sampling Code	ml/l	-	WZ-17
Sampling Duration	ml/l	-	480 Minutes
Weather	ml/l	-	Normal
Ambient Temperature	ml/l	<100	800
Acetone	ml/l	<13	100
Ammonia	ml/l	<700	65
n-Butyl acetate	ml/l	<150	27
n-Butyl alcohol	ml/l	<1400	64
Ethyl acetate	ml/l	<100	39
Ethyl alcohol	ml/l	<1.5	64
Formaldehyde	ml/l	<150	68
Isobutyl Alcohol	ml/l	<5	BDL
Chlorophenol dust and compounds (400 mg/m ³)	mg/m ³	<1	BDL
Phosphoric Acid	ml/l	<15	BDL
Pyridine	ml/l	<205	BDL
Styrene Butadiene Rubber (SBR)	ml/l	<184	BDL
Ethylbenzene	ml/l	<35	BDL
Acetone	ml/l	<01	BDL
Phthalic Anhydride	ml/l	<315	17
Toluene	ml/l	<70	11
2-Ethylhexanoic acid (2-EHA)	ml/l	<152	68
Butanone	ml/l	<123	69
Butyl Cellosolve	ml/l	<5	BDL
Ethyl Cellosolve Acetate	ml/l	<60	BDL
Mineral Turpentine Oil (MTO)	ml/l	<25	BDL
Acetic Acid	ml/l	<500	BDL
2-Butanone (Methyl Ethyl Ketone - MEC)	ml/l	<100	BDL
sec/tert. Butyl Acetate	ml/l	<0.83	BDL
Chloroacetic Acid & Chloromethane (40 ppm)	ml/l	<5	BDL
Dinitro Phthalate	ml/l	<1.5	BDL
Hydroquinone Monoglycidyl E-	ml/l	<15	BDL
Iron Oxide Fume (Fe ₂ O ₃)	ml/l	<0.5	BDL
Nitric Acid	ml/l	<10	BDL
Phenol	ml/l	<15	BDL
Styrene	ml/l	<140	BDL
Acetone	ml/l	-	BDL
Cyclohexane	ml/l	<0.143	BDL
Toluene Diisocyanate (TDI)	ml/l	<10	BDL
Methyl Methacrylate	ml/l	<0.15	BDL

Lead Chromates Metal & Insoluble Compound **mp/°C** **-81**
Chromate - 100% HDSHA 3 CPCB 3 Standard, see part Facci Act 1968 C. BDL

N. B.: A. month is based on Month N, DASH 2, CPCB.
Bumping Done by Mr. Sury Singh & Mr. Parasuram Singh
Chandigarh

N.B. - Full Name _____

- The Samples/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Results indicated only refer to the tested samples.
- The Certificate shall not be used on any media or as evidence in the court.
- If law requires written consent of the laboratory _____

Off. & Lab. : 128-139, Udyog Kendra A Extnt, Eco Tech-II, Greater Noida-201 306
98-1003664, 98-0725666, 6911237558
Email: info@ecotechindia.com

ISO : 9001 : 2015 | ISO : 14001 : 2015

ISO - 45001 - 2018



— ENVIRO-INTERNATIONAL —



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-01600/CLJ/89

TEST REPORT

ISSUED TO :	SUBJECT : VOC-TWA		
M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 244001 India.	METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.		
Sample Details : VOC-TWA Sample Reference: EII/APL-R/07/24/WZ-19	Sample Collection Date: 18/07/24 Sample Reporting Date: 29/07/24		
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	BG-1 NEW BLOCK
Sampling Code	--	--	WZ - 19
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	301
Acetone	mg/m ³	<1780	141
Ammonia	mg/m ³	<18	06
n-Butyl acetate	mg/m ³	<710	58
n-Butyl alcohol	mg/m ³	<150	03
Ethyl acetate	mg/m ³	<1400	61
Ethyl alcohol	mg/m ³	<1900	47
Formaldehyde	mg/m ³	<1.5	0.8
Isobutyl alcohol	mg/m ³	<150	64
Manganese dust and compounds (as Mn)	mg/m ³	<05	BDL
Phosphoric Acid	mg/m ³	<01	BDL
Pyridine	mg/m ³	<15	07
Methyl Isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	51
Xylene	mg/m ³	<435	BDL
Phthalic Anhydride	mg/m ³	<01	67
Toluene	mg/m ³	<375	23
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	11
Butanol	mg/m ³	<152	08
Butyl Cellosolve	mg/m ³	<123	15
Ethyl Cellosolve Acetate	mg/m ³	<55	130
Mineral Turpentine Oil (MTO)	mg/m ³	<560	BDL
Acetic Acid	mg/m ³	<25	BDL
2 - Butanone (Methyl ethyl Ketone - MEK)	mg/m ³	<590	BDL
sec/tert. Butyl Acetate	mg/m ³	<950	BDL
Chromic Acid & Chromates as Cr	mg/m ³	<0.05	BDL
Dibutyl Phthalate	mg/m ³	<5	BDL
Hydrogen Flouride as F	mg/m ³	<2.5	BDL
Iron Oxide Fume (Fe ₂ O ₃)	mg/m ³	--	BDL
Nitric Acid	mg/m ³	<05	BDL
Phenol	mg/m ³	<19	BDL
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL < 0.05 mg/m³
Sampling Done by Mr. Shiv Singh & Mr. Purshotam Singh.

Chukiat
R.P. Malwani

- N.B.:
 • The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
 • The Result indicated only refer to the tested samples.
 • The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

En. Lab-In-Charge

Vipul Kumar

Enviro-International

Environmental Testing Laboratory

Greater Noida - 201306

India

NAECL

CLACI



— ENVIRO-INTERNATIONAL —

Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt of India
Gazette Notification S.D. 3744 (E), S. No. 32, N.A.B.C. TC-6541 U.P.P.C.S. H-01600-CLB9



TEST REPORT

ISSUED TO:	SUBJECT : VOC-TWA
M/s ASIAN PAINTS LIMITED Plot No. 261, IMT, Kheri Sabh, Kohka, Ludhiana - 240014 India	METHODS : Based on NIOSH, OSHA
Sample Details : a. VOC-TWA Sample Reference: BHAIPL-RQ7M41729	INSTRUMENTS: Handi Sampler, CF, GC, UV etc.
	Sample Collection Date: 14/07/21
	Sample Reporting Date: 29/07/21

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	BL-1 OLD BLOCK
Sampling Date			W2 - 20
Sampling Duration			480 Minutes
Ambient Temperature	°F		Normal
Acetone	mg/m³	<100	13
Ammonia	mg/m³	<10	49
n-Butyl Acetate	mg/m³	<10	63
t-Butyl alcohol	mg/m³	<150	58
Ethyl acetate	mg/m³	<100	63
Ethyl alcohol	mg/m³	<1000	0.4
Formaldehyde	mg/m³	<15	41
Isobutyl alcohol	mg/m³	<150	BOL
Manganese dust and compounds (as Mn)	mg/m³	<15	BOL
Phosphoric Acid	mg/m³	<15	BOL
Pyridine	mg/m³	<100	BOL
Methyl Isobutyl Ketone (MIBK)	mg/m³	<100	BOL
Styrene Oxide	mg/m³	<100	BOL
Xylene	mg/m³	<100	0.0
Phthalic Anhydride	mg/m³	<100	81
Toluene	mg/m³	<100	28
2-Ethylhexanoic acid (2-EHA)	mg/m³	<100	13
Butanol	mg/m³	<100	0.8
Butyl Cellosolve	mg/m³	<100	0.4
Ethyl Diisobutyl Acetate	mg/m³	<500	115
Gamma Terpinene 64 (GTO)	mg/m³	<100	BOL
Acetic Acid	mg/m³	<500	BOL
2-Butoanone (Methyl ethyl Ketone - MEK)	mg/m³	<500	BOL
sec, tert, Butyl Acetate	mg/m³	<500	BOL
Chromic Acid & Chromium as Cr	mg/m³	<5	BOL
Diethyl Phthalate	mg/m³	<100	BOL
Hydroquinone Propoxide as %	mg/m³	<100	BOL
Iron Oxide Fume (Fe-Ox)	mg/m³	<100	BOL
Nitrid Alkali	mg/m³	<100	BOL
Popcorn	mg/m³	<100	BOL
Solvents	mg/m³	<200	BOL
Malathion	mg/m³	<100	BOL
Cyclohexane	mg/m³	<100	BOL
Toluene Diisocyanate (TDI)	mg/m³	<100	BOL
Methyl Methacrylate	mg/m³	<100	BOL
Lead	mg/m³	<100	BOL
Chromium Metal & Insoluble Compounds	mg/m³	<100	BOL > 20.0 mg/m³

N.B.: A. Methods Based on NIOSH, OSHA & CPCB.
B. Standard as per Fact Act 1948.
C. BOL > 20.0 mg/m³

Sampling Done by Mr. Balv Singh & Mr. Purneshwar Singh.

Checked

R.P. Misra

- N.B.:-
 • The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
 • The Result indicated only refer to the tested samples.
 • The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

Alka Singh - In-Charge

Mr. Vinay Kumar

Greater

17/07/2021

CLBC



ENVIRO-INTERNATIONAL

15 | Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744(E) L.S. No. 32, N.A.B.L. TC-5543, D.P.P.C.B. H-03800ICU83



TEST REPORT

ISSUED TO:	SUBJECT: VOC-TWA		
MR ASIAN PAINTS LIMITED	METHODS : Based on NIOSH/OSHA		
Plot No. - D1, INT. Keshi Sathi,	INSTRUMENTS: Handy Sampler, CT, GC, UV etc.		
Kota, Rajasthan - 324001 India.	Sample Collection Date: 19/07/94		
Sample Details: VOC-TWA	Sample Reporting Date: 29/07/94		
Sample Reference: EN/APP-1907/94/TW-11			
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/INDICES NIOSH	BG-2 NEW BLOCK
			WE-21
Sampling Code			480 Minutes
Sample Collection			Normal
VOC-EPA			SDL
Ambient Temperature	mg/m ³	<150	345
Acetone	mg/m ³	<18	65
Acrylonitrile	mg/m ³	<10	27
n-Butyl Acetate	mg/m ³	<150	07
n-Butyl alcohol	mg/m ³	<150	22
Ethyl acetate	mg/m ³	<100	35
Ethyl alcohol	mg/m ³	<1.5	0.6
Formaldehyde	mg/m ³	<150	14
Toluyl alcohol	mg/m ³	<25	SDL
Inorganic dust and compounds (as SiO ₂)	mg/m ³	<11	SDL
Phosphoric Acid	mg/m ³	<15	95
Pyrrole	mg/m ³	<200	SDL
Methyl Isobutyl Ketone (MIBK)	mg/m ³	<0.150	SDL
Ethylene Oxide	mg/m ³	<15	42
Xylenes	mg/m ³	<01	SDL
Phthalic Anhydride	mg/m ³	<75	33
Toluene	mg/m ³	<75	33
2-Ethylhexanoic acid (2-EHA)	mg/m ³	<10	08
Isobutanol	mg/m ³	<12	19
Butyl Cellosolve	mg/m ³	<125	23
Ethyl Cellosolve Acetate	mg/m ³	<60	130
Nitrobenzene (DBN) (NTDS)	mg/m ³	<25	SDL
Acrylic Acid	mg/m ³	<100	SDL
3-Butenone (Methylpropyl Ketone - MPK)	mg/m ³	<100	SDL
alpha/beta Butyric Acid	mg/m ³	<50	SDL
Chromic Acid & Chromic Oxide Cr	mg/m ³	<0.03	SDL
Butyl Pthalide	mg/m ³	<5	SDL
Hydroquinone Monoxide	mg/m ³	<5	SDL
Iron Oxide Pigment (Ferrox)	mg/m ³	<0.5	SDL
Malic Acid	mg/m ³	<15	SDL
Perchloro	mg/m ³	<25	SDL
Styrene	mg/m ³	<10	SDL
Monosodium	mg/m ³	—	SDL
Cyclohexanone	mg/m ³	—	SDL
Toluene Disulfonate (TDI)	mg/m ³	<0.47	SDL
Methyl Methacrylate	mg/m ³	<10	SDL
Lead	mg/m ³	<0.1	SDL

Chromatography Methods Based on Liquid Chromatography

N.B.— R.F. Measurements

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

Dif. & Lab. 138-139, Udyog Kendra-II Extra, Eco Tech-II, Greater Noida-201306
9810038654, 9810735068, 9910233669
vijul_kumar1@rediffmail.com
vijul_kumar1@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



— ENVIRO-INTERNATIONAL —



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 1744 (E), S. No. 32, N.A.B.I. T.O. 6545, U.P.R.C.B. R. 01/SONGL/33

TEST REPORT

ISSUED TO:
AMERICAN PAINTS LIMITED
Plot No.-01, JMT, Kharli Sadar,
Kalyan (Thane) - 401501 India.
Sample Details: VOC-TWA
Sampling Reference: RA/AA/PL-00073/012/22

SUBJECT: VOC-TWA
METHODS: Based on NIOSH, OSHA
INSTRUMENTS: Handi Sampler, CT, GC, UV etc.

Sample Collection Date: 18/07/22
Sample Reporting Date: 20/07/22

ANALYSIS REPORT

SAMPLING SITE:	UNIT:	STANDARD/NORMS NIOSH	BG-2 OLD BLOCK
Sampling Code:			W1 - 22
Sampling Duration:			45 Minutes
Ambient Temperature:	°C	<150	142
Acetone:	mg/m³	<10	11
Ammonia:	mg/m³	<10	36
n-Diethyl acetate:	mg/m³	<150	11
n-Butyl alcohol:	mg/m³	<1400	29
Ethyl acetate:	mg/m³	<1000	0.8
Ethyl Alcohol:	mg/m³	<15	1.2
Formaldehyde:	mg/m³	<150	BDL
Isobutyl alcohol:	mg/m³	<55	BDL
Methanolic dust and compounds (as MCH)	mg/m³	<20	0.9
Phosphorous Acid:	mg/m³	<1.5	BDL
Pyridine:	mg/m³	<0.5	BDL
Nicotinyl Acetyl Ketone (NAEK):	mg/m³	<0.154	BDL
Ethylene Oxide:	mg/m³	<0.35	46
Ydrene:	mg/m³	<0.1	BDL
Phthalic Anhydride:	mg/m³	<0.5	31
Toluene:	mg/m³	<0.76	13
2-Ethylhexanoic Acid (2-EHA):	mg/m³	<1.51	11
Butanone:	mg/m³	<123	0.9
Butyl Cellosolve:	mg/m³	<55	240
Ethyl Cellosolve Acetate:	mg/m³	<5.0	BDL
Mineral Turpentine Oil (MTO):	mg/m³	<15	BDL
Acrylic Acid:	mg/m³	<50	BDL
2-Butanone (Methyl vinyl Ketone - MVK):	mg/m³	<0.50	BDL
acetone, Butyl Acetate:	mg/m³	<0.85	BDL
Chromic Acid & Chromates as Cr:	mg/m³	<5	BDL
Dimethyl Phthalate:	mg/m³	<5	BDL
Hydrogen Fluoride as F:	mg/m³	<0.5	BDL
Iron Oxide Fume (FeOx):	mg/m³	<0.5	BDL
Nitric Acid:	mg/m³	<1.0	BDL
Phenol:	mg/m³	<0.13	BDL
Styrene:	mg/m³	<0.14	BDL
Methanol:	mg/m³	—	BDL
Cyclohexane:	mg/m³	<0.143	BDL
Toluene diisocyanate (TDI):	mg/m³	<10	BDL
Methyl Methacrylate:	mg/m³	<0.15	BDL
Lead:	mg/m³	<0.1	BDL
Chromium Metal & Inorganic Compounds:	mg/m³	<0.001	BDL

H. P. A. Methods based on NIOSH, OSHA & CMHS.
Sampling Done by Mr. Shiv Singh & Mr. Purushottam Singh.

Checked:

R.P. Mehta

N.S.

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested sample.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.





— ENVIRO-INTERNATIONAL —

Lab Recognised Under: Ministry of Environment, Forest & Climate Change Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32-N.A.B.L. TC-6545, U.P.R.C.B. R-0150WCL089



TEST REPORT

ISSUED TO:
M&A INDIA PAINTS LIMITED
 Plot No. - 01, JIVE, Khariswadi,
 Valsad - Dangar - 396001 India.
Sample Details: VOC-TWA
 Sample Reference: EELCPL-RNT/ENV-21

SUBJECT: VOC-TWA
METHOD: 1. Based on NIOSH, OSHA
INSTRUMENTS: Handi Sampler, CT, GC, UV etc.

Sample Collection Date: 20/07/21
Sample Reporting Date: 20/07/21

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	WT
Sampling Site	m/m	—	WZ-23
Sampling Duration	—	—	480 Minutes
Altitude	m/m	—	N.D.
Ambient Temperature	°C	<150	302
Acetone	mg/m ³	<1.0	0.7
Ammine	mg/m ³	<1.0	7.1
n-Butyl acetate	mg/m ³	<1.0	0.4
o-Diethyl alcohol	mg/m ³	<1.0	0.5
Ethyl acetate	mg/m ³	<1.00	2.8
Ethyl alcohol	mg/m ³	<1.00	0.4
Formaldehyde	mg/m ³	<1.5	0.3
Isobutyl alcohol	mg/m ³	<1.0	0.4
Malodorous short chain compounds (60 MN)	mg/m ³	<0.5	BDL
Phosphoric Acid	mg/m ³	<0.1	0.5
Pyrrole	mg/m ³	<1.5	BDL
Methyl Methacrylate (MMA)	mg/m ³	<0.001	BDL
Ethylenic Oxide	mg/m ³	<0.100	BDL
Xylene	mg/m ³	<0.1	BDL
Phthalic Anhydride	mg/m ³	<0.1	0.9
Toluene	mg/m ³	<1.0	4.4
2-Ethylhexanoic Acid (2-EHA)	mg/m ³	<3.0	1.2
Butanol	mg/m ³	<1.00	0.8
Butyl Cellosolve	mg/m ³	<1.00	0.4
Ethyl Cellulosic Acetate	mg/m ³	<1.00	1.2
Mineral Turpentine Oil (MTO)	mg/m ³	<1.0	BDL
Aceto Acet	mg/m ³	<0.10	BDL
2-Butanone (Methyl Ethyl Ketone - MEK)	mg/m ³	<1.00	BDL
sec/tert. Butyl Acetate	mg/m ³	<1.00	BDL
Carcinogen Acid & Chromates 2a Cr	mg/m ³	<0.001	BDL
Dimethyl Phthalate	mg/m ³	<0.1	BDL
Hydrogen Fluoride as F	mg/m ³	<2.0	BDL
Iron Oxide Power (Fe ₂ O ₃)	mg/m ³	—	BDL
Malic Acid	mg/m ³	<0.5	BDL
Phenol	mg/m ³	<1.0	BDL
Styrene	mg/m ³	<1.00	BDL
Diethanol	mg/m ³	<2.00	BDL
Cyclohexanol	mg/m ³	—	BDL
Toluene diisophthalate (TDI)	mg/m ³	<0.100	BDL
Methyl Methacrylate	mg/m ³	<0.10	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compounds	mg/m ³	<0.1	BDL

H. P. A. Method Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL - Below Method.

Sampling done By Mr. Shri Bhag & Mr. Munobhan Singh.

Chennai

P.P. Mokash

N.B.:

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

Enviro-Int'l - Chennai

Mr. Vinod Kumar
General Manager

Enviro-Int'l - Gwalior

Mr. Vinod Kumar
General Manager



138-139, Udyog Kendra II Ext., Eco Tech-III, Greater Noida-201 306
9810200894, 9810725366, 9930233668

www.journalofcertified.com
envirointernational@jotmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



— ENVIRO-INTERNATIONAL —



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545. U.P.P.C.B. H-01600/CL/89

TEST REPORT

ISSUED TO:	SUBJECT : VOC-TWA		
M/s ASIAN PAINTS LIMITED Plot No. - 61, IMT, Kheri Sadh, Rohini (Haryana) - 24001 India.	METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.		
Sample Details : VOC-TWA Sample Reference: EIL/APL-R/07/24/WZ-24	Sample Collection Date: 29/07/24 Sample Reporting Date: 29/07/24		
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	BCV
Sampling Code	—	—	WZ - 24
Sampling Duration	—	—	480 Minutes
Weather	—	—	Normal
Ambient Temperature	°K	—	301
Acetone	mg/m³	<1780	92
Ammonia	mg/m³	<18	11
n-Butyl acetate	mg/m³	<710	34
n-Butyl alcohol	mg/m³	<150	07
Ethyl acetate	mg/m³	<1400	26
Ethyl alcohol	mg/m³	<1900	40
Formaldehyde	mg/m³	<1.5	0.6
Isobutyl alcohol	mg/m³	<150	43
Manganese dust and compounds (as Mn)	mg/m³	<05	BDL
Phosphoric Acid	mg/m³	<01	BDL
Pyridine	mg/m³	<15	04
Methyl Isobutyl Ketone (MIBK)	mg/m³	<285	BDL
Ethylene Oxide	mg/m³	<0.184	BDL
Xylene	mg/m³	<435	27
Phthalic Anhydride	mg/m³	<01	BDL
Toluene	mg/m³	<375	31
2 - Ethylhexanoic acid (2-EHA)	mg/m³	<376	20
Butanol	mg/m³	<152	11
Butyl Cellosolve	mg/m³	<123	04
Ethyl Cellosolve Acetate	mg/m³	<55	14
Mineral Turpentine Oil (MTO)	mg/m³	<560	109
Acetic Acid	mg/m³	<25	BDL
2 - Butanone (Methyl ethyl Ketone - MEK)	mg/m³	<510	BDL
sec/tert. Butyl Acetate	mg/m³	<950	BDL
Chromic Acid & Chromates as Cr	mg/m³	<0.05	BDL
Dibutyl Phthalate	mg/m³	<5	BDL
Hydrogen Flouride as F	mg/m³	<2.5	BDL
Iron Oxide Fume (Fe ₂ O ₃)	mg/m³	—	BDL
Nitric Acid	mg/m³	<05	BDL
Phenol	mg/m³	<19	BDL
Styrene	mg/m³	<215	BDL
Methanol	mg/m³	<260	BDL
Cyclohexanol	mg/m³	—	BDL
Toluene diisocyanate (TDI)	mg/m³	<0.142	BDL
Methyl Methacrylate	mg/m³	<410	BDL
Lead	mg/m³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m³	<01	BDL

N. B. - A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948.
Sampling Done by Mr. Shiv Singh & Mr. Purshotum Singh.

Checked

R.N. Mathur

N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

C. BDL = <0.05 mg/m³

EIL Lab In-Charge

Dr. Atul Kumar

Greater

Noida

ENVIRONMENT

IAF

ISO 9001:2015, ISO 14001:2015

CLAC

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



— ENVIRO-INTERNATIONAL —



Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L.T.C. 8545, U.P.C.B. R-01600-G/2013

TEST REPORT

ISSUED TO:	SUBJECT: VOC-TWA					
M/S ASIAN PAINTS LIMITED Plot No. - 01, EMF, Kheri Sardak, Rohilkhand (U.P.) - 244001, India.						
Sample Details : VOC-TWA						
Sample Reference: ESI/PAPE-R/07/14/MWZ-21						
Sampling Date:	Sample Collection Date: 20/07/24					
Sampling Time:	Sample Reporting Date: 21/07/24					
ANALYSIS REPORT						
SAMPLING SITE	UNITS	STANDARD/NORMS ADOSII	EIP Chemical Preparation Area			
Sampling Code:			W2 - 25			
Sampling Date:			150 Minutes			
Sampling Time:			Normal			
Ambient Temperature:	OK		302			
Acetone:	mg/m³	<150	B1			
Ammonia:	mg/m³	<15	B1			
n-Butyl acetate:	mg/m³	<710	B1			
n-Butyl alcohol:	mg/m³	<150	B1			
Ethyl acetate:	mg/m³	<1500	B1			
Ethyl Acrylate:	mg/m³	<1000	B1			
Formaldehyde:	mg/m³	<1.5	B1			
Isobutyl alcohol:	mg/m³	<150	B1			
Manganese dust and compounds (as Mn)	mg/m³	<0.5	B1L			
Phosphoric Acid:	mg/m³	<0.1	B1L			
Pyridine:	mg/m³	<15	B1L			
Methyl Isobutyl ketone (MIK)	mg/m³	<100	B1L			
Ethylene Oxide:	mg/m³	<1.0	B1L			
Acetone:	mg/m³	<150	B1L			
Phthalic Anhydride:	mg/m³	<1	B1L			
Toluene:	mg/m³	<375	B1			
2-Ethylhexanoic acid (2-EHA)	mg/m³	<370	B1			
Butane:	mg/m³	<152	B1			
DMAc (Dimethyl Acetamide):	mg/m³	<123	B1			
EtM (Cetobase Acetate):	mg/m³	<5	B1			
Mineral Turpentine Oil (MTO):	mg/m³	<560	B1L			
Acetone Acid:	mg/m³	<15	B1L			
2-Ethylbutyric Methyl ester (MEK):	mg/m³	<500	B1L			
Isobutyl Butyl Acetate:	mg/m³	<950	B1L			
Chromic Acid & Chromated as Cr:	mg/m³	<0.05	B1L			
Gibbsite Phosphate:	mg/m³	<5	B1L			
Hydrogen Fluoride as F:	mg/m³	<2.5	B1L			
Iron Dihydride (FeO):	mg/m³	<7	B1L			
Malic Acid:	mg/m³	<5	B1L			
Phenol:	mg/m³	<19	B1L			
Syrene:	mg/m³	<314	B1L			
Merchanol:	mg/m³	<140	B1L			
Cyclohexanone:	mg/m³	<1	B1L			
Tetrahydro phthalate (THP):	mg/m³	<1.13	B1L			
Methyl Methacrylate:	mg/m³	<210	B1L			
Lard:	mg/m³	<0.15	B1L			
Chromium Metal & its soluble Compounds:	mg/m³	<0.1	B1L			


N. S. A. Methods Based on NIOSH, OSHA & CPCB, as Standard As per Fact Act 1948.
Sampling Done By Mr. Shrikant Singh & Mr. Purnabhan Singh.

Checked:

R.P. Mehta

N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the posted samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.





— ENVIRO-INTERNATIONAL —



Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Concise Notification S.O. 3744 (E.I.S.) No. 22 N.A.B.I. TC-6543; U.P.P.C.B. H-01603/CL-39

TEST REPORT

ISSUED TO:
3M ASIAN PAINTS LIMITED
 Plot No. - D1, JMT, Kheri Susta,
 Rohak (Haryana) - 121011
 Sample Details:- VOC-TWA
 Sample Reference: EIL-APL-RA7724-NVZ-24

SUBJECT: VOC-TWA
 METHODS: As Based on NIOSH, OSHA
 INSTRUMENTS: Tracey Sampler, GC, LC, UV etc.
 Sample Collection Date: 12/07/24
 Sample Reporting Date: 26/07/24

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	WDP - IEL
Sampling Code:			W3-26
Vinyl Chloride:			4PPM Minutes
Weather:			Normal
Ambient Temperature:	mg/m ³	<100	303
Acetone:	mg/m ³	<13	08
Acrylonitrile:	mg/m ³	<10	44
n-Methyl acetate:	mg/m ³	<190	03
n-Butyl Alcohol:	mg/m ³	<100	06
Ethyl Acetate:	mg/m ³	<1000	19
Ethyl alcohol:	mg/m ³	<1.5	0.1
Formic acid:	mg/m ³	<150	03
Isobutyl Alcohol:	mg/m ³	<150	04
Miscellaneous other Volatile compounds (as 40%)	mg/m ³	<85	BDL
Phosphoric Acid:	mg/m ³	<61	06
PYRROLE:	mg/m ³	<1.5	BDL
Butyl Isobutyryl Ketone (MBUK):	mg/m ³	<205	BDL
Ethyleneglycol:	mg/m ³	<0.164	BDL
Xylene:	mg/m ³	<155	BDL
Phthalic Anhydride:	mg/m ³	<0.1	BDL
Toluene:	mg/m ³	<75	13
2-Ethylhexanoic Acid (2-EHA):	mg/m ³	<370	84
Butanone:	mg/m ³	<152	37
Butyl Cellosolve:	mg/m ³	<13	18
Ethyl Cellosolve Acetate:	mg/m ³	<35	120
Mineral Turpentine Oil (MTO):	mg/m ³	<500	BDL
Acrylic Acid:	mg/m ³	<15	BDL
2-Butoanone (Acetyl Isobutyl Ketone - MIKE):	mg/m ³	<500	BDL
sec/butyl Butyl Acetate:	mg/m ³	<9.58	BDL
Crotonic Acid & Crotonates as C:	mg/m ³	<0.03	BDL
Dibutyl Phthalate:	mg/m ³	<5	BDL
Hydrogen Peroxide Int'l:	mg/m ³	<2.5	BDL
Iron Oxide Fuchs (FeOx):	mg/m ³	<0.01	BDL
Ketone Acid:	mg/m ³	<0.1	BDL
Phenol:	mg/m ³	<15	BDL
Styrene:	mg/m ³	<215	BDL
Methanol:	mg/m ³	<104	BDL
Cyclohexanone:	mg/m ³	<10	BDL
Toluene Disulfonate (TDS):	mg/m ³	<0.142	BDL
Dimethyl Mercaptan:	mg/m ³	<10	BDL
Lead:	mg/m ³	<0.15	BDL
Chromium Metal & Inorganic Compound:	mg/m ³	<11	BDL

N.B.: a. Methodology based on NIOSH, OSHA & CPCB. b. Standard as per Fact Act 1948. c. BDL - Below detection limit.

Sampling Done by Mr. Shiv Singh & Mr. Pankeshwar Singh.

Checked:

R.P. Mehta

N.B.: The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.

- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

EL Lab in Charge

Printed Name
Signature

Date / Month / Year



— ENVIRO-INTERNATIONAL —



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-01600/CL/89

TEST REPORT

ISSUED TO:	SUBJECT : VOC-TWA		
M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India.	METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.		
Sample Details : VOC-TWA Sample Reference: EIL/APL-R/07/24/WZ-27	Sample Collection Date: 19/07/24 Sample Reporting Date: 29/07/24		
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	Packing Area Old Block
Sampling Code	—	—	WZ - 27
Sampling Duration	—	—	480 Minutes
Weather	—	—	Normal
Ambient Temperature	°K	—	303
Acetone	mg/m ³	<1780	120
Ammonia	mg/m ³	<18	10
n-Butyl acetate	mg/m ³	<10	49
n-Butyl alcohol	mg/m ³	<150	05
Ethyl acetate	mg/m ³	<1400	46
Ethyl alcohol	mg/m ³	<1900	83
Formaldehyde	mg/m ³	<1.5	0.6
Isobutyl alcohol	mg/m ³	<150	05
Manganese dust and compounds (as Mn)	mg/m ³	<05	BDL
Phosphoric Acid	mg/m ³	<01	BDL
Pyridine	mg/m ³	<15	02
Methyl Isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	61
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	72
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	24
Butanol	mg/m ³	<152	16
Butyl Cellosolve	mg/m ³	<123	37
Ethyl Cellosolve Acetate	mg/m ³	<55	04
Mineral Turpentine Oil (MTO)	mg/m ³	<560	129
Acetic Acid	mg/m ³	<25	BDL
2 - Butanone (Methyl ethyl Ketone - MEK)	mg/m ³	<590	BDL
sec/tert. Butyl Acetate	mg/m ³	<950	BDL
Chromic Acid & Chromates as Cr	mg/m ³	<0.05	BDL
Dibutyl Phthalate	mg/m ³	<5	BDL
Hydrogen Fluoride as F	mg/m ³	<2.5	BDL
Iron Oxide Fume (Fe ₂ O ₃)	mg/m ³	—	BDL
Nitric Acid	mg/m ³	<05	BDL
Phenol	mg/m ³	<19	BDL
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<360	BDL
Cyclohexanol	mg/m ³	—	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL


N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL > 0.05 mg/m³
Sampling Done by Mr Shiv Singh & Mr Purshotam Singh.

Checked

R.F. Mehta

N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.





— ENVIRO-INTERNATIONAL —



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6845, U.P.P.C.B. H-01600/CL/89

TEST REPORT

ISSUED TO :	SUBJECT : VOC-TWA		
M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rehtak (Haryana) - 241001 India.	METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.		
Sample Details : VOC-TWA Sample Reference: EIL/APL-R/07/24/WZ-28	Sample Collection Date: 19/07/24 Sample Reporting Date: 29/07/24		
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	Packing Area New Block
Sampling Code	--	--	WZ - 28
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	302
Acetone	mg/m³	<1740	106
Ammonia	mg/m³	<18	08
n-Butyl acetate	mg/m³	<710	27
n-Butyl alcohol	mg/m³	<150	06
Ethyl acetate	mg/m³	<1400	53
Ethyl alcohol	mg/m³	<1900	30
Formaldehyde	mg/m³	<1.5	0.4
IsoButyl alcohol	mg/m³	<150	06
Manganese dust and compounds (as Mn)	mg/m³	<05	BDL
Phosphoric Acid	mg/m³	<01	BDL
Pyridine	mg/m³	<15	BDL
Methyl isobutyl ketone (MIBK)	mg/m³	<205	BDL
Ethylene Oxide	mg/m³	<0.184	BDL
Xylene	mg/m³	<435	27
Phthalic Anhydride	mg/m³	<01	BDL
Toluene	mg/m³	<375	53
2 - Ethylhexanoic acid (2-EHA)	mg/m³	<376	30
Butanol	mg/m³	<152	05
Butyl Cellosolve	mg/m³	<123	03
Ethyl Cellosolve Acetate	mg/m³	<55	BDL
Mineral Turpentine Oil (MTO)	mg/m³	<560	117
Acetic Acid	mg/m³	<25	BDL
2 - Butanone (Methyl ethyl Ketone - MEK)	mg/m³	<590	BDL
sec./tert. Butyl Acetate	mg/m³	<950	BDL
Chromic Acid & Chromates as Cr	mg/m³	<0.05	BDL
Dibutyl Phthalate	mg/m³	<5	BDL
Hydrogen Flouride as F	mg/m³	<3.5	BDL
Iron Oxide Fume (Fe ₂ O ₃)	mg/m³	--	BDL
Nitric Acid	mg/m³	<05	BDL
Phenol	mg/m³	<19	BDL
Styrene	mg/m³	<215	BDL
Methanol	mg/m³	<260	BDL
Cyclohexanol	mg/m³	--	BDL
Toluene diisocyanate (TDI)	mg/m³	<0.142	BDL
Methyl Methacrylate	mg/m³	<410	BDL
Lead	mg/m³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m³	<01	BDL

N.N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL > 0.05 mg/m³

Sampling Done by Mr Shiv Singh & Mr Purshotum Singh.

Check by
R.P. Mehta

- N.B.:-
- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise
 - The Result indicated only refer to the tested samples
 - The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory



— ENVIRO-INTERNATIONAL —



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E). S. No. 32, N.A.B.L. TC-8545, U.P.P.C.B. H-01600/CLU9

TEST REPORT

ISSUED TO :		SUBJECT : VOC-TWA	
M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohini (Haryana) - 24001 India.		METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.	
Sample Details : VOC-TWA Sample Reference: EIL/APL-R/07/24/WZ-29		Sample Collection Date: 20/07/24 Sample Reporting Date: 20/07/24	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	Scrap Yard
Sampling Code	--	--	WZ - 29
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	302
Acetone	mg/m³	<1700	122
Ammonia	mg/m³	<18	06
n-Butyl acetate	mg/m³	<710	69
n-Butyl alcohol	mg/m³	<150	07
Ethyl acetate	mg/m³	<1400	50
Ethyl alcohol	mg/m³	<1900	64
Formaldehyde	mg/m³	<1.5	0.3
IsoButyl alcohol	mg/m³	<150	12
Manganese dust and compounds (as Mn)	mg/m³	<05	BDL
Phosphoric Acid	mg/m³	<01	BDL
Pyridine	mg/m³	<15	07
Methyl Isobutyl Ketone (MIBK)	mg/m³	<205	BDL
Ethylene Oxide	mg/m³	<0.184	BDL
Xylene	mg/m³	<435	70
Phthalic Anhydride	mg/m³	<01	BDL
Toluene	mg/m³	<375	61
2 - Ethylhexanoic acid (2-EHA)	mg/m³	<376	44
Butanol	mg/m³	<152	07
Butyl Cellosolve	mg/m³	<123	03
Ethyl Cellosolve Acetate	mg/m³	<55	14
Mineral Turpentine Oil (MTO)	mg/m³	<569	108
Acetic Acid	mg/m³	<25	BDL
2 - Butanone (Methyl ethyl Ketone - MEK)	mg/m³	<590	BDL
sec/tert. Butyl Acetate	mg/m³	<950	BDL
Chromic Acid & Chromates as Cr	mg/m³	<0.05	BDL
Dibutyl Phthalate	mg/m³	<5	BDL
Hydrogen Fluoride as F	mg/m³	<2.5	BDL
Iron Oxide Fume (Fe₂O₃)	mg/m³	--	BDL
Nitric Acid	mg/m³	<05	BDL
Phenol	mg/m³	<19	BDL
Styrene	mg/m³	<215	BDL
Methanol	mg/m³	<260	BDL
Cyclohexanol	mg/m³	--	BDL
Toluene diisocyanate (TDI)	mg/m³	<0.142	BDL
Methyl Methacrylate	mg/m³	<410	BDL
Lead	mg/m³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m³	<01	BDL


N.B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL = <0.05 mg/m³
Sampling Done by Mr. Shiv Singh & Mr. Purshotam Singh.

Checked

R.R. Marwah

N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.





HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)



TC-7811

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory



TEST REPORT

Issued To:	Report No. : HTH/EP/240928042
Asian Paint Ltd	ULR No. : TC781124100007390F
Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Party's Ref No. : Nil
	Booking Date : 28/09/2024
	Period of Testing : 28/09/2024 To 07/10/2024
	Reporting Date : 07/10/2024

Sample Description : Ambient Air Quality Monitoring

Type of Industry	:	Paint Industry
Date & time of sampling	:	27/09/2024 [10:00 Hrs] to 28/09/2024 [10:00 Hrs]
Sample Location	:	Gate No.2
Instrument used	:	RDS Model APM- 860 (Sr. No. 230 DTK 2016)
Instrument Calibration Status	:	Calibrated (upto 28.03.2025)
Purpose of analysis	:	Monitoring
Sample collected/ supplied by	:	By our Lab. Representative

A. Observations:

- Sampling flow rate (Avg.) : 1.17 m³/min
- Total volume of air sampled : 1681.99 m³
- Period of sampling : 24 Hrs

S.N.	Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution					
1	Particulate Matter (PM10)	µg/m ³	88.59	100 max	IS 5182 (Part-23) : 2006
2	Particulate Matter (PM 2.5)	µg/m ³	47.03	60 max	IS 5182 (Part-24) : 2019
3	Sulphur Dioxide (SO ₂)	µg/m ³	21.12	80 max	IS 5182 (Part-2) : 2001
4	Nitrogen Dioxide (NO ₂)	µg/m ³	40.43	80 max	IS 5182 (Part-6) : 2006
5	Ammonia (NH ₃)	µg/m ³	24.15	400 max	IS 5182 (Part-25) : 2018
6	Ozone (O ₃)	µg/m ³	25.03	100 max	IS 5182 (Part-9) : 1974
7	Carbon Monoxide (CO)	mg/m ³	0.344	4 max	IS 5182 (Part-10) : 1999
8	Benzene (C ₆ H ₆)	µg/m ³	BLQ (LOQ:0.52)	5 max	IS 5182 (Part-11) : 2006
9	Benzo - Pyrene (BaP)	ng/m ³	BLQ (LOQ:0.1)	1 max	IS 5182 (Part-12) : 2004
10	Lead (Pb)	µg/m ³	BLQ (LOQ:0.02)	1 max	IS 5182 (Part-22) : 2004
11	Nickel (Ni)	ng/m ³	BLQ (LOQ:2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12	Arsenic (As)	ng/m ³	BLQ (LOQ:1)	5 max	HTH/QF/7.2/2/ICP-01 SOP No 17

End of Report

Remarks : Standard limits are as per CPCB notification Nov. 2009

BLQ : Below limit of Quantification / LOQ : Limit of Quantification

Review by
16-10-2024

MD. VISHAL KUMAR
Sr. Manager (Env.) *

Page No.: 1 of 1

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertain only to the sample tested not for the whole lot.
 3. This report is only for your guidance and not for legal purposes, commercial decision, and for advertisement.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.
 5. Samples will be destroyed after one month from the date of issue of test report, unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)



Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR)

Contact : (Off) 86077-70160, 0160-4067223, (Env.) 86077-70164, (SM) 86077-70166, (Fax) 86077-70167
Web Site: www.hthlabs.com, e-mail: haryantesthouse@gnail.com, testing@hthlabs.com

T
DOC No. HTHCRFLS

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Report No.:
Asian Paint Ltd	H11/EP/240926044
Plot No. 1, Sector- 30 B, IMT Rohtak (HR)	U.R. No.:
	TC/81/2410007389F
	Party's Ref No.:
	NIL
	Booking Date:
	28/09/2024
	Period of Testing:
	28/09/2024 To 07/10/2024
	Reporting Date:
	07/10/2024

Sample Description: Ambient Air Quality Monitoring

Type of industry:	Paint Industry
Date & Time of sampling:	27/09/2024 (10:00 Hrs) to 28/09/2024 (10:00 Hrs)
Sample Location:	Near ETP Area
Instrument used:	RDS Model APM-460 (Sr. No. 2493 DTB 2019)
Instrument Calibration Status:	Calibrated (upto 28.03.2025)
Purpose of analysis:	Monitoring
Sample collected/supplied by:	By our Lab. Representative

A. Observations:

- 1. Sampling flow rate (Avg.) : 3.14 ml/min
- 2. Total volume of air sampled: 1656.37 ml
- 3. Period of sampling: 24 Hrs

S.N.	Test Parameters	Units	Result	Standard Limity (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollutants					
1.	Particulate Matter (PM10)	µg/m³	43.13	100 max	IS 5182 (Part-23) : 2005
2.	Particulate Matter (PM 2.5)	µg/m³	42.87	60 max	IS 5182 (Part-24) : 2019
3.	Sulphur Dioxide (SO₂)	µg/m³	17.89	80 max	IS 5182 (Part-2) : 2003
4.	Nitrogen Dioxide (NO₂)	µg/m³	99.69	80 max	IS 5182 (Part-6) : 2004
5.	Ammonia (NH₃)	µg/m³	22.76	400 max	IS 5182 (Part-25) : 2004
6.	Ozone (O₃)	µg/m³	23.43	100 max	IS 5182 (Part-3) : 2014
7.	Carbon Monoxide (CO)	mg/m³	0.637	4 max	IS 5182 (Part-10) : 1998
8.	Benzene (C6H6)	µg/m³	BLO (100-0.52)	5 max	IS 5182 (Part-11) : 2006
9.	Benzo(a) Pyrene (BaP)	µg/m³	BLO (100-0.1)	1 max	IS 5182 (Part-32) : 2004
10.	Lead (Pb)	µg/m³	BLO (100-0.02)	2 max	IS 5182 (Part-22) : 2004
11.	Nickel (Ni)	µg/m³	BLO (100-2)	20 max	HTH/AF/7.2/2/CP-01 SOP No. 17
12.	Arsenic (As)	µg/m³	BLO (100-1)	6 max	HTH/AF/7.2/2/CP-01 SOP No. 17

End of Report

Remarks: Standard limits are as per CPCB notification Nov. 2009

BLQ : Below Limit of Quantification / LOQ : Limit of Quantification

Review by:
[Signature]

Md. Ajay Singh,
S. Manager (Env.)

Page No.: 1 of 1

- Note: This report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of law.
 1. This is not a legal document and not for legal purposes. Commercialization and/or other purpose
 2. Samples will be destroyed after one month from the date of issue of the report unless otherwise specified.
 3. The customer is responsible for all costs associated with the sample return, unless otherwise specified.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the amount paid only.
 5. Sample not shown by HTL unless otherwise specified.



HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)



Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR)

Contact : (Off) 86077-70160, 0180-4067223, (Env) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory



TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/240923019 ULR No. : TC781124100007330F Party's Ref No. : Nil
Sample Description : Ambient Air Quality Monitoring	Booking Date : 23/09/2024 Period of Testing : 23/09/2024 To 03/10/2024 Reporting Date : 03/10/2024

Sample Description : Ambient Air Quality Monitoring

Type of Industry : Paint Industry
 Date & time of sampling : 20/09/2024 (10:00 Hrs) to 21/09/2024 (10:00 Hrs)
 Sample Location : Near Gate No.3
 Instrument used : RDS Model APM- 460 (Sr. No. 2494 DTB 2019)
 Instrument Calibration Status : Calibrated (upto 28.03.2025)
 Purpose of analysis : Monitoring
 Sample collected/ supplied by : By our Lab. Representative

A. Observations:

- Sampling flow rate (Avg.) : 1.21 m³/min
- Total volume of air sampled : 1733.75 m³
- Period of sampling : 24 Hrs

S.N.	Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution					
1	Particulate Matter (PM10)	µg/m ³	87.09	100 max	IS 5182 (Part-23) : 2006
2	Particulate Matter (PM 2.5)	µg/m ³	45.78	60 max	IS 5182 (Part-24) : 2019
3	Sulphur Dioxide (SO ₂)	µg/m ³	17.88	80 max	IS 5182 (Part-2) : 2001
4	Nitrogen Dioxide (NO ₂)	µg/m ³	35.90	80 max	IS 5182 (Part-6) : 2006
5	Ammonia (NH ₃)	µg/m ³	25.24	400 max	IS 5182 (Part-25) : 2018
6	Ozone (O ₃)	µg/m ³	20.10	100 max	IS 5182 (Part-9) : 1974
7	Carbon Monoxide (CO)	mg/m ³	1.146	4 max	IS 5182 (Part-10) : 1999
8	Benzene (C ₆ H ₆)	µg/m ³	BLQ (LOQ-0.52)	5 max	IS 5182 (Part-11) : 2006
9	Benzo - Pyrene (BaP)	ng/m ³	BLQ (LOQ-0.1)	1 max	IS 5182 (Part-12) : 2004
10	Lead (Pb)	µg/m ³	BLQ (LOQ-0.02)	1 max	IS 5182 (Part-22) : 2004
11	Nickel (Ni)	ng/m ³	BLQ (LOQ-0.2)	20 max	HTH/QF/7.2/2/CP-01 SOP No 17
12	Arsenic (As)	ng/m ³	BLQ (LOQ-1)	6 max	HTH/QF/7.2/2/CP-01 SOP No 17

End of Report

Remarks : Standard limits are as per CPCB notification Nov. 2009

BLQ : Below limit of Quantification / LOQ : Limit of Quantification

Review by

Md. Aslam Ansari
Sr. Manager (Env.)

Page No.: 1 of 1

- Note 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertain only to the sample tested not for the whole lot.
 3. This report is only for guidance, and not for legal purposes, commercial decision, and for advertisement.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoice amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)



Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR)

Contact : (Off) 86077-70160, 0180-4067223, (Env) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Report No. : HTH/EP/240923018
Asian Paint Ltd	ULR No. : TC781124100007329F
Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Party's Ref No. : Nil
	Booking Date : 23/09/2024
	Period of Testing : 23/09/2024 To 03/10/2024
	Reporting Date : 03/10/2024

Sample Description : Ambient Air Quality Monitoring

Type of Industry	: Paint Industry
Date & time of sampling	: 20/09/2024 (10:00 Hrs) to 21/09/2024 (10:00 Hrs)
Sample Location	: Near Gate No.1
Instrument used	: RDS Model APM- 460 (Sr. No-2493 DTB 2019)
Instrument Calibration Status	: Calibrated (upto 28.03.2025)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our Lab. Representative

A. Observations:

1. Sampling flow rate (Avg.)	: 1.24 m ³ /min
2. Total volume of air sampled	: 1784.11 m ³
3. Period of sampling	: 24 Hrs

S.N.	Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution					
1	Particulate Matter (PM10)	µg/ m ³	89.12	100 max	IS 5182 [Part-23] : 2006
2	Particulate Matter (PM 2.5)	µg/ m ³	47.60	60 max	IS 5182 [Part-24] : 2019
3	Sulphur Dioxide (SO ₂)	µg/ m ³	21.10	80 max	IS 5182 [Part-2] : 2001
4	Nitrogen Dioxide (NO ₂)	µg/ m ³	39.94	80 max	IS 5182 [Part-6] : 2006
5	Ammonia (NH ₃)	µg/ m ³	25.79	400 max	IS 5182 [Part-25] : 2018
6	Ozone (O ₃)	µg/ m ³	20.75	100 max	IS 5182 [Part-9] : 1974
7	Carbon Monoxide (CO)	mg/ m ³	1.260	4 max	IS 5182 [Part-10] : 1999
8	Benzene (C ₆ H ₆)	µg/ m ³	BLQ (LOQ-0.52)	5 max	IS 5182 [Part-11] : 2006
9	Benzo - Pyrene (BaP)	ng/ m ³	BLQ (LOQ-0.1)	1 max	IS 5182 [Part-12] : 2004
10	Lead (Pb)	µg/ m ³	BLQ (LOQ-0.02)	1 max	IS 5182 [Part-23] : 2004
11	Nickel (Ni)	ng/ m ³	BLQ (LOQ:2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12	Arsenic (As)	ng/ m ³	BLQ (LOQ:1)	6 max	HTH/QF/7.2/2/ICP-01 SOP No 17

End of Report

Remarks : Standard limits are as per CPCB notification Nov. 2009

BLQ : Below limit of Quantification / LOQ : Limit of Quantification

[Signature]
Review by
3/10/2024

[Signature]
Date: 21/10/24
Mr. Ashok Kumar
S. Manager (Env.)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
 3. This report is only for your guidance and not for legal purposes, commercial decisions and for advertisement.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoice amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

DOC No. HTH/QF/7.8

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/240914044 ULR No. : TC781124100007040F Party's Ref No. : Nil
Sample Description : Ambient Air Quality Monitoring	Booking Date : 14/09/2024 Period of Testing : 14/09/2024 To 20/09/2024 Reporting Date : 20/09/2024

Type of Industry	: Paint Industry
Date & time of sampling	: 13/09/2024 (10:00 Hrs) to 14/09/2024 (10:00 Hrs)
Sample Location	: Gate No.2
Instrument used	: RDS Model APM- 460 (Sr. No. 2494 DTB 2019)
Instrument Calibration Status	: Calibrated (upto 28.03.2025)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our Lab. Representative
A. Observations:	
1. Sampling flow rate (Avg.)	: 1.24 m3/min
2. Total volume of air sampled	: 1785.60 m3
3. Period of sampling	: 24 Hrs

S.N.	Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution					
1	Particulate Matter (PM10)	µg/m³	90.78	100 max	IS 5182 (Part-23) : 2006
2	Particulate Matter (PM 2.5)	µg/m³	50.38	60 max	IS 5182 (Part-24) : 2019
3	Sulphur Dioxide (SO₂)	µg/m³	19.51	80 max	IS 5182 (Part-2) : 2001
4	Nitrogen Dioxide (NO₂)	µg/m³	35.67	80 max	IS 5182 (Part-6) : 2006
5	Ammonia (NH₃)	µg/m³	38.07	400 max	IS 5182 (Part-25) : 2018
6	Ozone (O₃)	µg/m³	22.04	100 max	IS 5182 (Part-9) : 1974
7	Carbon Monoxide (CO)	mg/m³	1.031	4 max	IS 5182 (Part-10) : 1999
8	Benzene (C₆H₆)	µg/m³	BLQ (LOQ-0.52)	5 max	IS 5182 (Part-11) : 2006
9	Benzo - Pyrene (BaP)	ng/m³	BLQ (LOQ-0.1)	1 max	IS 5182 (Part-12) : 2004
10	Lead (Pb)	µg/m³	BLQ (LOQ-0.02)	1 max	IS 5182 (Part-22) : 2004
11	Nickel (Ni)	ng/m³	BLQ (LOQ:2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12	Arsenic (As)	ng/m³	BLQ (LOQ:1)	6 max	HTH/QF/7.2/2/ICP-01 SOP No 17

End of Report

Remarks : Standard limits are as per CPCB notification Nov. 2009

BLQ : Below limit of Quantification / LOQ : Limit of Quantification



Md. Afzal Ansari
Sr. Manager (Env.)

Page No.: 1 of 1

- Note : 1. This report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR)
 Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (SM) 86077-70166, (Food) 86077-70169
 Web Site : www.hthlabs.com, e-mail: haryanatesthousecs@gmail.com, testing@hthlabs.com



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/240914043 ULR No. : TC78112410000703BF Party's Ref No. : Nil Booking Date : 14/09/2024 Period of Testing : 14/09/2024 To 20/09/2024 Reporting Date : 20/09/2024
---	--

Sample Description : Ambient Air Quality Monitoring

Type of Industry	: Paint Industry
Date & time of sampling	: 13/09/2024 (10:00 Hrs) to 14/09/2024 (10:00 Hrs)
Sample Location	: Near ETP Area
Instrument used	: RDS Model APM- 460 (Sr. No. 2493 DTB 2019)
Instrument Calibration Status	: Calibrated (upto 28.03.2025)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our Lab. Representative

A. Observations:

- Sampling flow rate (Avg.) : 1.25 M3/min
- Total volume of air sampled : 1789.81 m3
- Period of sampling : 24 Hrs

S.N.	Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution					
1	Particulate Matter (PM10)	µg/m³	85.43	100 max	IS 5182 (Part-23) : 2006
2	Particulate Matter (PM 2.5)	µg/m³	48.28	60 max	IS 5182 (Part-24) : 2019
3	Sulphur Dioxide (SO₂)	µg/m³	17.59	80 max	IS 5182 (Part-2) : 2001
4	Nitrogen Dioxide (NO₂)	µg/m³	28.53	80 max	IS 5182 (Part-6) : 2006
5	Ammonia (NH₃)	µg/m³	34.70	400 max	IS 5182 (Part-25) : 2018
6	Ozone (O₃)	µg/m³	20.47	100 max	IS 5182 (Part-9) : 1974
7	Carbon Monoxide (CO)	mg/m³	0.802	4 max	IS 5182 (Part-10) : 1999
8	Benzene (C₆H₆)	µg/m³	BLQ (LOQ-0.52)	5 max	IS 5182 (Part-11) : 2006
9	Benzo - Pyrene (BaP)	ng/m³	BLQ (LOQ-0.1)	1 max	IS 5182 (Part-12) : 2004
10	Lead (Pb)	µg/m³	BLQ (LOQ-0.02)	1 max	IS 5182 (Part-22) : 2004
11	Nickel (Ni)	ng/m³	BLQ (LOQ-2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12	Arsenic (As)	ng/m³	BLQ (LOQ-1)	6 max	HTH/QF/7.2/2/ICP-01 SOP No 17

End of Report

Remarks : Standard limits are as per CPCB notification Nov. 2009

BLQ : Below limit of Quantification / LOQ : Limit of Quantification

Review by

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 2. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 3. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.
 5. Sample set drawn by HTH unless otherwise specified.
 6. Sample set drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.





HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (H.R.)
Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Report No. : HTH/EP/240907013
Asian Paint Ltd	ULR No. : TC781124100006869F
Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Party's Ref No. : Nil
	Booking Date : 07/09/2024
	Period of Testing : 07/09/2024 To 10/09/2024
	Reporting Date : 10/09/2024

Sample Description : Ambient Air Quality Monitoring

Type of Industry	: Paint Industry
Date & time of sampling	: 06/09/2024 (10:00 Hrs) to 07/09/2024 (10:00 Hrs)
Sample Location	: Near Gate No.3
Instrument used	: RDS Model APM- 460 (Sr. No. 2494 DTB 2019)
Instrument Calibration Status	: Calibrated (upto 28.03.2025)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our Lab. Representative

A. Observations:

1. Sampling flow rate (Avg.)	: 1.24 m3/min
2. Total volume of air sampled	: 1782.62 m3
3. Period of sampling	: 24 Hrs

S.N.	Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution					
1	Particulate Matter (PM10)	µg/m³	87.51	100 max	IS 5182 (Part-23) : 2006
2	Particulate Matter (PM 2.5)	µg/m³	47.07	60 max	IS 5182 (Part-24) : 2019
3	Sulphur Dioxide (SO₂)	µg/m³	19.97	80 max	IS 5182 (Part-2) : 2001
4	Nitrogen Dioxide (NO₂)	µg/m³	40.02	80 max	IS 5182 (Part-6) : 2006
5	Ammonia (NH₃)	µg/m³	24.88	400 max	IS 5182 (Part-25) : 2018
6	Ozone (O₃)	µg/m³	20.57	100 max	IS 5182 (Part-9) : 1974
7	Carbon Monoxide (CO)	mg/m³	0.802	4 max	IS 5182 (Part-10) : 1999
8	Benzene (C₆H₆)	µg/m³	BLQ (LOQ-0.52)	5 max	IS 5182 (Part-11) : 2006
9	Benzo - Pyrene (BaP)	ng/m³	BLQ (LOQ-0.1)	1 max	IS 5182 (Part-12) : 2004
10	Lead (Pb)	µg/m³	BLQ (LOQ-0.02)	1 max	IS 5182 (Part-22) : 2004
11	Nickel (Ni)	ng/m³	BLQ (LOQ-0.2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12	Arsenic (As)	ng/m³	BLQ (LOQ-1)	6 max	HTH/QF/7.2/2/ICP-01 SOP No 17

End of Report

Remarks : Standard limits are as per CPCB notification Nov, 2009

BLQ : Below limit of Quantification / LOQ : Limit of Quantification

[Signature]
Review by

Omni 10/09/24
HTH LABORATORIES PVT LTD
Md. Atul Angari
Sr. Manager (Env.)

Page No.: 1 of 1

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 2. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 3. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoice amount only.
 5. Sample not drawn by HTH unless otherwise specified.
 6. The details received from customer on its own responsibility, Lab does not confirm about it and hence does not take any responsibility whatsoever.



HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)



Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:
Asian Paint Ltd
Plot No.1, Sector- 30 B, IMT Rohtak (HR)

Report No.	:	HTH/EP/240907012
ULR No.	:	TC781124100006868F
Party's Ref No.	:	Nil
Booking Date	:	07/09/2024
Period of Testing	:	07/09/2024 To 10/09/2024
Reporting Date	:	10/09/2024

Sample Description : Ambient Air Quality Monitoring

Type of Industry : Paint Industry
 Date & time of sampling : 05/09/2024 (10:00 Hrs) to 07/09/2024 (10:00 Hrs)
 Sample Location : Near Gate No.1
 Instrument used : RDS Model APM- 460 (Sr. No. 2493 DTB 2019)
 Instrument Calibration Status : Calibrated (upto 28.03.2025)
 Purpose of analysis : Monitoring
 Sample collected/ supplied by : By our Lab. Representative

A. Observations:

- Sampling flow rate (Avg.) : 1.21 m³/min
- Total volume of air sampled : 1742.40 m³
- Period of sampling : 24 Hrs

S.N. Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution				
1 Particulate Matter (PM10)	µg/m ³	85.51	100 max	IS 5182 (Part-23) : 2006
2 Particulate Matter (PM 2.5)	µg/m ³	45.40	60 max	IS 5182 (Part-24) : 2019
3 Sulphur Dioxide (SO ₂)	µg/m ³	18.78	80 max	IS 5182 (Part-2) : 2001
4 Nitrogen Dioxide (NO ₂)	µg/m ³	38.54	80 max	IS 5182 (Part-6) : 2006
5 Ammonia (NH ₃)	µg/m ³	23.51	400 max	IS 5182 (Part-25) : 2018
6 Ozone (O ₃)	µg/m ³	19.99	100 max	IS 5182 (Part-9) : 1974
7 Carbon Monoxide (CO)	mg/m ³	0.573	4 max	IS 5182 (Part-10) : 1999
8 Benzene (C ₆ H ₆)	µg/m ³	BLQ (LOQ-0.52)	5 max	IS 5182 (Part-11) : 2006
9 Benzo - Pyrene (BaP)	ng/m ³	BLQ (LOQ-0.1)	1 max	IS 5182 (Part-12) : 2004
10 Lead (Pb)	µg/m ³	BLQ (LOQ-0.02)	1 max	IS 5182 (Part-22) : 2004
11 Nickel (Ni)	ng/m ³	BLQ (LOQ-2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12 Arsenic (As)	ng/m ³	BLQ (LOQ-1)	6 max	HTH/QF/7.2/2/ICP-01 SOP No 17

End of Report

Remarks : Standard limits are as per CPCB notification Nov. 2009

BLQ : Below limit of Quantification / LOQ : Limit of Quantification


Review by



Page No.: 1 of 1

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertain only to the sample tested not for the whole lot.
 3. This report is only for your guidance, and not for legal purposes, commercial decisions, and for advertisement.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the amount paid only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer as its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.

Annexure -7

**Haryana State Pollution Control Board**

**SCF No. 42 & 43, Shopping Centre, Sector-6, Huda, Bahadurgarh Ph. 01276-
243077 (O) Email:- hspcrobhd@gmail.com**

**No. :HWM/ROH/2023/5743639****DT: 26/02/2023****To****M/s ASIAN PAINTS LIMITED**

Asian Paints Limited, Plot No.1, Sector 30-B, HSIIDC, IMT Rohtak, 124021
Rohtak

Sub: Grant of Authorization under Hazardous and Other Wastes(Management & Transboundary Movement) Rules, 2016

- Reference of application: 5743639 dated: 26/02/2023
- Amardeep Jain of ASIAN PAINTS LIMITED is hereby granted an authorization for generation, collection, storage, disposal on the premises situated at Asian Paints Limited, Plot No.1, Sector 30-B, HSIIDC, IMT Rohtak, 124021

Details of Authorization

S.No.	Name of process and Category of Hazardous Waste as per the Schedules I, II and III of these rules	Authorised mode of disposal or recycling or utilisation or co-processing, etc.	Quantity
1	cleaning, emptying and maintenance of petroleum oil storage tanks including, Oil-containing cargo residue, washing water and sludge	GEPIL	5 T/Annum
2	production and/or industrial use of solvents, Contaminated aromatic, aliphatic or naphthenic solvents may or may not be fit for reuse	GEPIL	35 T/Annum
3	production and/or industrial use of solvents, Distillation residues	GEPIL	15 T/Annum
4	Industrial operations using mineral/synthetic oil as lubricant in hydraulic systems or other applications, Used/spent oil	RECYCLER	10 T/Annum
5	cleaning, emptying and maintenance of petroleum oil storage tanks including, Sludge and filters contaminated with oil	GEPIL	5 T/Annum
6	Production of asbestos or asbestos-containing materials, Discarded asbestos	GEPIL	2 T/Annum

7	Production and/or industrial use of paints, pigments, lacquers, varnishes and inks , Process wastes, residues & sludges	Pre processing / Co -processing	120 T/Annum
8	Production and/or industrial use of glues, cements, adhesive and resins, Wastes/residues (not made with vegetable or animal materials)	Pre processing / Co -processing	95 T/Annum
9	De-contamination of barrels/containers used for handling of hazardous waste/chemicals, Chemical Containing residue arising from decontamination	GEPIL	15 T/Annum
10	Handling of Hazardous chemicals and wastes, Empty barrels/containers/liners contaminated with hazardous chemicals/wastes	GEPIL & RECYCLER	77 T/Annum
11	Purification and treatment of exhaust air, water and waste water from the treatment plants (CETP's), Flue gas cleaning residue	GEPIL	2 T/Annum
12	Purification and treatment of exhaust air, water and waste water from the treatment plants (CETP's), Spent ion exchange resin containing toxic metal	GEPIL	5 T/Annum
13	Purification and treatment of exhaust air, water and waste water from the treatment plants (CETP's), Chemical sludge from waste water treatment	Pre processing / Co -processing	590 T/Annum
14	Purification and treatment of exhaust air, water and waste water from the treatment plants (CETP's), Oil and grease skimming residues	GEPIL & RECYCLER	15 T/Annum
15	Purification process for organic compounds/solvents, Spent carbon or filter medium	GEPIL	5 T/Annum

1. The authorization shall be valid for a period of 20/02/2023 to 30/09/2027
2. The authorization is subject to the following general and specific conditions :-

- (i) **1. Unit will submit agreement with GEPIL.**
2. Unit will submit annual report under HWM Rules every year.
3. Unit will comply the conditions of HWM Rules.

**Regional Officer Bahadurgarh
For Haryana State Pollution Control Board**

Conditions of Authorization:

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization.
4. Any unauthorised change in personnel equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of this authorization.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty".
7. An application for the renewal of an authorization shall be made as laid down under these Rules.
8. Any other conditions for compliance as per the guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
9. Annual return shall be filed by June 30th for the period ending 31st March of the year.

Digitally signed by SHAKTI
SHAKTI SINGH
Date: 2023.02.26 19:07:00
Regional Officer Bahadurgarh
For Haryana State Pollution Control Board

Annexure -8



— ENVIRO-INTERNATIONAL —

Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 31/N.A.B.L./TC-6445, U.P.A.C. B, H-01600/CL/B9




TEST REPORT

ISSUED TO: MUSASAIN PAINTS LIMITED Plot No.-01, LSTT, Kheri Sahib, Rohtak (Haryana) - 124011 India.	SUBJECT: AMBIENT ZONE NOISE MONITORING PROCEDURE & METHODS: Based on EPA-65-01 INSTRUMENTS: Noise Level
Sample Details: Noise-Night Sample Reference: ELI/APL-2/07/24/DW - B2-91	Sample Collection Date: 16/08/24 Sample Reporting Date: 20/08/24

Sampling Station	Monitoring Report Night	Prescribed Standard As per EPA-1986 (D)(A)
Near Gate No.1	53.1	70
Near Gate No.2	56.5	70
Near Gate No.3	52.0	70
Engg. Store	55.3	70
RNG Park	58.1	70
FPT Back Side	49.0	70
PNG Back Side	53.5	70
STP Watch Tower	51.4	70
Storm Water Tank	48.2	70
Green Belt Area 1	60.7	70

Checklist By:
R.K. Mehta (Lab.)



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Results indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



CLAC



— ENVIRO-INTERNATIONAL —



Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. N.o 32, N.A.B.L-TC-8549 D.P.P.C.B. H-0360MCL/89

TEST REPORT

ISSUED TO : M/H ASAIN PAINTS LIMITED Plot No - 91, IMT, Khari Sadak, Rohini (Delhi-NCR) - 110018 India.	SUBJECT : AMBIENT 20dB NOISE MONITORING PRINCIPLE & METHODS: Based on EPA 1995 eq. INSTRUMENTS : Noise level
Sample Details : Noise-Day Sample Reference: EN/APL-R/07/24/VN-72-61	Sample Collection Date: 17-07-24 Sample Reporting Date: 29/07/24

Sampling Station	Monitoring Report Day	Prescribed Standard As per EPA 1995 dB (A)
Near Gate No 1	58.7	75
Near Gate No 2	66.3	75
Near Gate No 3	64.1	75
Engg. Store	67.9	75
RMG Park	53.6	75
PPB Back Side	62.2	75
PMG Back Side	57.5	75
ETP Watch Tower	56.6	75
Storm Water Tank	51.9	75
Green Belt Area 1	53.3	75

Checked By
H.R. Kumar



N.D.:-

- The Samples/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or evidence in the court of law without prior written consent of the laboratory.



July-24

Work Zone Noise Monitoring & Reporting

AAQ Noise

MR ACTION PAINTS LIMITED

Plot No. - 01, JMT, Jheri Sadk,
Rohtak (Haryana) - 124001, India.



— ENVIRO-INTERNATIONAL —



Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gurudwara Kalirabat S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, LPPC-B-H-41600/CLB99

TEST REPORT

ISSUED TO:

M& AGAIN PAINTS LIMITED
Plot No. - D1, IMT, Kharagpur,
Rourkela (Majharpur) - 752001, India.

Sample Details : Noise
Sample Reference : EN/ALP/0/07/24/WN-T-40

SUBJECT : WORK ZONE NOISE MONITORING
PRINCIPLE & METHODS: Based on SFA-dB meter
INSTRUMENTS : Decibel Meter

Sample Collection Date: 17-07-02/24
Sample Reporting Date: 29/07/24

Sampling Station	Monitoring Report	Prescribed Standard As per Factories Act 1948 (for 8 hrs working in dB)
Polymer MET 418	85.3	90
Polymer Near UKRA Pump	84.2	90
Polymer Pcr 414	89.7	90
Polymer Reactor 404	68.9	90
STP Near Blower No.1	88.3	90
PMG Crane 2 Front Side	70.5	90
PMG Line no. 312	73.9	90
PMG Reject Line 1-S1-1D	72.2	90
RMG BLR-1210	83.4	90
RMG BLR-246	81.9	90
IMG BLR 160	84.2	90
RMG FIBC-C	78.3	90
ECT Machine	84.7	90
WB Block Centre of TSD-107 & 108	88.5	90
WBP Block Centre of TSD 105 & 106	81.3	90
DC ARI	77.2	90
WBP Block TSD 314	72.6	90
WDP Block Centre of 113-114	68.9	90
Packing Area Lips 104 Carton Maker	84.3	90
IQC Near Vibro Shaker	88.7	90
PEI Lab TSD 50 ltr	71.2	90
EFLS Lab Near BOD Incubator	61.6	90

N.T.C.:

- The Sample/Samples received shall be destroyed after 2 weeks, unless specified otherwise.
- The Results indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



CLACI

ISO : 9001 : 2015 / ISO : 14001 : 2015

ISO : 45001 : 2018



— ENVIRO-INTERNATIONAL —

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-01600/CL/89



TEST REPORT

RM Lab GC Room Fume Hood	73.5	90
Instrument Room (Solicitor)	84.2	90
PMQA drop test machine M/c	88.0	90
Packing Area near centre of line no. 105 & 106 Robot Area	70.3	90
Packing Area Line no 111 & 112 Filter Area	66.2	90
Packing Area Line no 106 Pack Lab	68.9	90
FPH (Fire Pump Hydrant Jockey Pump)	77.4	90
FPH (Fire pump RO 502 DMF feed pump)	79.4	90
FPH (Fire Pump Man Electrical pump-1)	88.7	90
FPH (Fire Pump DG pump no 3)	90.2	90
Utility Chiller Area R- 501	80.9	90
Utility Chiller Area Compressor R- 503	83.5	90
Utility (DG/ Boiler Area) R-508	79.3	90
Utility (DG/ Boiler Area DG -501)	78.2	90
Finished Goods Area - Bridge Profiler PFST-2	66.6	90
Finished Goods Area - DAIFUKU Station	64.8	90
SILO Area Blower BLR -1231	86.3	90
SILO Area Blower- BLR-1205	82.2	90

Checked By
R.P. Marwah

ELI/Lab-In-Charge
Dr. Vipul Kumar
Greater Noida



ciaci

- N.B.:-
 • The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise
 • The Result indicated only refer to the tested samples
 • The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory

July-24

Personal - Noise Monitoring-TWA Reports

MS ASAIN PAINTS LIMITED
Plot No. - 61, TATY, Kheri Sadh,
Bhopal (M.P.) - 46001 India.



— ENVIRO-INTERNATIONAL —

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-01600/CL/89



TEST REPORT

ISSUED TO : M/s ASAIN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24601 India..		SUBJECT : PERSONAL WORK ZONE NOISE MONITORING PRINCIPLE & METHODS: Based on EPA: dB eq. INSTRUMENTS : Noise Level Meter /Dose Meter	
Sample Details : Personal Noise Monitoring - TWA Sample Reference: EIL/APL-R/07/24/WN - 41-71		Sample Collection Date: 17-26/07/24 Sample Reporting Date: 29/07/24	
Sampling Station	Sampling Person Name	Monitoring Report	Prescribed Standard As per Factories Act 1948 (For 8 hrs working in dB)
Polymer Ground Floor	Mr Jai Kishan	72.4	90
Polymer First Floor	Mr Deepender	74.7	90
RMG FIBC -D	Mr Jagdish	73.1	90
RMG Fork lift Operator	Mr Devender	75.8	90
WBP Ground Floor Old Block	Mr Azzad	73.0	90
WBP Ground Floor New Block	Mr Sombeer	70.7	90
PEL Lab	Mr Prveen	64.8	90
LQC	Mr Anil Sen	62.4	90
WBP First Floor Old Block	Mr Rajesh Kumar	74.5	90
WBP First Floor New Block	Mr Sandeep	72.8	90
Packing Area Old Block	Mr Amar	73.6	90
Packing Area New Block	Mr Narnder	71.6	90
QA Lab	Mr Pradeep	62.5	90
MTF	Mr Sourabh	68.2	90
Putty Plant 1Ind Floor	Mr Satyender	71.8	90
Putty Plant Packing Line	Mr Ram Niwas	74.6	90
Finished Goods Area Outside	Mr Mohan	63.6	90
PMG Line-108	Mr Praveen	72.4	90
Gate no. 01	Mr Lalit	58.1	90
Gate No.02	Mr Deepak	59.0	90
Gate No.03	Mr Surender	62.4	90
ETP Blower Area	Mr Dheeraj	63.3	90

N.B:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.





— ENVIRO-INTERNATIONAL —

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32-N.A.B.L. TC-6545, U.P.C.B. H-106001/C/L/85



TEST REPORT

FG Bridge Proliferation Area	Mr Amit Kumar	74.1	90
EPS Lab	Mr Karan	83.9	90
PWG Chanc Side	Mr Amit Kumar	74.0	90
Utility Chiller Area	Mr V.K. Rao	74.8	90
Utility Cooling Area	Mr Kapil	72.9	90
Pulley RSM Area	Mr S. S. S. S. S.	71.7	90
RMC FIBC-G	Mr A. Ravinder	75.3	90
RMC FIBC-C	Mr Parveen	72.5	90

Chanc
Supw. Lab

Elw/Lab In Charge
Dr. Vinod Kumar
Greater Noida



N.B:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

At Asian paints Rohtak plant we have taken below steps for Sensitization of employees and implementation of ban on Single Use Plastic (SUP) –

1. Circulation of emailers to all employees regarding the ban on single use plastic along with the item's details:

Single-Use Plastic Ban in the Premises

 Kumari Anubhuti
To : Rohtak Managers; Rohtak Executives; Rohtak Team Members
Cc : ○ GurbirKumar Arora; ○ Ananya Srivastava; ○ Akashdeep Singh; ○ Vaishali Kumar Verma; ● Amritdeep Jain
① You received this message on 11/12/2022 12:15 PM.
This message was sent with high importance.

[Reply](#) [Reply All](#) [Forward](#) ...
Sat 11/12/2022 12:15 PM

Hello All,

In adherence to the Single-Use Plastic Ban in Haryana, Please find the following list of items, usage of which is to be banned immediately in the plant premises.

S. No.	Items	Plant - Usage	Remarks
1	Candy Sticks	NA	
2	Ice-Cream Sticks	NA	
3	Plastic Straw	Used in juice-boxes, usage stopping immediately	
4	Plastic Stirrer/Cabods	NA	

11	Polystyrene/ Thermocol for decoration	NA	
12	Plastic Carry Bags	Respective departments to ensure compliance	
13	Plastic Sheets <75μm till 31st Dec 22 after that 120 μm	Respective departments to ensure compliance with the vendors	Please ensure the same requirement is also mentioned in the next PO.

Please note these items are banned for personal use as well. Please DO NOT bring these items inside the premises in any case, even for personal use.

In case of clarity needed for usage of any item, please get in touch with the EHS team immediately.

Regards,
Anubhuti

2. Add clause on restricting single use plastic in purchase orders.

PW: Single-Use Plastic Ban in the Premises



Kumari Arubhati
To: ● Aksha Gupta; ● Sunny Khurana
Cc: ● Bhupender Singh

① This message was sent with High importance.

[Reply](#) [Reply All](#) [Forward](#) ...

Sat 05/08/2022 08:02 AM

Classification: Internal

Hi Aksha,

As discussed yesterday on call, Please find the following notification for the single use plastic ban.

Request you to please mention point no. 10 (PVC Banners < 100 µm) and point no. 13 (Plastic Sheets < 75 µm till 31st Dec 22 after that 120 µm) in the list of requirements/pre-requisite while getting a P.O.

Please initiate/do the needful on priority.

Regards,
Arubhati

This message has been classified Internal by Kumari Arubhati on 06 August 2022 at 08:01:40.

3. Awareness created through mailers for all employees.

Wed 5/15/2024 1:02 PM
Sustainability Cmnd.
RE: Unwrapping Plastics: Register Now!

To:
Cc: ● Aksha Wala

What lasts for about 450 years? ⓘ
 A sequoia
 A fossil
 A plastic bottle

Plastic doesn't really decompose. It only breaks down into smaller particles named microplastics and nanoplastics.

Unwrapping The Plastics
Rethinking and optimizing the plastic waste & it's not too late to act: TOGETHER WE CAN

Save the date:
 17th May (Friday)
 3:00-4:00 PM

To Register, [Click Here](#)

Unwrapping The Plastics is a collaborative effort between our own team and friends.

OUR BODIES HAVEN'T
EVOLVED TO DIGEST
AND PROCESS PLASTIC

UNWRAPPING



Sustainability Starts With Me

The transport sector of India is the third most greenhouse gas (GHG) emitting sector and accounted for 14 per cent of our energy-related carbon dioxide emissions.

You can do a lot many things to save our environment.....Carpooling is one of it!!

Watch This Space To Know More Such Facts & Information

Regards,
Team EHS-SCRC

Op asianpaints

TIP OF THE DAY



Carpool with Friends and co-workers! This provides double benefit. You minimize carbon emissions and you save on fuel money.

Sustainability Starts With Me

E-WASTE DID YOU KNOW?

According to UN, the e-waste generation was predicted worldwide in 2018.

This means by a million tonnes of electronic waste discarded, explore a new area and double the Great Wall of China. The quantity is expected to rise to 50 billion tons by 2025.

In India, the problem is really serious due to the lack of recycling facilities. The annual volume of e-waste, with millions of tonnes generated every year, is increasing rapidly due to inadequate infrastructure and awareness.



4 Earth day celebration on 22th April'2024

PLANET VS PLASTIC

Earth Day

April 22, 2024

Planet Vs Plastic

Activities Planned-

Quiz 1- How Many Planets do you need?

Quiz 2 - APL Earth Day

Time - 3:00- 5:30pm

Mode - Online

"In the darkness of Earth Hour, let us ignite the light of environmental consciousness and commit to protecting our planet."



4. Environment Week Celebration inside the plant



5. Biodiversity Park Inauguration inside the plant



5. Plastic Wrapping has been removed from packing material packaging.

