



ASIAN PAINTS LIMITED PENTA DIVISION AN ISO 9001 ISO 14001 & OHSAS 18001 UNIT Corporate Identification Number (CIN): L24220MH1945PLC004598
For Shares related queries, email to investor.relations@asianpaints.com
For Customer queries / complaints / Dealership enquiries,
email to customercare@asianpaints.com
For HR related queries, email to careers@asianpaints.com
For Media related queries, e-mail to proffice@asianpaints.com
Pan: AAACA3622K

Asian Paints Limited B-5 to B-10 Sipcot Industrial Complex, Kudikadu Village, Cuddalore - 607 005. Tamil Nadu Tel.No-04142-239248 www.asianpaints.com

APL/CDL/TNPCB/11/2020-21

GST No. 33AAACA3622K1Z2

To The I

The Member Secretary,
Tamil Nadu Pollution Control board,
76, Mount Salai,
Guindy,
Chennai – 600 032.

Dear Sir,

Sub: Submission of Environmental Statement as on 31.03.2020 FORM-V.

We are enclosing herewith the Environmental statement (FORM-V)/Annual implementation report for the Financial Year 2019-2020. This is for your kind perusal.

Thanking you,

Yours faithfully, for ASIAN PAINTS LIMITED

THULASEEDHARAN NAIR GENERAL WORKS MANAGER

Encl: Environmental statement. FORM-V

CC TO.

The District Environmental Engineer,

Tamil Nadu Pollution Control Board,

A-3, SIPCOT Industrial Complex,

Near SIPCOT Fire Station,

CUDDALORE - 607 005

21st July 2020

(Track on www.indiapost.gov.in)

RT949740112IM IVR:82849497401
Rt SIPCOT CUDDALGRE S.0 <607003> India Post
Counter No:1,24/07/2020,10:28
To:MEMBER SECRETARY,TNFCB
PIN:600032, Guindy Industrial Estate S.0
From:ASIAN PAINT,SIPCOT INDUSTRIA
Wt:45gms
Amt:35.00(Cash)
<Track on www.indiapost.ggv.in>



17 (7 (00 NO

The Or Little

FORM V **Environment Statement for the Financial Year ending 31st March 2020**

PART A

1. Name and address of the Owner/Occupier of the

Shri. K.B. S. ANAND.

Industry operation or

MANAGING DIRECTOR AND CEO ASIAN PAINTS LIMITED

PENTA DIVISION

Process

B5 - B10 SIPCOT INDUSTRIAL COMPLEX

CUDDALORE 607 005.

2. Industry/Category Primary

Red / Large

(STC Code)

Secondary (STC Code)

Consented Quantity:

3. Production Capacity

PENTA ERYTHRITOL 730 MT/MONTH SODIUM FORMATE 480 MT/MONTH

FORMALDEHYDE

675 MT/MONTH

4. Year of establishment

1986

5. Date of the last environmental

25.09.2019

Statement submitted

PART-B WATER AND RAW MATERIAL CONSUMPTION

Water Consumption Cu.M/day

596.35

Process Cu.M/day

44.88

Cooling/Boiler feed Cu.M/day

482.98

Domestic Cu.M/day

42.76

Name of products Process water consumption per product output		
	During the previous (2018-19) financial year M ³ /MT	During the current (2019-20) financial year M ³ /MT
Penta erythiritol Note 1 Sodium Formate Note 1 Formaldehyde Note 1 (100%)	32.530 57.530 25.326	28.405 50.878 24.648

Note1: The water consumption shown above is net of recovered water from Zero Liquid Discharge system.



2. Raw Material Consumption:

		Consumption of Raw Material per unit of output (Tons/Ton)	
Name of Raw Material	Name of products	During the previous financial year (2018-19)	During the current financial year (2019-20)
a. FORMALDEHYDE (100%) b. ACETALDEHYDE c. CAUSTIC LYE (100%) d. METHANOL	PENTAERYTHIRITOL AND SODIUM FORMATE	1.123 0.388 0.373 1.326	1.152 0.396 0.383 1.166

PART- C

Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)

Pollutants	Quantity of pollutants discharged (mass/day)	Concentrations of pollutants in discharges (mass/volume) * (in ppm)		Percentage of variation from prescribed standards with reasons	
a. WATER		pH	6.38		
	8.78	TDS	149		
	0	TSS	0	NIL	
	0	COD	0		
	0	BOD	0		
	0	Chlorides	0		
	0	Sulphate	0		
b. AIR	29.79	SPM	44.00		
O. TRIES	31.60	SO2	46.67		
	112.396	NOx	166.00	NIL	
		Annual average value of Stack emission analysis done by TNPCB			

^{*} Averaged values of analysis done by APL laboratory - (Based on Water cess annexure ROA). Characteristics of water given above are recovered water from the Zero discharge system for re use.



PART- D

Hazardous Wastes

(As specified under Hazardous Wastes/Management and Handling Rules, 1989) as amended in 2000

Hazardous Wastes	Total quantity in (Ltrs)	
	During the previous financial year (2018 - 19)	During the current financial year (2019 - 20)
Used System oil Other Spent oil Spent Carbon. Distillation residue From Pollution Control Facilities From ETP/MEE/ATFD	840 Liters 210 Liters 800 Kgs 0 kgs	0 Liters 0 Liters 2980 Kgs 60.24 MT

PART-E Solid Wastes

	Total quantity	
	During the previous financial year (MT) (2018-19)	During the current financial year (MT) (2019-20)
a. From Process / Ash from Boiler b. From Pollution control facilities From ETP c. i. Quantity recycled or reutilized+ with in the unit. ii. Sold iii Disposed / Ash from Boiler	1461.14 MT NIL NIL NIL NIL 1556.92 MT	1699.08 MT NIL NIL NIL NIL 1823.94 MT

PART-F

Please specify the characterizations (in terms of composition and quantum) of hazardous as well As solid wastes and indicate disposal practice adopted for both these categories of wastes.

Sl. No.	PARAMETERS	USED OILS	WASTE OIL
110.	Color (Hazan units.)	Brown	Dark Brown
2	Water %	BDL(DL:0.05%)	0.28%
3	Density (g/cc)	0.8656 kg/l	0.8650 kg/l
4	Total halogens (ppm)	15	16
5	Chromium as cr (ppm)	ND	0.1
6	Nickel as Ni (ppm0	ND	0.3
7	Cadmium as cd (ppm)	< 2.5	3.2
8	Lead as Pb (ppm)	1.4	0.9
9	Arsenic as As (ppm)	ND	ND
10	PAH (ppm)	0.18	0.20
11	PCB (ppm)	BDL(D.L 2.0 ppm)	BDL(D.L 2.0 ppm)

Both Used and Spent Oils are disposed to authorized Hazardous waste recyclers.

PART G

Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production

- In the year 2019-2020, we had achieved the specific water consumption of 27.49 KL/MT of PENTA from 28.32 KL/MT of PENTA due to various measurements..
- In the year 2019-2020, the specific Steam consumption is 17.87 MT of PENTA
- In the year 2019–2020, Specific Power consumption is 1270 kWh/MTof PENTA
- Around 550 tree saplings were planted in our factory premises for the FY 2019-2020.
- The effluent generation is being periodically monitored on shift-wise basis and appropriate action is taken to reduce the effluent generation from source itself.
- The Effluent Treatment Plant is being operated as per the established operating procedure and the performance is being monitored closely to ensure consistent COD & BOD reduction across aeration system.
- The Sewage Treatment plant was successfully operated for achieving the sewage standards and the treated water is used for gardening purpose.
- 95% of recovered water from the Zero Liquid Discharge system is used in our Cooling tower.
- Water treatment plant performance is maintained at avearge output between regeneration of 1300 KL.
- Wash water re usage in our crude belt filter is practised.
- The ambient air and various emission discharge points of boiler stack and process stacks are being monitored at regular intervals by engaging external laboratory and Advanced environmental lab, TNPCB. The quality of the emission from the emission points are well within TNPCB norms.
- The sludge generated from ETP and ATFD (ZLD unit) is being sent to TNWMA,
 Gummidipoondi for disposal as and when required.
- Distillation residue generated from process is sent to M/s GEPIL, Ranipet for disposal.

Sprinkler systems is used for gardening purpose.

AIR EMISSION MONITORING

- We are monitoring the ambient air quality once in a week at four different locations. (Both up wind and Downwind directions.)
- We have been regularly monitoring boiler stack emission by engaging reputed laboratories / TNPCB's laboratory facility on a monthly basis.
- We are monitoring the Ambient VOC / THC / AAQ, in different locations (Both upwind and down wind direction) once in three months and ensured that the values are well within the limit.
- One online NAAQ monitoring station has been installed in predominant wind direction in consultation with TNPCB officials to monitor PM_{2.5}, PM10, SO2 & NOx and the monitored data's are uploaded to CARE AIR CENTRE, TNPCB.
- One TVOC meter was installed in the process area and the monitored data is uploaded to CARE AIR CENTRE, TNPCB.
- LDAR is being carried out on a regular basis by which the VOC emissions were identified and controlled.

Details of activities carried out to maintain the ambient air quality are as follows: -

- Online NAAQ monitoring station has been installed and connected with care air system.
- The entire fuel handling systems in our boiler has been completely covered to avoid dust emission while handling fuel and ash.
- LDAR is being carried out using MoEF approved Laboratory once in a year as per consent requirement and the leaks if any were arrested.

ENVIRONMENT & SAFETY MANAGEMENT: ISO 14001: OHSAS 18001

 We have designed and implemented the Environmental Management System (EMS) as per the international standard ISO 14001. This system is being regularly audited every six months by M/s Det Norske Veritas (DNV /GL).

- Our unit has also got certified for ISO 18001 standards by M/S DNV/GL.
- The recommendations from the audits are implemented on a regular basis.

TRAINING OUR EMPLOYEES ON ENVIRONMENTAL ISSUES:

- Regular training programmes are being conducted for our employees to educate, train and motivate their activities in an environmental friendly/responsible manner.
- As a part of ongoing ISO 14001 and OHSAS 18001 activities, we have been conducting job
 related environmental training programmes for all our employees in various departments for
 developing/improving their skill levels.
- We are taking lead for spreading awareness on Environmental preservation by campaigning on environmental issues among our employees and neighbouring villagers.
- The Environment Day was celebrated in our factory every year. Detailed speech was given by
 environment team to the Employees regarding the importance of maintaining a healthy
 environment.
- Plastic awareness campaign was done along with Help Age India and Collectorate. The function was held in the presence of Industries Minister, Collector and other dignitaries in Silver Beach, Cuddalore.

PART – H

Additional measures/investment proposal for environmental protection including abatement of pollution, prevention of pollution

- Rain water collection and harvesting was done (around 200 cubic meters)...
- We are continuing to using Environmental friendly imported coal originating from Indonesia.
 This coal contains less Sulphur content.
- Methanol transfer line from unloading pump to storage tank was replaced to reduce fugitive emission.
- New Absorption column are installed in Formaldehyfe plant to improve efficiency.

PART - I

Any other particulars for improving the quality of the environment.

- We are conducting characterisation of the effluent and recycling the same in the plant for various process applications.
- Process Automation and Trench Elimination projects were implemented by which the recycles has come down leading to reduction in resource consumption.
- Solar dryers in sludge drying beds for improving the drying efficiency of the sludge drying beds is performing well.
- Thee rain water harvesting trenches in the boiler area was constructed for effective harvesting of rain water

CSR activities carried out during FY 2019-20

Area	Amount in Lakhs	Activities	
Poondiyankuppam	6.6	Construction of compound wall @Govt.Hr. Sec. School, Poondiyankuppam	
Eachankadu Village	2.9	School Building Painting work at Primary School, Eachankadu Village	
SIPCOT Project Office	3.5	Sponsoring PVC Pipes to SIPCOT Project Office, Cuddalore	
Primary Health Centers	8.6	Renovation of Toilet @ Help Age India Old Age Home	
Renovation of Toilet	4.3	Renovation of Toilet @ Help Age India Old Age Home	
Thiruvendipuram	7.0	Construction of Class Room at Sri Vidya KalaKendram Matric School Tiruvendipuram	
Total Spending	32.9	(Forty Lakh Rupees)	

......

