

Date:27/11/2025

APL/APPCB/HY_EC/ Nov'25

To,
The Environment Engineer,
Regional Office
Andhra Pradesh Pollution Control Board
Regional office, Madhavadhara,
VUDA Layout, Beside RTO Office
Visakhapatnam-530018.

Sub.: Reg. Half year Compliance to EC - Environmental Clearance for establishment 5 Lakh KLPA capacity Paint & Resins / Water based polymers Manufacturing Plant at Plot no 3, 4 and UDL, Industrial Clutter- Pudi (V), Rambilli (M), Visakhapatnam District

Ref: EC No: SEIAA/AP/VSP-178/2015-1215 dtd: 2nd September'16

Dear Sir,

Please find enclosed herewith Half Yearly Environmental Clearance (EC) compliance report for the period of Apr'25 to Sep'25 for your perusal. Asian Paints Limited has received the Environment Clearance (EC.) dtd. - 2nd September'16 for Establishment of a 5 Lakh KLPA capacity Paint & Resins / Water based polymers Manufacturing Plant at Plot no 3, 4 and UDL, Industrial Clutter- Pudi (V), Rambilli (M), Visakhapatnam District.

We trust you will find the same in order. We thank you for your continued support.

Thanking You,

For Asian Paints Ltd.

Maunik Chatterjee

Associate General Manager

Email: compliance.visakhapatnam@asianpaints.com

CC:

1. APPCB, Vijaywada
2. SEIAA, Vijayawada
3. MoEF&CC, Chennai
4. MoEF&CC, Delhi

Enclosure:

1. Half Yearly Environment Clearance (EC) EC Compliance Report with Annexures
2. Copy of Environment Clearance (EC)



HALF YEAR COMPLIANCE REPORT-Nov'25		
EC No : SEIAA/AP/VSP-178/2015-1215 dtd: 2nd September'2016		
A.	SPECIFIC CONDITIONS	COMPLIANCE
1	Industrial effluent shall be treated in the Effluent Treatment Plant (ETP) followed by Reverse Osmosis (RO), RO rejects shall be evaporated in the multiple effect evaporator (MEE) followed by agitated thin film drier (ATFD). Treated effluent will be recycled/reused in the process/cooling tower make up and boiler feed only. Sewage will be treated in the Sewage Treatment Plant (STP) and treated sewage will be recycled/reused for flushing/utilities/gardening within Plant premises. No effluent shall be discharged outside the premises and 'Zero discharge shall be maintained.	Complied. All industrial effluent generated are being treated in the ETP followed by RO. RO reject is being treated in MEE followed by ATFD. Sewage effluent is being treated in Sewage Treatment Plant (STP). No effluent is being discharged outside the premises and Zero discharge is being maintained.
2	The treated effluent after duly meeting norms shall be utilized in the manufacturing process of plant for utilities purposes only and there shall not be any discharge into on land under any circumstances	Complied. Treated effluent are being reused in manufacturing process of plant for utilities purposes. We are not discharging into land.
3	The project proponent has to take up the development of "Kondakarla Ava Lake" under CSR activities	Complied. We have developed a community toilet at "Kondakarla Ava Lake" under CSR activities. Photograph has been attached herewith as Annexure 1.
4	The industry may explore the adoption of green technology in the Plant	Complied. APL is always strived for environment protection and continual improvement in process by adopting green technology in the plant. All our processes and practices are designed to fulfil the requirement of Indian Green Building Council Factory Rating. Solar power, waste minimization schemes, reuse schemes, auto handling of materials to reduce dust & VOC emissions, etc. are few green technologies that we use.
5	Industry shall implement wildlife conservation plan for Kondakarla Ava with special reference to species in Schedule- I	We have approached DFO and NGO for the plan of implementing wildlife conservation initiatives for Kondakarla Ava with special reference to species in Schedule- I.
B.	SPECIAL CONDITIONS	COMPLIANCE
a)	General:	
i	The industry shall achieve Zero Liquid Discharge	Complied. All trade effluent generated are being treated in the ETP followed by RO. RO reject being evaporated in MEE followed by ATFD. We are maintaining the Zero Liquid Discharge (ZLD).
ii	The industry shall provide solvent recovery system	We have water based paint manufacturing setup and minimum solvent usage and being a closed loop handling system there is minimum generation of waste solvent which is being consumed back into the process.
iii	The industry shall provide hazardous waste container (drums) cleaning/washing system	Complied. A fully established infrastructure and system has been developed to clean the Barrels/containers and IBCs. Photograph has been attached herewith as Annexure 2.
iv	The industry shall provide mass flow meter to measure quantity of steam consumed for MEE system	Complied. Mass flow meters are provided to measure quantity of steam consumed in MEE system.
v	The industry shall provide magnetic tamper proof flowmeters to measure quantity of different streams of effluents generated and routed through the treatment systems	Complied. The same has been provided separately for industrial effluent and sewage effluent streams. Photograph has been attached herewith as Annexure 3.

vi	The industry shall provide stream stripping system to handle volatile matter in the effluents	Not Applicable. However, we have water based paint manufacturing setup. Effluent is generated from cleaning of such water based paint manufacturing equipment. This effluent has very low volatile content. Effluent transferring to ETP is through closed loop system.					
vii	The industry shall send hazardous waste to the authorized cement industries/ TSDF/ authorized recyclers by proper manifesto system	Complied. We are sending hazardous waste to the authorized cement industries/pre processing units/TSDF/ authorized registered recyclers by proper manifesto system.					
viii	The industry shall install dual chamber incinerator with appropriate pollution control systems in conformity with CPCB/ MOEF & CC guidelines	Complied. An incinerator with pollution control system as per CPCB/MOEF/CC guidelines has been installed. However this is not used/operated in last three years, as waste is sending to the authorized cement industries/pre processing units/TSDF/ authorized recyclers by proper manifesto system. Installed incinerator photograph of the same has been attached herewith as Annexure 4.					
ix	The industry shall fulfil all commitments made during the public hearing held on 29.06.2016	It is noted and are being complied.					
b) Air Pollution							
I	Source of flu gas emissions, details of stack, and air pollution control system are as follows:						
S. No.	Source	Capacity	Fuel	Stack Height	APCE	Emission norms	Compliance
1	Boilers (5nos)	2 TPH each	HSD	30 mtrs each	Stack height as per CPCB norms	CPCB MoEF&CC norms	Complied. We have boilers (2 Nos) each of 3 TPH.
2	Boilers (4 nos)	4 TPH each	HSD	30 mtrs each	Stack height as per CPCB norms	CPCB/MoEF&CC norms	
3	Boiler	7 Kilo calories/hr	Bio mass briquettes	30 mtrs	Bag Filters	SPM - 30 mg/Nm3	
4	Incinerator	1 TPD	HSD	30 mtrs	Bag Filters & scrubbers	CPCB/MoEF&CC norms	Currently we don't have this boiler. 0.2 TPH Electric Steam Boiler has been incorporated here. Attached here is the Amended CTE as Annexure 10.
5	DG sets (6 Nos)	2010 KVA	HSD	30 mtrs each	Stack height as per CPCB norms	CPCB/MoEF&CC norms	Complied. We have one incinerator of 0.8 TPD. However we are not operating.
							Complied. We have DG sets (2 Nos) each of 2010 KVA. Amendment for the correction in DG sets KVA capacity has been granted via CFE Order No.400/APPCCB/CTE/RO-VSP/HO/2016 Dated 22/09/2023

6	DG sets (2 Nos)	1010 KVA	HSD	30 mtrs each	Stack height as per CPCB norms	CPCB/MoEF&CC norms	Complied. We have DG sets (2 Nos) each of 1010 KVA. Amendment for the correction in DG sets KVA capacity has been granted via CFE Order No.400/APPCB/CTE/RO-VSP/HO/2016 Dated 22/09/2023
7	DG sets (2 Nos)	500 KVA	HSD	30 mtrs each	Stack height as per CPCB norms	CPCB/MoEF&CC norms	Complied. We have DG Set (01 No.) of 500 KVA
II	Details of process emissions, stack heights, and air pollution control systems are as follows:						
S.No.	Source	Stack height	APCE	Emission norms	Compliance		
1	Process vents (5 nos)	18 mts each	Scrubbers	CPCB/MoEF & CC norms	Complied. The emissions will be dispersed as mentioned complying to CPCB/MOEF & CC norms. Scrubbers and bag filters have been provided. Currently all process equipment are connected to 4 scrubbers with vent height 18m from ground level. There are Raw material storage silo vents. Currently all 76 nos of silos are connected to silos vents.		
2	Raw material storage silos vents (150 nos)	32 mts	Bag filters	CPCB/MoEF & CC norms			
III	Necessary measures shall be taken to control odour as far as possible. Sub coolers for brine circulation shall be installed to reduce solvent evaporation losses into the atmosphere. All the solvent storage tanks shall be connected to vent condensers. Regular monitoring of the VOCs shall be carried out using sensors			Complied. We have water based paint manufacturing setup and minimum solvents are used only in the process as raw material and it is a completely closed loop system so there is no solvent evaporation. Regular weekly by internal and monthly monitoring by external of the VOCs are being carried out. Vent condensers are their in place to control any VOC emissions. Shopfloor monthly monitoring report on VOC has been attached herewith as Annexure 11. All the VOC result parameters at all locations are well within the limit.			
IV	The solvents shall be recovered by installing solvent recovery facility. The recovered solvents shall be reused in the process or sold to recyclers authorized by APPCB. The volatile vapours generated during process shall be routed through condensers and the condensate shall be reused in the plant			Not Applicable. However, we have water based paint manufacturing setup and minimum solvent usage and being a closed loop handling system there is minimum generation of waste solvent which is being consumed back into the process.			
V	The area of the greenbelt shall not be less than 33% of the total area of the site. Greenbelt with tall growing trees shall be developed along the boundary of the site			Complied. A fully developed green belt with tall growing trees all along the boundary of the plant and in the vacant place has been maintained as per the compliance requirement. Currently there is green belt of 36 % of total area. Photograph of the same has been attached herewith as Annexure 5.			
VI	Raw materials shall be transported in covered trucks. Raw materials shall be stored under sheds. All the belt conveyors shall be covered with G.I. sheets. Appropriate dust extraction cum collection system will be provided for raw material handling and conveyor system. All the roads in the plant area shall be asphalted/concreted and water shall be sprinkled to suppress the dust.			Complied. Raw materials which are in powder form is transferred to manufacturing process through closed pipeline. Adequate control measures are ensured while transferring like usage of bag filters to avoid powder dust into atmosphere. It has been noted and are being complied.			

VII	Ambient air quality including ambient noise level must not exceed the standards stipulated under Notification dt. 16.11.2009 issued by MOEF & CC, GOI. Monitoring of ambient air quality and stack emissions shall be carried out regularly in consultation with APPCB. Data on ambient air quality should be regularly submitted to the Ministry including its Regional Office located at Chennai and the State Pollution Control Board/Central Pollution Control Board once in six months.					Complied. Half yearly reports are being submitted to Regional office and the respective Zonal office of CPCB and APPCB along with monitoring report of ambient air including noise is submitted every month. AAQM and noise report has been attached herewith with Annexure 12.		
b) Water Pollution								
i) The details of water consumption, wastewater generation, treatment and disposal are as follows:								
S.No.	Purpose	Water consumption on (KLD)	Waste water generation	Treatment facilities	Disposal Option	Discharge Standard	Compliance	
1	Raw Water Treatment Plant (Back washes)	10	10		Recycled	Standard notified by MoEF&CC/APPCB	Complied. Treatment of trade effluent is being done in ETP followed by RO and MEE. The treatment of sewage effluent is being done in STP. Treated industrial effluent is being used in process/utilities purpose. Treated domestic effluent is being used for gardening/utilities/process/ domestic purpose.	
2	Process	830	---					
3	Boiler	32	5					
4	Cooling Tower	350	30					
5	Washings	80	75					
6	Domestic	80	60	STP	Reuse for flushing, utilities etc.	Standard notified by MoEF&CC / APPCB		
7	Gardening	215	---	---	---	---		
	Total	1597	180					
ii	The proponent shall provide separate storm water drains and harvest the rain water from the rooftops to recharge the ground water.					Complied. Rainwater harvesting structures are provided for both roof water and storm water inside plant separately. Groundwater are being recharged by making necessary structures through CSR activities outside plant premises only. Photograph of rain water collection reservoir has been attached herewith as Annexure 6.		
iii	The industry shall provide dual plumbing system for utilization of treated domestic effluents.					Noted and Complied.		
c) Solid Waste								
i) The details of hazardous waste generation and disposal option are as follows:								
S.No.	Waste Description	Category	Source of Generation	HW Generation	UoM	Disposal Method	Compliance	
1	Oil contaminated with wash water & sludge	3.1	All tanks (other than water) bottom sludge	15	MT/Annum	Incineration-In-house or at TSDF/Co-processing	Noted and has been complied	
2	Sludge and filters contaminated with oil	3.3	Soil contaminated with any material (RM/Intermediate/Product). Vermiculite/absorbent contaminated with any material (RM/Intermediate/Product). Engineering Consumables (such as oil filters) contaminated with any material.	15	MT/Annum	Incineration-In-house or at TSDF/Co-processing	Noted and has been Complied	

3	Used/Spent Oil	5.1	Used/overflow Thermopack oil Spent lubricating oil grease Used oil such as hydraulic testing oil, transformer oil.	50	MT/Annum	Sale authorizer to recycler	Noted and has been complied
4	Discarded Asbestos	15.2	Discarded Asbestos Sheets, Discarded Asbestos panel, used asbestos Gaskets/cuttings.	10	MT/Annum	Disposal at TSDf secured landfill	Noted and has been complied We are asbestos free plant
5	Contaminated aromatic, aliphatic or naphthenic solvents, may or may not be fit for reuse.	20.1	Waste Solvent	160	MT/Annum	Sale authorizer to recycler/Incineration-In-house or at TSDf/Co-processing	Noted and has been complied We have water based paint manufacturing process
6	Distillation Residue	20.3	Distillation Residue	80	MT/Annum	Incineration-In-house or at TSDf/Co-processing	Noted and has been complied We have water based paint manufacturing process
7	Process Waste	21.1	Waste Powder Test samples of RM, Non Resin Intermediate and Fgs. Gelled Paints/paint with excess bacterial growth/paint lumps). Scrapping of dried paint spilled RM, Non resin Intermediate and Fgs Paper/paper cups/PPEs contaminated with RM/Intermediate/FG SS/Heliflex/PVC/CI/Cement/HDPE/Rubber pipe contaminated with RM/Intermediate/FG	1000	MT/Annum	Sale authorizer to recycler/Incineration-In-house or at TSDf/Co-processing	Noted and has been complied
8	Waste / residues	23.1	Discarded resin/emulsion/polymers resin/emulsion/polymer test samples scrapping of resin/emulsion/polymer Gelled particles/flakes of resin/emulsion/polymer. By product salts contaminated with resin Spilled resin/emulsion/polymer material. Oil contaminated and water contaminated. Resin from Dust Collector	115	MT/Annum	Incineration-In-house or at TSDf/Co-processing	Noted and has been complied
9	Waste / residue such as filter aids	23.1	Used dicamol, Arbocel, celite, cuno/GAF filter, filter bags, waste filter cloth, sieve, mesh.	30	MT/Annum	Incineration-In-house or at TSDf/Co-processing	Noted and has been complied
10	Chemical containing residue arising from decontamination	33.2	Leftover material from RM container (Barrel/Carboy/Drum/Tote)	30	MT/Annum	Incineration-In-house or at TSDf/Co-processing	Noted and has been complied
11	Discarded containers/barrels/liners contaminated with hazardous wastes/chemical (Liners)	33.1	All containers from RM, Intermediate Consumables (MS/HDPE)	10	MT/Annum	Incineration-In-house or at TSDf/Co-processing Secured Landfill at TSDf/Sale to authorized recycler.	Noted and has been complied

12	Discarded containers/barrels/liners contaminated with hazardous wastes/chemicals (Packing material and sample containers).	33.1	All contaminated metal packing Material containers including sample tins. All contaminated plastic Packing Material containers.	75	MT/Annum	Incineration-In-house or at TSD/Co-processing Secured Landfill at TSD/Sale to authorized recycler.	Noted and has been complied
13	Discarded containers/barrels/liners contaminated with hazardous wastes/chemicals (Barrels/Carboys/Drums/Totes/IBC's)	33.1	Contaminated Liners and bags (plastic/paper), except those of extenders.	45000	Numbers/Annum	Sale to Authorized vendors	Noted and has been complied
14	Flue gas cleaning residue	35.1	Soot/carbon black	10	MT/Annum	Incineration-In-house or at TSD/Co-processing/Secured Landfill at TSD	Noted and has been complied
15	Spent ion exchange resin containing toxic metals	35.2	Resin beads	15	MT/Annum	Incineration-In-house or at TSD/Co-processing	Noted and has been complied
16	Chemical sludge from waste water treatment (dry basis)	35.2	Gutter/drain sludge Effluent collection pit sludge. Equalization tank /guard pond sludge. Primary Treatment tank/thickener sludge, centrifuged sludge chemical sludge from SDB, chemical salts from MEE.	600	MT/Annum	Incineration-In-house or at TSD/Co-processing	Noted and has been complied
17	Oil & grease skimming residue	35.4	Floating Oil/solvent on trade effluent/sewage	20	MT/Annum	Incineration-In-house or at TSD/Co-processing	Noted and has been complied
18	Ash from incineration of hazardous waste	37.2	Inorganic ash	250	MT/Annum	Coprocessing Secured Landfill at TSD	Noted and has been complied
19	Lead Acid Batteries	Class A	Used /waste lead acid batteries, Used/waste lead acid batteries (Excisable)	900	MT/Annum	Sale back to supplier/Authorized recycler	Noted and has been complied
20	Spent Carbon	36.2	Used carbon granules from common scrubbers	10	MT/Annum	Incineration -In house/Coprocessing	Noted and has been complied

2	The details of non hazardous waste generation and disposal are as follows:			
	Non-Hazardous Waste Type	Non-Hazardous Waste per Annum	Disposal Option	Compliance
1	Paper Waste	1600 MT	Authorized recyclers	Noted and has been complied
2	Plastic waste (excluding the RM containers)	500 MT	Authorized recyclers	All plastic wastes are being routed through authorized vendor for recycling.
3	Metal Waste (excluding the RM containers)	200 MT	Authorized recyclers	Noted and has been complied
4	Plastic RM containers	53000 Nos.	Authorized recyclers	All plastic wastes are being routed through authorized vendor for recycling.
5	Metal RM Containers	14100 Nos.	Authorized recyclers	Noted and has been complied
6	Powder Waste	210 MT	Authorized recyclers	Noted and has been complied
7	Wooden Waste	1950 MT	Authorized recyclers	Noted and has been complied
8	Miscellaneous	240 MT	Authorized recyclers	Noted and has been complied
3	The industry shall comply with provision of Hazardous and Other Waste (Management and Transboundary Movement) Rules 2016 and the manufacture, storage and import of Hazardous Chemical Rules 1989.		Complied. We are complying to the provisions of Hazardous and Other Waste (Management and Transboundary Movement) Rules 2016 and the manufacture, storage and import of Hazardous Chemical Rules 1989. Hazardous waste annual return Form IV is being submitted to APPCB every year as per the stipulated timeline.	
c)	GENERAL CONDITIONS		COMPLIANCE	
i	This order is valid for a period of 7 years		Complied. The company had applied for grant of environment clearance on application dated 28.07.2016 for 5 Lakh KI/Annum integrated paint facility and 2 Lakh Tons of Solid Resin (TSR)/Annum, which was received granted on 02.09.2016 ("Environment Clearance"), attached as Annexure 8.A to this letter. In terms of the notification on. S.O. 1807 (E) dated April 12, 2022 (Attached as Annexure 8.B) and subsequent clarification provided through Office Memorandum dated December 13, 2022 (Attached as Annexure 8.C), all prior environment clearance of projects other than river valley, nuclear & mining projects, will now be valid for a period of 10 years. In light of the above notifications, we understand that our Environment Clearance is now valid up to September 02, 2026.	
ii	"Consent for Establishment" shall be obtained from Andhra Pradesh Pollution Control Board under Air and Water Act before the start of any activity/construction work at site		Noted and complied. Annexure - 10 and 14 has been attached which is our existing consent for Establishment.	

iii	Provision shall be made for the temporary housing for the construction labour within the project premises/near to the project premises with all necessary infrastructure and facilities such as safe drinking water, fuel for cooking, mobile toilets, medical health care, crèche etc."	Complied. The housing with all the necessary infrastructure and facilities for construction labour and their families was arranged as per Amendment to EC copy Order no: SEIAA/AP/VSP-178/2015.
iv	iv) No change in process technology and scope of working should be made without prior approval of the SEIAA, A.P. No further expansion or modifications in the plant shall be carried out without prior approval of the SEIAA, AP/MOEF&CC, GoI, New Delhi, as applicable	Noted and complied Currently there is no change in process technology and scope of working.
v	v) The proponent shall submit half yearly compliance reports in respect of the terms and conditions stipulated in this order in hard and soft copies to the SEIAA and MoEF & CC on 1st June and 1st December of each calendar year	Complied. Half yearly compliance reports are being submitted as mentioned to SEIAA and MOEF & CC within stipulated timeline.
vi	vi) Four ambient air quality monitoring systems should be established in the core zone as well as in the buffer zone for RSPM, SPM, PM10, PM2.5, SO2, NOx, Ammonia, VOCs monitoring. Location of the stations should be decided based on the meteorological data, topographical features, and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the SPCB.	Complied. External ambient air quality monitoring is being conducted by third party lab who is NABL, NABET accredited and MoEF approved lab. The testing report are also being communicated with PCB. Total four CAAQM machine has been installed inside plant. The Communication letter for completion of CAAQMS installation and streamlined data uploading to APPCB portal has been attached herewith as Annexure 7.
vii	Data on ambient air quality (RPM, SPM, PM10, PM2.5, SO2, NOx, Ammonia, VOCs) should be regularly submitted to the Ministry including its regional office located at Chennai and the SPCB/CPCB once in 6 months	Complied. External ambient air quality monitoring is being conducted by third party lab who is NABL, NABET accredited and MoEF approved lab. The testing report are also being communicated with PCB. Online connectivity of internal CAAQM monitoring stations to APPCB portal has also been completed. Communication letter has been attached herewith as Annexure 7.
viii	Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects	Complied. Personal Protective equipment (Helmets, Safety shoes, Gloves, Masks, Goggles etc.) are readily available and are being provided along with proper training.
ix	Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Complied. Yearly and half yearly medical check ups are being conducted as per the schedule. One of the latest annual health check up report of one employee has been attached herewith as Annexure 9.
x	A separate environmental management cell with suitable, qualified personnel and with exclusive budget should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization	Complied. A separate environmental management cell with suitable, qualified personnel and with exclusive budget has been set under the control of a Senior Executive (Manager EHS), who is reporting directly to the factory manager.
xi	The funds of earmarked for environmental protection measures (Capital cost Rs. 600 lakhs and recurring cost of Rs. 50 lakhs/annum) should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to SEIAA, Ministry and it's regional office located at Chennai	Complied. Year wise expenditure is being submitted along with Environmental Statement report Form V refer page no 12 of 13. The latest Form V report has been attached herewith as Annexure 13 where in year wise expenditure on environmental protection measures are mentioned.
xii	The Regional Office of MoEF & CC located at Chennai/APPCB monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer(s) of the regional office by furnishing the requisite data/information/monitoring reports	Complied. We have always ensured the full cooperation to the officer(s) of the regional office by furnishing the requisite data/information/monitoring reports. This is being complied all the time.
xiii	The project proponent shall submit the copies of the environmental clearance to the Heads of the local bodies, Panchayats and Municipal bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt	We had ensured the submission of environmental clearance as per the requirement at the time of receipt.

xiv	The project authorities should advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the SPCB and SEIAA, A.P. This order shall be displayed in the website of the project proponent.	Complied. The advertisement process as per the requirement and post actionable were followed.
xv	The SEIAA or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.	Complied. It has been noted and complied. Any further conditions or directions in the interest of environment protection stipulated by SEIAA are always undertaken with full spirit.
xvi	Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010	It has been noted.
xvii	The company shall undertake eco-development measures including community welfare measures in the project area	Complied. Company is always strived for the wellness of society. Company has taken multiple eco-development measures including community welfare measures in the project area.
xviii	The proponent shall obtain all other mandatory clearances from respective departments.	It has been complied.
xix	Concealing the factual data or failure to comply with any of the conditions mentioned above may result in the withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986	Noted and are being complied.
xx	The SEIAA may revoke or suspend the order, if implementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environmental protection	Noted and are being complied.
xxi	The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and rules.	Noted and are being complied.

For Asian Paints LTD


Maunik Chatterjee
 Authorized Signatory,
 Associate General Manager