



Corporate Identification Number (CIN) : L24220MH1945PLC004598  
For Shares related queries, email to [investor.relations@asianpaints.com](mailto:investor.relations@asianpaints.com)  
For Customer queries / complaints / Dealership enquiries,  
email to [customercare@asianpaints.com](mailto:customercare@asianpaints.com)  
For HR related queries, email to [careers@asianpaints.com](mailto:careers@asianpaints.com)  
For Media related queries, e-mail to [proffice@asianpaints.com](mailto:proffice@asianpaints.com)

Asian Paints Limited  
A-1 & B-2  
UPSIDC Industrial Area,  
Kasna II, Greater Noida,  
Dist. Gautam Budh Nagar  
U.P. - 203 207  
Tel. : (0120) 234 4000  
Fax : (0120) 234 1210  
[www.asianpaints.com](http://www.asianpaints.com)

Ref No. KAS2023/05/08

Dated: 30/05/2023

To,  
**The Regional Office**  
A1, Ground Floor, Commercial Complex Beta – 2  
UPPCB (Greater Noida)  
Gautam Budha Nagar

**Sub: Compliance report to the Environmental Clearance IDENTIFICATION NO. EC22B021UP167316 dated 14.03.2022**

Please find enclosed the point wise compliance status to the above Environmental Clearance for the period of Oct'22 to Mar'23.

We hope the compliance report is as per the requirements.

Thanking you,

Yours sincerely,  
**For and behalf of Asian Paints Ltd.**

**Anil Guleria**  
Sr. Manager - EHS & QA  
Kasna Plant

Regional Office  
उत्तर प्रदेश पर्यावरण नियंत्रण बोर्ड  
31/5/23  
गौतम बुद्ध नगर

Encl – Point wise compliance status to Environmental Clearance IDENTIFICATION NO. EC22B021UP167316 dated 14.03.2022 for the period Oct'22 to Mar'23.



**ASIAN PAINTS LTD**  
**KASNA PLANT**  
**ENVIRONMENT CLEARANCE - COMPLIANCE REPORT**  
**Oct'22 to Mar'23**

**SEIAA CONDITIONS**  
**ENVIRONMENT CLEARANCE IDENTIFICATION NO. EC22B021UP167316 dated 14.03.2022**

No	CONDITIONS	COMPLIANCE STATUS
1	In compliance of Hon'ble Court orders CNG based generator should be installed instead of diesel generator sets for power backup	Noted and Complied
2	Plantation should be proposed as per Miyawaki method i.e. planting different types of trees at very close intervals which give a good green cover. A total of 33% of the plot area should be designated for green belt which should be raised along the boundaries of the plot with minimum of 03 mt width along the periphery in organized manner	Noted and Complied. In addition to developing Greenbelt within our premises, APL Kasna has also adopted two plots from UPSIDA (P2 Park admeasuring 16,000 sqm; and Millennium Park admeasuring 17,400 sqm) wherein we have developed Greenbelt. With these measures, total green area with respect to existing plant premises is > 40 %.  We have carried out plantation as per Miyawaki method both inside our plant premises as well as outside plant premises (in P2 Park and Millennium Park adopted from UPSIDA).
3	<b>Statutory Compliance</b>	
1.	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project	We are situated in UPSIDA, and no forest land was diverted while setting up the plant, hence the said clause is not applicable to us.
2.	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	We do not fall under any wildlife protected area; hence the said clause is not applicable to us.
3.	The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (in case of the presence of schedule species in the study area).	There is no presence of any scheduled species in the study area; hence the said clause is not applicable to us.
4.	The project proponent shall obtain Consent to Establish/ Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.	CTE granted under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the Uttar Pradesh State pollution Control Board for expansion capacity on 01/09/2021.  CCA granted under the provisions of Air (Prevention & Control of Pollution) Act, 1981, Water (Prevention & Control of Pollution) Act, 1974 & Hazardous and Other Wastes (Management and Transboundary Movement) Rule, 2016 from the Uttar Pradesh State pollution Control Board and valid till 31/12/2024.
5.	The project proponent shall obtain authorization under the Hazardous and other	CCA granted under the provisions of Air (Prevention & Control of Pollution) Act, 1981, Water (Prevention & Control

**ASIAN PAINTS LTD**  
**KASNA PLANT**  
**ENVIRONMENT CLEARANCE - COMPLIANCE REPORT**  
**Oct'22 to Mar'23**

	Waste Management Rules, 2016 as amended from time to time	of Pollution) Act, 1974 & Hazardous and Other Wastes ( Management and Transboundary Movement) Rule, 2016 from the Uttar Pradesh State pollution Control Board and valid till 31/12/2024.
6.	The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989	Noted & Complied
<b>4</b>	<b>Air quality monitoring and preservation</b>	
1.	The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories	Noted and Complied
2.	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986.	Noted & Complied.
3.	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2s in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions	We carry out Ambient Air Quality monitoring basis notification received from UPPCB dated 22.09.2021 (which mentions to monitor 3 locations two times per week) through external vendor in line with this requirement.
4.	To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and /or the NAAQS. Sulphur content should not exceed 0.5% in the coal for use in coal fired boilers to control particulate emissions within permissible limits (as applicable). The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.	Noted and Complied.
5.	Storage of raw materials, coal etc shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.	Noted and Complied.
6.	National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21st	Noted and Complied. Monitoring report of stack emissions performed by MOEF approved & NABL accredited lab has been attached in Annexure-1 for your reference

**ASIAN PAINTS LTD**  
**KASNA PLANT**  
**ENVIRONMENT CLEARANCE - COMPLIANCE REPORT**  
Oct'22 to Mar'23

	July , 2010 and amended from time to time shall be followed.	
7.	The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) shall be complied with	The Ambient Air Quality readings for the months of October, November, December, January, February and March were found to be out of specified limits which was reflective of the ambient air quality of Delhi NCR.
<b>5</b>	<b>Water quality monitoring and preservation:</b>	
1.	The project proponent shall provide online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises (applicable in case of the projects achieving ZLD)	Noted and Complied.
2.	As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises (applicable in case of the projects achieving the ZLD).	Noted and Complied. No waste/ treated water is discharged outside our premises.
3.	The effluent discharge shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, or as specified by the State Pollution Control Board while granting Consent under the Air/Water Act, whichever is more stringent.	Noted and Complied. Monitoring report of final Treated effluent is attached in Annexure-2.
4.	Total freshwater requirement shall not exceed the proposed quantity or as specified by the Committee. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard	Noted and complied. We have received NOC for abstraction of ground water from UPGWD as per registration no. 202106000403, 202106000398 & 202106000202.
5.	Process effluent/any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system	Noted and Complied.
6.	The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial operations within the plant.	We are collecting rainwater in dedicated storage tanks for re-use in plant premises. However, rainwater is not recharged directly into ground as per the public notice issued by CGWA on 24 <sup>th</sup> Sep 2020.
7.	The DG sets shall be equipped with suitable pollution control devices and the adequate stack height so that the emissions are in conformity with the extant regulations and the guidelines in this regard	Noted and Complied.
<b>6</b>	<b>Noise monitoring and prevention</b>	
1.	Acoustic enclosure shall be provided to DG set for controlling the noise pollution	Noted and Complied.
2.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation	Noted and Complied. Monitoring report for ambient noise performed is attached in Annexure-3 for your reference.

**ASIAN PAINTS LTD**  
**KASNA PLANT**  
**ENVIRONMENT CLEARANCE - COMPLIANCE REPORT**  
**Oct'22 to Mar'23**

3.	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75	Noted and Complied. Monitoring report of ambient noise performed is attached in Annexure-3 for your reference.
7	<b>Energy Conservation measures:</b>	
1.	The energy sources for lighting purposes shall preferably be LED based.	Noted and Complied.
8	<b>Waste management:</b>	
1.	Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.	Noted and Complied.
2.	Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF	Noted. Hazardous waste is disposed in line with conditions specified in CCA received from UPPCB
3.	The company shall undertake waste minimization measures as below:-	
a.	Metering and control of quantities of active ingredients to minimize waste	Noted and Complied.
b.	Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.	Noted and Complied.
c.	Use of automated filling to minimize spillage	Noted and Complied.
d.	Use of Close Feed system into batch reactors	Noted and Complied.
e.	Venting equipment through vapour recovery system.	Noted and Complied.
f.	Use of high pressure hoses for equipment clearing to reduce wastewater generation	Noted and Complied.
9	<b>Green Belt:</b>	
1.	The green belt of 5-10 m width shall be developed in more than 33% of the total project area, mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.	Noted and Complied. In addition to developing Greenbelt within our premises, APL Kasna has also adopted two plots from UPSIDA (P2 Park admeasuring 16,000 sqm; and Millennium Park admeasuring 17,400 sqm) wherein we have developed Greenbelt. With these measures, total green area with respect to existing plant premises is > 40 %.
10	<b>Safety, public hearing and human health issues:</b>	
1.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Noted and Complied.
2.	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.	Noted and Complied.
3.	The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act	Noted and Complied.
4.	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre employment and routine periodical medical examinations for all employees shall be undertaken on regular	Noted and Complied.

**ASIAN PAINTS LTD**  
**KASNA PLANT**  
**ENVIRONMENT CLEARANCE - COMPLIANCE REPORT**  
Oct'22 to Mar'23

	basis. Training to all employees on handling of chemicals shall be imparted.	
5.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project	Toilets, safe drinking water, medical health care etc. are provided to the construction labour. As it is a brownfield project, and that our factory is situated in Greater Noida, we have mostly localized labour for the expansion work.
6.	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act	Noted and Complied.
7.	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places	Noted.
<b>11</b>	<b>Corporate Environment Responsibility:</b>	
1.	The project proponent shall comply with the provisions contained in this Ministry's OM vide F. No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.	Noted and Complied.
2.	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements /deviation /violation of the environmental / forest /wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation/ violation of the environmental/ forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	Noted and complied. Board resolution note has been attached in Annexure-4
3.	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization	Noted and Complied.
4.	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry /Regional Office along with the Six Monthly Compliance Report	Noted and Complied.

**ASIAN PAINTS LTD**  
**KASNA PLANT**  
**ENVIRONMENT CLEARANCE - COMPLIANCE REPORT**  
**Oct'22 to Mar'23**

5.	Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out	Noted and Complied.
<b>12.</b>	<b>Miscellaneous:</b>	
1.	Hazardous waste incenerator should be strictly used	We dispose our hazardous waste as per the disposal method mentioned in CCA
2.	Raw material handling should be done in such a way that no fugitive emission and spillage should take place	Noted and Complied.
3.	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.	Noted and Complied.
4	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies , Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt	Noted and Complied.
5.	The project proponent shall upload the status of compliance of the stipulated environment Clearance conditions, including results of monitored data on their website and update the same on half-yearly basis	Noted and Complied.
6	The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company	Noted and Complied.
7	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	Noted
8	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Noted and Complied.
9	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities,	Noted. Approval obtained from SEAC/SEIAA; copy of EC letter submitted to regional office as well as the Ministry. CCA granted by UPPCB & valid till 31.12.2024. CCA condition compliance copy submitted to concerned authorities.



**ASIAN PAINTS LTD**  
**KASNA PLANT**  
**ENVIRONMENT CLEARANCE - COMPLIANCE REPORT**  
Oct'22 to Mar'23

	commencing the land development work and start of production operation by the project	
10	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Noted
11	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	Noted and Complied.
12	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	Noted
13	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986	Noted
14	The Ministry may revoke or suspend the clearance, if implementation of any of the above	Noted
15	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Noted
16	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports	Noted
17	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter	Noted
18	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted

**ASIAN PAINTS LTD**  
**KASNA PLANT**  
ENVIRONMENT CLEARANCE - COMPLIANCE REPORT  
**Oct'22 to Mar'23**

Annexure:

1. Stack Monitoring Analysis.
2. Treated Effluent Monitoring Analysis.
3. Ambient Noise Monitoring
4. Board Resolution Note



Annexured

# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89



## TEST REPORT

ISSUED TO: M/s. ASIAN PAINTS LIMITED. A1B2, UPSIDC INDUSTRIAL AREA, KASNA VILLAGE, Gr. NOIDA, G.B. NAGAR - 203207 (UP) INDIA,		SUBJECT : STACK EMISSION MONITORING & ANALYSIS PRINCIPLE & METHODS: Based on IS: Code 4167/5182/APHA INSTRUMENTS : Stack Sampler, APM 602/APM 620/ESS 100, Spectrophotometer							
Sample Details : <b>STACK</b> Sample Reference: EIL/APL/04/23/S: 16-19		Sample Collection Date: 26/04/23 Sample Reporting Date: 29/04/23							
Stack Attached To	Unit	Thermo pack TPK 407 20 Lakh KC	Thermo pack TPK408 20 Lakh KC	IBR Boiler 4 TPH	Non IBR Boiler 2x850 kg/Hr	Boiler 802 50 kg/Hr	Thermopack TPK 801 1 Lakh KC	Method	Stand ard
Source of Emission		PNG	PNG	PNG	PNG	PNG	PNG	--	--
Stack Height [Ground]	Meter	32	32	32	32	11	6.1	--	--
Stack Shape		Circular	Circular	Circular	Circular	Circular	Circular	--	--
Stack Diameter	Mm	760	760	500	500	100	150	--	--
Product		Paint	Paint	Paint	Paint	Paint	Paint	--	--
Average Operating Hours		As per requirement	As per requirement	As per requirement	As per requirement	As per requirement	As per requirement	--	--
Stack Temperature	°K	389	381	386	379	355	345	--	--
Ambient Temperature	°K	308	308	308	308	308	308	--	--
Sampling Duration	Second	3600	3600	3600	3600	3600	3600	--	--
Flow Rate of SPM	LPM	15.00	15.00	12.00	12.00	12.00	14.00	--	--
Flow Rate of Gases	LPM	1.0	1.0	1.0	1.0	1.0	1.0	--	--
Velocity	m/sec.	7.5	6.9	6.5	7.2	4.5	4.1	--	--
Quantity of Emission	Nm <sup>3</sup> /Hr.	9378.37	8809.26	3545.31	3999.64	106.75	225.18	IS 11255/CPCB	--
Particulate Matters	mg/Nm <sup>3</sup>	23.63	24.76	19.56	16.896	24.81	23.00	IS 11255/CPCB	<50
Oxide of Sulphur	mg/Nm <sup>3</sup>	04	0.7	0.6	0.8	0.4	0.8	IS 11255/CPCB	--
Oxide of Nitrogen	mg/Nm <sup>3</sup>	02	02	03	02	03	03	IS 11255/CPCB	--
Carbon Dioxide	mg/kg	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	IS 11255/CPCB	--
Carbon Mono Oxide	V/v%	0.22	0.24	0.21	0.22	0.17	0.21	IS 11255/CPCB	--
Oxygen	%	20.9	20.7	20.5	20.4	20.8	20.6	IS 11255/CPCB	--
Sulphate Mist	Ppm	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	Not Done	Not Analyzed	IS 11255/CPCB	--
Hydro Carbon	Ppm	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	Not Done	Not Analyzed	IS 11255/CPCB	--
Ammonia	Ppm	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	Not Done	Not Analyzed	IS 11255/CPCB	--
Fluorine	Ppm	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	Not Done	Not Analyzed	IS 11255/CPCB	--
Mercapton	Ppm	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	Not Done	Not Analyzed	IS 11255/CPCB	--
Metal Dust as Fe, Zn,Cu etc	Ppm	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	Not Done	Not Analyzed	IS 11255/CPCB	--


Sampling Done by Mr Shiv Singh & Mr Mahesh.

Checked By

R. B. Marwah

N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
 9810098664, 9810725656, 9910233668  
 vipul\_kumar4@rediffmail.com  
 envirointernationaleco@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018





# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89




## TEST REPORT

ISSUED TO: M/s. ASIAN PAINTS LIMITED, A1B2, UPSIDC INDUSTRIAL AREA, KASNA VILLAGE, Gr. NOIDA, G.B. NAGAR - 203207 (UP) INDIA,		SUBJECT : STACK EMISSION MONITORING & ANALYSIS PRINCIPLE & METHODS: Based on IS: Code 4167/5182/APHA INSTRUMENTS : Stack Sampler, APM 602/APM 620/ESS 100, Spectrophotometer		
Sample Details : <b>STACK</b> Sample Reference: EIL/APL/04/23/S:11		Sample Collection Date: 07/04/23 Sample Reporting Date: 14/04/23		
Stack Attached To	Unit	DG Set-02 500 KVA	Method	Standard
Source of Emission	--	HSD	--	--
Stack Height [Above Roof]	meter	--	--	--
Stack Height [Ground]	meter	10.9	--	--
Stack Shape	--	Circular	--	--
Stack Diameter	mm	200	--	--
Product	--	Paint	--	--
Average Operating Hours	--	As per requirement	--	--
Stack Temperature	°K	391	--	--
Ambient Temperature	°K	306	--	--
Sampling Duration	Second	3600	--	--
Flow Rate of SPM	LPM	15.00	--	--
Flow Rate of Gases	LPM	1.0	--	--
Velocity	m/sec.	8.8	IS 11255/CPCB	--
Quantity of Emission	Nm <sup>3</sup> /hr.	758.15	IS 11255/CPCB	--
Particulate Matters	gm/kw-hr	0.058	IS 11255/CPCB	0.3
Oxide of Sulphur	mg/Nm <sup>3</sup>	1.10	IS 11255/CPCB	--
Oxide of Nitrogen	gm/kw-hr	0.25	IS 11255/CPCB	9.2
Carbon Dioxide	gm/kw-hr	Not Analyzed	IS 11255/CPCB	--
Carbon Mono Oxide	gm/kw-hr	1.0	IS 11255/CPCB	3.5
Oxygen	%	20.6	IS 11255/CPCB	--
Sulphate Mist	ppm	Not Analyzed	IS 11255/CPCB	--
Hydro Carbon	ppm.	Not Analyzed	IS 11255/CPCB	--
Ammonia	ppm	Not Analyzed	IS 11255/CPCB	--
Fluorine	ppm	Not Analyzed	IS 11255/CPCB	--
Mercapton	ppm	Not Analyzed	IS 11255/CPCB	--
Metal Dust as Fe, Zn,Cu etc	ppm	Not Analyzed	IS 11255/CPCB	--

Sampling Done by Mr Shiv Singh & Mr Mahesh.

Checked By  
R.P. Marwah



### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

Off. & Lab : 139-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
 : 9810098664, 9810725666, 9910233668  
 : vipul\_kumar4@rediffmail.com  
 : envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



CB-ONS-006





# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.F.C.E. H-15623/CL/89




## TEST REPORT

ISSUED TO: M/s. ASIAN PAINTS LIMITED, A1B2, UPSIDC INDUSTRIAL AREA, KASNA VILLAGE, Gr. NOIDA, G.B. NAGAR - 203207 (UP) INDIA		SUBJECT : STACK EMISSION MONITORING & ANALYSIS PRINCIPLE & METHODS: Based on IS : Code 4167/5182/APHA INSTRUMENTS : Stack Sampler, APM 602/APM 620/ESS 100, Spectrophotometer	
Sample Details : AIR - Stack Sample Reference: EIL/APL/04/23/SG-1		Sample Collection Date: 29/04/23 Sample Reporting Date: 02/05/23	

Stack Attached To	Unit	G.G-01 (1765 KVA)	Methods	Standard*
Stack No.	--	SG-01	--	--
Source of Emission	--	PNG	--	--
Fuel Consumption	Ltrs./Hr.	400 Scm./Hr	--	--
Stack Identification	--	M.S.	--	--
Stack Height [Ground]	meter	30.50	--	--
Stack Shape	--	Circular	--	--
Stack Diameter	mm	400	--	--
Product	--	Paint	--	--
Any APCS	--	Nil	--	--
Average Operating Hrs.	--	3 Shift	--	--
Stack Temperature	°K	438	--	--
Ambient Temperature	°K	308	--	--
Sampling Duration	Seconds	3600	--	--
Flow Rate of SPM	LPM	15.00	--	--
Flow Rate of Gases	LPM	1.0	--	--
Velocity	m/sec.	13.2	--	--
Quantity of Emission	Nm <sup>3</sup> /Hr.	4060.77	--	--
Particulate Matters	mg/Nm <sup>3</sup>	29.03	EPA	0 - 50
Oxide of Nitrogen as NOx	ppmv	10.66	EPA	0-650
Sulphur Di Oxide as SO <sub>2</sub>	mg/Nm <sup>3</sup>	8.40	EPA	Not Specified
Carbon Mono Oxide	mg/Nm <sup>3</sup>	05	EPA	0 - 100
N.M.H.C.	mg/Nm <sup>3</sup>	BDL	EPA	--

NB : (1) Environmental [Protection] Rules, 1986, GSR 489 [E] F.No. Q-15017/24/2002-CPW Dated 9<sup>th</sup> July, 2002, Issued by: Ministry of Environment and Forests- New Delhi [New Notification for More Than 800 KVA Diesel Engines. (2) Sampling & Methods Base on above said new Notification. (3) Sampling duration Load was 85 %

Checked By  
R.P. Marwah



### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
9810098664, 9810725666, 9910233666  
vipul\_kumar4@rediffmail.com  
envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018







# ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT


ISSUED TO: M/s. ASIAN PAINTS LIMITED, A1B2, UPSIDC INDUSTRIAL AREA, KASNA VILLAGE, Gr. NOIDA, G.E. NAGAR - 203207 (UP) INDIA	SUBJECT : STACK EMISSION MONITORING & ANALYSIS PRINCIPLE & METHODS: Based on IS : Code 4167/5182/APHA INSTRUMENTS : Stack Sampler, APM 602/APM 620/ESS 100, Spectrophotometer
---	---

Sample Details : AIR - Stack Sample Reference: EIL/APL/04/23/SG-2	Sample Collection Date: 29/04/23 Sample Reporting Date: 02/05/23
--	---

Stack Attached To	Unit	G.G-02 (1765 KVA )	Methods	Standard*
Stack No.	--	SG-02	--	--
Source of Emission	--	PNG	--	--
Fuel Consumption	Ltrs./Hr.	400 Scm./Hr	--	--
Stack Identification	--	M.S.	--	--
Stack Height [Ground]	meter	30.50	--	--
Stack Shape	--	Circular	--	--
Stack Diameter	mm	400	--	--
Product	--	Paint	--	--
Any APCS	--	Nil	--	--
Average Operating Hrs.	--	3 Shift	--	--
Stack Temperature	°K	426	--	--
Ambient Temperature	°K	308	--	--
Sampling Duration	Seconds	3600	--	--
Flow Rate of SPM	LPM	15.00	--	--
Flow Rate of Gases	LPM	1.0	--	--
Velocity	m/sec.	12.8	--	--
Quantity of Emission	Nm <sup>3</sup> /Hr.	4048.64	--	--
Particulate Matters	mg/Nm <sup>3</sup>	31.72	EPA	0 - 50
Oxide of Nitrogen as NOx	ppmv	13.49	EPA	0-650
Sulphur Di Oxide as SO <sub>2</sub>	mg/Nm <sup>3</sup>	9.21	EPA	Not Specified
Carbon Mono Oxide	mg/Nm <sup>3</sup>	04	EPA	0 - 100
N.M.H.C.	mg/Nm <sup>3</sup>	BDL	EPA	--

N.B.: (1) Environmental [Protection] Rules, 1986, GSR 489 (E) F.No. Q-15017/24/2002-CPWDated 9<sup>th</sup> July, 2002, Issued by: Ministry of Environment and Forests- New Delhi [New Notification for More Than 800 KVA Diesel Engines. (2) Sampling & Methods Base on above said new Notification. (3) Sampling duration Load was 85 %

Checked By  
R.P. Mahwah



### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
 ☎ : 9810098664, 9810725666, 9910233668  
 ✉ : vipul\_kumar4@rediffmail.com  
 : envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018





# — ENVIRO-INTERNATIONAL —



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.R.L. TC-6543, U.P.P.C.B. H-15623/CL/53

## TEST REPORT

ISSUED TO: M/s. ASIAN PAINTS LIMITED, A1B2, UPSIDC INDUSTRIAL AREA, KASNA VILLAGE, Gr. NOIDA, G.B. NAGAR - 203207 (UP) INDIA	SUBJECT : STACK EMISSION MONITORING & ANALYSIS PRINCIPLE & METHODS: Based on IS : Code 4167/5182/APHA INSTRUMENTS : Stack Sampler, APM 602/APM 620/ESS 100, Spectrophotometer
Sample Details : AIR - Stack Sample Reference: EIL/APL/04/23/SG-3	Sample Collection Date: 29/04/23 Sample Reporting Date: 02/05/23


Stack Attached To	Unit	G.G. -3 315 KVA	Methods	Standard*
Stack No.	--	SG-03	--	--
Source of Emission	--	PNG	--	--
Fuel Consumption	Ltrs./Hr.	71 Scm./Hr	--	--
Stack Identification	--	M.S.	--	--
Stack Height [Ground]	meter	10.90	--	--
Stack Shape	--	Circular	--	--
Stack Diameter	mm	200	--	--
Product	--	Paint	--	--
Any APCS	--	Nil	--	--
Average Operating Hrs.	--	3 Shift	--	--
Stack Temperature	°K	419	--	--
Ambient Temperature	°K	308	--	--
Sampling Duration	Seconds	3600	--	--
Flow Rate of SPM	LPM	15.00	--	--
Flow Rate of Gases	LPM	1.0	--	--
Velocity	m/sec.	9.60	--	--
Quantity of Emission	Nm <sup>3</sup> /Hr.	771.80	--	--
Particulate Matters	mg/Nm <sup>3</sup>	21.59	EPA	0 - 50
Oxide of Nitrogen as NOx	ppmv	9.47	EPA	0-650
Sulphur Di Oxide as SO <sub>2</sub>	mg/Nm <sup>3</sup>	7.81	EPA	Not Specified
Carbon Mono Oxide	mg/Nm <sup>3</sup>	02	EPA	0 - 100
N.M.H.C.	mg/Nm <sup>3</sup>	BDL	EPA	--

N.B.: (1)\* Environmental [Protection] Rules, 1986, GSR 489 [E] F.No. Q-15017/24/2002-CPW Dated 9<sup>th</sup> July, 2002, Issued by: Ministry of Environment and Forests- New Delhi [New Notification for More Than 800 KVA Diesel Engines. (2) Sampling & Methods Base on above said new Notification. (3) Sampling duration Load was 85 %

Checked By  
R.P. Maurya

### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
: 9810098564, 9610725666, 9910233668  
: vipul\_kumar4@rediffmail.com  
: envirointernational@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018





Annex-2

# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89



## TEST REPORT

ISSUED TO:		SUBJECT : EFFLUENT WATER ANALYSIS		
M/s. ASIAN PAINTS LIMITED. A1 B2, UPSIDC INDUSTRIAL AREA, KASNA VILLAGE, Gr. NOIDA, G.B. NAGAR - 203207 (UP) INDIA.		PRINCIPLE & METHODS: Based on IS : Code APHA		
Sample Details : Effluent Water		Sample Collection Date: 11/03/23		
Sample Reference : EIL/APL/03/23/Eff-2		Sample Reporting Date: 18/03/23		
Parameters	Unit	Final Effluent (ETP Outlet)	Methods	Standards*
pH		7.5	APHA	5.5 - 9.0
Colour		Colorless	APHA	-
Temperature	°C	11	APHA	-
Total Suspended Solid	mg/l	43	APHA	-
Total Dissolved Solid	mg/l	785	APHA	<100
Chlorides as Cl	mg/l	17	APHA	-
Sulphide as S	mg/l	BDL	APHA	<1000
Sulphate as SO <sub>4</sub>	mg/l	32	APHA	<02
Fluoride as F	mg/l	BDL	APHA	<1000
Ammonical Nitrogen as N	mg/l	03	APHA	<02
Sodium as Na	%	BDL	APHA	<50
Copper as Cu	mg/l	0.7	APHA	-
Zinc as Zn	mg/l	1.2	APHA	<02
Phenolic Compound (as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	BDL	APHA	<05
Oil & Grease	mg/l	4	APHA	<01
Boron (as B)	mg/l	BDL	APHA	<10
BOD (3 days at 27°C)	mg/l	09	APHA	-
COD	mg/l	83	APHA	<30
Total Residual Chlorine	mg/l	BDL	APHA	<250
Arsenic as As	mg/l	BDL	APHA	<01
Cadmium as Cd	mg/l	BDL	APHA	<0.2
Total Chromium as Cr	mg/l	0.6	APHA	<02
Chromium as Hexavalent Cr+6	mg/l	BDL	APHA	<02
Lead as Pb	mg/l	BDL	APHA	< 0.1
Selenium as Se	mg/l	BDL	APHA	<0.1
Mercury as Hg	mg/l	BDL	APHA	<0.05
Pesticides	mg/l	BDL	APHA	<0.01
Alpha emitters	Micro Curie/ml	BDL	APHA	-
Beta emitters	Micro Curie/ml	BDL	APHA	-
Free Ammonia as NH <sub>3</sub>	mg/l	0.4	APHA	<5.0
Dissolved Phosphates as P	mg/l	2.6	APHA	<5.0
Total Kjeldahl Nitrogen as N	mg/l	3.7	APHA	<100
Cyanide as CN	mg/l	BDL	APHA	<0.2
Nickel as Ni	mg/l	0.5	APHA	<03
Residual Sodium Carbonate	mg/l	BDL	APHA	-
Iron	mg/l	<1	APHA	<3.0
Calcium as Ca	mg/l	52	APHA	-
Magnesium	mg/l	08	APHA	-
Potassium	mg/l	BDL	APHA	-
Sodium Absorption Ratio	mg/l	BDL	APHA	-
Carbonate	mg/l	BDL	APHA	-
Bicarbonate	mg/l	BDL	APHA	-
Nitrate Nitrogen	mg/l	BDL	APHA	<10.0
Bio assay	mg/l	>90%	APHA	>90% survival in 96 hours
Particles Size of Total Suspended Solid in µm				
1 µm	%	BDL	APHA	-
2 µm	%	BDL	APHA	-
3 µm	%	BDL	APHA	-
4 µm	%	BDL	APHA	-
5 µm	%	BDL	APHA	-
6 µm	%	BDL	APHA	-
7 µm	%	BDL	APHA	-
Total Heavy metals	mg/l	1.8	APHA	<03

NB \* Standard as per Environmental Protection Rule 1986/Schedule VI/Rule 3-A/General Standard Part A/Inland Surface Water, ND Not Detected, BDL Below Detection Limit. Sampling Done by Shiv Singh & Mr Mahesh.


N.B. :-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
 : 9810098664, 9810725666, 9910233668  
 : vipul\_kumar4@rediffmail.com  
 : envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018







# ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-8345, U.P.R.C.B. H-16623/CL/89

## TEST REPORT

<b>ISSUED TO :</b> <b>M/s. ASIAN PAINTS LIMITED</b> A - 1, UPSIDC INDUSTRIAL AREA, KASNA VILLAGE, GREATER NOIDA DISTT. - GB NAGAR - 201306		<b>SUBJECT : AMBIENT NOISE MONITORING</b> <b>PRINCIPLE &amp; METHODS:</b> Based on EPA: dB eq. <b>INSTRUMENTS :</b> Noise Level Meter N 700543/SL-4012 /CLB/PCC /EIL	
<b>Sample Details : AMBIENT Noise</b> <b>Sample Reference:</b> EIL/APL-k/03/23/AN - 01 To 20		<b>Sample Collection Date:</b> 09 & 10.03.2023 <b>Sample Reporting Date:</b> 20.03.2023	
Monitoring Station	Day	Night	Standard*
Gate No 2	65.9	54.2	75 (Day) 70 (Night)
Gate No 3	57.2	56.5	75 (Day) 70 (Night)
New Extraction Area (ETP)	63.5	55.2	75 (Day) 70 (Night)
Contractor Area	62.9	59.4	75 (Day) 70 (Night)
DC Area	52.8	58.1	75 (Day) 70 (Night)
BSR Area	60.4	53.5	75 (Day) 70 (Night)
Solvent Area	62.5	50.0	75 (Day) 70 (Night)
Resin House Area	63.2	50.0	75 (Day) 70 (Night)
DG Set Area	64.3	49.1	75 (Day) 70 (Night)
RMG Area Ground Floor	62.6	52.8	75 (Day) 70 (Night)

Unit: dB (A) Eq.

Checked By

R.P. Malwani


Lab-In-Charge

Dr. Vipul Kumar

Greater Noida

**N.B.:-**

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
 ☎ : 9810098664, 9810725666, 9910233668  
 ✉ : vipul\_kumar4@rediffmail.com  
 envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018







Asian Paints Limited  
Asian Paints House  
5A, Shantivanagar  
Santacruz (E)  
Mumbai 400 055  
T : (022) 6216 1000  
F : (022) 6216 1111  
www.asianpaints.com

**CERTIFIED TRUE COPY OF THE RESOLUTION PASSED BY THE BOARD OF DIRECTORS OF ASIAN PAINTS LIMITED AT THEIR MEETING HELD ON 21<sup>ST</sup> OCTOBER, 2021**

**"RESOLVED THAT** consent of the Board be and is hereby accorded for approval of the Environment Policy of the Company.

**RESOLVED FURTHER THAT** Shri Amit Syngle, Managing Director & CEO, be and is hereby authorized to do all such acts, deeds and things as may be necessary in this regard."

**For ASIAN PAINTS LIMITED**

Digitally signed by  
JEYAMURUGAN  
RAMALINGAM  
JEYAPANDIYAN  
Date: 2022.05.31  
10:45:43 +05'30'

**R J JEYAMURUGAN  
CFO & COMPANY SECRETARY**

Place: Mumbai  
Date: 31<sup>st</sup> May, 2022





At Asian paints Kasma plant we have taken below steps for Sensitization of employees and implementation of ban on Single Use Plastic (SUP) –

1. Circulation of emailers to all employees regarding the ban on single use plastic along with the item's details:

From: Ayush Sharma  
 Sent: Thursday, September 15, 2022 10:55 AM  
 To: Rakshit Dua <rakshit.dua@asianpaints.com>; Qazi Zufar Jamal <qazizufar.jamal@asianpaints.com>; Srajan Jain <srajan.jain@asianpaints.com>; Sandip Prasad <sandip.prasad@asianpaints.com>; Kasma Managerial Team <kasmanagetment@asianpaints.com>  
 Cc: Rajveer Rathore <rajveer.rathore@asianpaints.com>; Sachin Bhatnagar <sachin.bhatnagar@asianpaints.com>  
 Subject: Prohibiting Production, Stocking, Distribution, Sale & Use of Single Use Plastic (SUP) Items

Dear All,

Ministry of Environment, Forest & Climate Change has issued notification No. G.S.R. 571 (E) Dated 12<sup>th</sup> August, 2021 vide which manufacture, import, stocking, distribution, sale and use of identified single use plastic (SUP) items prohibited with effect from the Jul 01, 2022. As per Rule 4 (2) of PWM Rules, 2016 (as amended), "The manufacture, import, stocking, distribution, sale and use of following single use plastic (SUP), including polystyrene and expanded polystyrene, commodities shall be prohibited with effect from the 1<sup>st</sup> July, 2022.

- (a) Ear buds with plastic sticks, plastic sticks for balloons, plastic frags, candy sticks, ice-cream sticks, polystyrene (The 000000)
- (b) Plates, cups, glasses, cutlery such as forks, spoons, knives, straw, trays, wrapping or packing films around sweet boxes, invitation cards, and cigarette packets, plastic or PVC banners less than 100 microns, stirred.

Please note, as per Rules 4 (1) (c) of PWM Rules, 2016 (as amended) "Carry bag made of virgin or recycled plastic, shall not be less than 50 microns in thickness with effect from the 30<sup>th</sup> September, 2021 and one hundred and twenty (120) microns in thickness with effect from 31<sup>st</sup> December, 2022.

In line with the above rules, please find below the list of banned items as applicable to Kasma plant along with responsibility matrix:

Sr. no	Banned Single Use Plastic Items	Section responsible	Responsibility
1	Drinking water PET PETE bottle having a liquid holding capacity less than 200 ml	HR	Qazi Srajan
2	Plastic mineral water pouch	HR	Qazi Srajan
3	Plastic bags with/without handle	HR/ Stores	Qazi Sandip
4	One time use/ Single use disposable items made up of thermoplastic (polystyrene or plastic e.g. dish, spoon, cups, plates, glasses, fork, bowl & container)	HR/ Stores	Qazi Sandip
5	Disposable Dish/ bowl used for packaging foods & plastic straw	HR/ Stores	Qazi Sandip
6	Any Combustible plastic bags, except plant nurseries, horticulture, agriculture & handling of solid waste	All Sections	All Section Managers
7	Use of plastic & thermoplastic for decoration purpose	All Sections	All Section Managers

Please refer slide 7-11 of the attached presentation for more clarity on what is and what is not allowed. We will also be conducting an awareness session on the same, details of which will be shared soon.

**@Rakshit Dua** please note that plastic material made up of minimum 20% recyclable plastic material and having a thickness of more than 50 microns used for wrapping the material at the manufacturing stage or integral part of manufacturing is allowed. Also, the thermoplastic used for wrapping the material at manufacturing stage (printed with manufacturer's details, type of plastic with code number and buy-back price under ETP) is allowed. This was also one of the points which was shared during the IMS Audit.

Please reach out to me for any clarification on the above.

Kind regards,

Ayush

## 2. Awareness created through conducting online webinar to all employees and their families.

### RE: Rethinking Plastic Usage - Register Now!



Sustainability Cmnd

To: Gaurav,

Cc: Astha Wallia, Vivek Khanchandani

Reply Reply All Forward

Fri 6/19/2022 10:22 AM

Hi,

We are almost a day away from the Trash Talks, where we will be talking about Rethinking Plastic Usage.

**#SustainabilityStartsWithMe**

We're excited to have you join us for this event!

**About the Webinar:** Over 8.3 billion tonnes of plastic have been produced since 1950, and about 60% of that has ended up in landfills or in the natural environment. Plastic waste, whether in a river, an ocean, or on land can persist in the environment for centuries, hence by 2050, the amount of plastic in seas and oceans across the world will weigh more than the fish. Isn't it time to switch to more eco-friendly products and find ways of living sustainably?

If you are as concerned about the plastic pollution crisis as much as we are, then this webinar is for you!

Participate in a conversation where we discuss the environmental impact of the Plastic Problem and what we can do about it, alternatives for single-use plastic, how one can contribute and re-purposing plastic into planters and other decors- is that really sustainable?

Place for this fun yet informative webinar on Rethinking Plastic Usage is going away, so RSVP right away to save your seat. This webinar is open for all. Please join in with your family and friends.

To register, [CLICK HERE!](#)

### Rethinking Plastic Usage - Register Now!



Sustainability Cmnd

To: Gaurav,

Cc: Astha Wallia, Vivek Khanchandani

Reply Reply All Forward

Wed 3/17/2022 3:40 PM

Hi!

Hurry up and Register for the 'TRASH TALKS' webinar - 20<sup>th</sup> August 2022, 9:00 - 4:00 pm IST.

Join us on the live webinar on "Rethinking Plastic Usage" to learn about:

- The Plastic Problem and what we can do about it.
- Alternatives for Single-use plastic.
- Re-purposing plastic into planters and other decors- is that really sustainable?
- How you can contribute?

**It's time for you to start living life in a sustainable way.**

**From:** Sustainability Cmnid <sustainability@asianpaints.com>

**Sent:** Thursday, May 18, 2023 1:06 PM

**Cc:** Astha Walia <astha.walia@asianpaints.com>

**Subject:** A 7R's Journey in Upcycling- Register Now!

Registration for our upcoming webinar on ["A 7R's Journey in Upcycling"](#)



Join us and learn more ways to reduce your carbon footprint beyond the 3R's of Reduce, Reuse and Recycle...

Learn and lead a circular lifestyle by practicing 7R's of Sustainability...

Master the 7R's and learn the art of upcycling the waste paper...

Join the webinar [on](#)

20th May 2023,

3:00-4:00 PM

*This webinar is open to all. Please join in with your family and friends.*

*#SustainabilityStartsWithMe*

---

