

APL/ROH/EC/21-22/H2

26th May 2022

To,

The Joint Director
Ministry of Environment & Forests (IA Division)
Paryavaran Bhawan, CGO Complex, Lodhi Road
NEW DELHI – 110 003

Dear Sir,

Subject: Environmental clearance for Asian Paints Limited, Rohtak- Half Yearly Compliance Report.


Reference: Letter no. J-11011/1158/2007-IA-II (I) dated 9th April 2008

Please find enclosed the Environment compliance status with respect to the Environmental Clearance given to Asian Paints Limited, Rohtak for the month of 1st Oct 2021 to 31st March'2022.

Thanking you,

Yours Sincerely,

FOR ASIAN PAINTS LTD.




Amardeep Jain

Authorized Signatory

dc

CC:

- i) The Director
Ministry of Environment & Forests
Regional Office (NEZ), Bays No. 24-25, Sector 31-A,
Dakshim Marg,
CHANDIGARH – 160 022
- ii) The Member Secretary
HSPCB, Sector-6, C-11, Panchkula, Haryana
- iii) The Regional officer, HSPCB Bahadurgarh Region



30/5/2022

Haryana State Pollution Control Board
SCF No. 1224/3, Shaping Centre
HUDA, Sector-4
Bahadurgarh (Jh.)

Enclosure: Environmental Clearance conditions compliance status for the period from 1st Oct 2021 to March'2022 with Annexure (I to V).

Registered Office : Asian Paints Limited, 6A, Shantinagar Santacruz (East) Mumbai - 400 055. tel : (022) 6218 1000 fax : (022) 6218 1111



Asian Paints Limited, Rohtak, Compliance Status

Period: 1st October 2021 to March'2022

Sr.No	Condition	Compliance Status
A SPECIFIC CONDITIONS		
I	The project authorities shall ensure periodical monitoring of the solvents like Xylene and Toluene. No Benzene shall be used in the process.	Periodic Monitoring of solvents are regularly conducted. No benzene is used in the process. Reports of tests conducted attached as annexure-I
II	The project authorities shall provide vents with condensers to control solvent emissions and recover the same. The recovery of the solvents shall not be less than 98%.	Noted and Complied
III	The gaseous emissions (SO ₂ , NO _X , HCl, Toluene, xylene, butane) and particulate matters from various process units shall conform to the standards prescribed by the concerned authorities from time to time and monitoring report shall be submitted to the Ministry's Regional Office, CPCB and Haryana PCB. At no-time, the emission-levels shall go-beyond-the-stipulated standards. In the event of failure of pollution control system(s) adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency.	Noted and Complied Monitoring of gaseous emissions and particulate matter is being carried out at various process units. Reports of tests conducted attached as annexure-II
IV	Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits imposed by Haryana PCB. For control of fugitive emission and VOCs following steps shall be followed : A. Closed handling system shall be provided for chemicals. B. Reflux condenser shall be provided over reducer. C. Chemical handling pump shall be provided with mechanical seals to prevent leakages D. System of leak detection and repair of pump/pipeline based on preventive maintenance. E. Chemicals shall be taken to reactors through closed pipeline. Storage tanks shall be vented through trap receiver and condenser operated on chilled water.	Noted and Complied 1. Fugitive emissions is being monitored regularly. 2. Closed handling system has been provided for bulk liquid chemicals. 3. All the conditions as per A, B, C & D are complied. 4. For point E, Chemicals are taken to reactors through pipeline only. Condensers are being provided for the storage tanks of highly volatile chemicals. Venting through trap receiver and condenser operated on chilled water cannot be practically provided for all storage tanks 5. Compliance to given conditions for control of VOCs and fugitive emissions is being ensured and is well within the limits stipulated.
V	During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixing of accidental spillages with domestic waste and storm drains.	Noted and Complied Garland drains are constructed at all tanker unloading areas which are connected to trade effluent pits
VI	The project authorities shall install acoustic enclosures to the DG Sets for noise control and the stack heights of DG Sets and thermic fluid heaters shall be as per the guideline of CPCB.	Noted and Complied 1. Acoustic enclosure for DG sets has been provided. 2. Stack of height 30 meter has been provided for DG sets.
VII	Total water requirement shall not exceed 1312 m ³ /d. A full fledged treatment plant shall be installed for treatment of the wastewater to achieve the standards prescribed by the State Pollution Control Board. The treated wastewater shall be reused and zero discharge condition shall be maintained.	Complied. 1. Fresh water requirement has not exceeded 1312 KLD. 2. ETP is operational for effluent treatment. 3. Treated wastewater is being utilized for plant operations and zero discharge condition is maintained



Asian Paints Limited, Rohtak, Compliance Status

Period: 1st October 2021 to March'2022

Sr.No	Condition	Compliance Status
VIII	Hazardous waste (996 MT/annum) and Non-hazardous waste (2130 MT/annum) shall be generated from the proposed project. Incinerable hazardous waste will be incinerated and incineration ash and other hazardous waste shall be disposed in TSDF. Non hazardous solid waste shall be sold and recycled/incinerated. Used/spent oil from power generator sets shall be separately collected and sold to authorized oil recycler.	1. Hazardous waste generation is 85.47 MT in (1st Oct 2021 to March'2022). Hazardous waste is being disposed through TSDF facility of GEPIL (Gujarat Enviro Protection & Infrastructure (Haryana)Pvt. Ltd.) at Faridabad. Used/spent oil is being collected separately and is being sold to authorized oil recycler. 2. Non-hazardous solid waste generation 706 MT ((1st Oct 2021 to March'2022) and has not exceeded the limit specified.
IX	The project authorities shall store ETP sludge in leachate proof storage facility at site and shall be disposed of to TSDF. The company shall obtain membership of TSDF and copy of the same shall be submitted to the Ministry.	Noted and Complied. 1. Leachate-proof storage facility has been provided for storage of ETP sludge. 2. ETP sludge is being disposed to TSDF facility at GEPIL (Gujarat Enviro Protection & Infrastructure (Haryana) Pvt. Ltd.) at Faridabad. 3. Membership of TSDF facility has been taken and a copy of certificate is enclosed as Annexure -III
X	The project authorities shall obtain necessary commitment from IMT and HSIIDC authorities for supply of requisite water within three month. The copy of the same shall be submitted to Ministry's Regional Office at Chandigarh.	Noted and complied.
XI	The company shall develop 33% of the total area as green belt as per the CPCB guidelines to mitigate the effect of fugitive emissions.	Complied 33% of the total area (43 acre out of 130 acre) is allocated and covered as greenbelt.
XII	The project authorities shall earmark adequate funds to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.	Noted and Complied Adequate funds have been allocated for adherence to all statutory and other environment related requirements.
XIII	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Noted and Complied
B	GENERAL CONDITIONS	
I	The project authorities shall strictly adhere to the stipulations made by the state government, State Pollution Control Board and any other statutory body.	Compliance to all legal conditions is being ensured.
II	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Noted and complied
III	At no time, the emissions shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.	Noted and complied
IV	Levels of HC and VOC at various probable locations in the ambient air will be monitored. Regular monitoring of HC and VOC may be carried out in the ambient air in and around the plant.	Noted and Complied Monitoring for levels of HC and VOC is being carried out at regular intervals at various locations in the ambient air and sample reports are enclosed for your reference as Annexure-IV



Asian Paints Limited, Rohtak, Compliance Status

Period: 1st October 2021 to March'2022

Sr.No	Condition	Compliance Status
V	The locations of ambient air quality monitoring stations shall be reviewed in consultation with the State Pollution Control Board (SPCB) and additional stations shall be installed, if required, in the downwind direction as well as where maximum ground level concentrations are anticipated.	Noted and Complied Ambient air quality monitoring is being conducted at identified monitoring locations. Test reports for same is enclosed along with Annexure-IV
VI	Dedicated scrubbers and stacks of appropriate height as per the Central Pollution Control Board guidelines shall be provided to control the emissions from various vents. The scrubbed water shall be sent to ETP for further treatment.	Noted and Complied 1. Scrubbers have been provided at vents and height of all the stacks are as per CPCB guidelines. 2. Scrubber water is being sent to ETP for treatment.
VII	All the storage tanks shall be under negative pressure to avoid any leakages. Breather valves, N2 blanketing and secondary condensers with brine chilling system shall be provided for all the storage tanks to minimize Vapour losses. All liquid raw material shall be stored in storage Tanks and Drums.	Breather valve, N2 blanketing (Only for solvent) and secondary condenser with chilling system has been provided for solvent storage and monomer storage tanks. As all the solvents used in our product are having condensation point greater than 10 degree Celsius, normal water chilling system has been used. Liquid raw materials are being stored in storage tank and barrels.
VIII	The company shall undertake following Waste Minimization measures. 1. Metering and control of quantities of active ingredients to minimize waste. 2. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. 3. Use of automated filling to minimize spillage. 4. Use of "Closed Feed" system into batch reactors. 5. Venting equipment through Vapour recovery system. 6. Use of high pressure hoses for equipment cleaning to reduce wastewater generation.	1. Active ingredients are being added in closed loop manner and is metered for controlled addition in the equipment. 2. Reactors' / Mixers' washings are being collected & reused back in our products 3. Automated filling system has been provided 4. All liquid RMs is being charged from storage tank to process vessels in a closed system. 5. Vapor recovery system has been provided for required processing equipment. 6. High pressure hoses of pressure 100 bar & more are being used for TSD and mixer cleaning. URACA high pressure cleaning system of 1000 bar is being used for emulsion reactor cleaning. It has resulted in reduction of wash water generation.
IX	The project authorities shall strictly comply with the rules and guidelines stipulated under Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 as amended in October, 1994 and January, 2000 and Hazardous Waste (Management and Handling) Rules, 1989, as amended from time to time. Authorization from the SPCB shall be obtained for collection, treatment, storage, and disposal of hazardous wastes.	We are complying to the rules and guidelines stipulated under Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 and The Hazardous and Other Wastes [Management and Transboundary Movement] Rules, 2016. Consent to operate under Air Act, Water Act & authorization under Hazardous Wastes Rules are obtained and are valid till 30/9/2023.
X	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Complied Acoustic enclosures are provided for noise generating equipments. Regular Noise monitoring is being conducted at locations identified as high noise areas in plant. Test reports for same are enclosed as Annexure -V.



Asian Paints Limited, Rohtak, Compliance Status

Period: 1st October 2021 to March'2022

Sr.No	Condition	Compliance Status
XI	The company shall develop rain water harvesting structures to harvest the run off water for recharge of ground water.	Complied Rain water harvesting system has been developed and is functional.
XII	The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment. The eco-development plan should be submitted to the SPCB within three months of receipt of this letter for approval.	Agreed and Complied Environment-related CSR activities has been undertaken. 1. Rainwater harvesting project has been implemented and being maintained at MDU, BD Sharma university of health science, Foot ware Design Institute (FDDI) and Balyiana Fire Pump House in Rohtak. 2. Lake desilting project done at Bohar village, Rohtak. 3. Health & Hygiene activity are being carried out in nearby villages. 4. Continuous potable water is being supplied in Kherisadh Govt School and Village after implementation of pipeline project at Balyiana village, Rohtak. 5. 3100 meter long Canal channel lining project has been done in Kharawar Village, Rohtak.
XIII	The project proponent shall also comply with all the environmental protection measures and safeguards proposed in the EIA/EMP report.	Noted and Complied
XIV	A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Noted and Complied An Environment Department is operational in plant and it has an environment laboratory with state-of-the art equipment, for management and monitoring of environmental parameters.
XV	The implementation of the project vis-à-vis environmental action plans shall be monitored by the concerned Regional Office of the Ministry/SPCB / CPCB. A six monthly compliance status report shall be submitted to monitoring agencies and shall be posted on the website of the Company.	Noted and complied
XVI	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry at http://envfor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Noted and Complied Press advertisements were done in The Times of India (Chandigarh Edition) and Hariboomi (Rohtak Edition) on 16th April 2008. The copies of the same were forwarded to concerned Regional Office of the ministry.
XVII	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Complied



Annexure -I





ENVIRO-INTERNATIONAL

Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/B9

TEST REPORT

ISSUED TO :	SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA		
M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India..	METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT , GC, UV etc.		
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/02/22/WZ-90	Sample Collection Date: 11/02/2022 Sample Reporting Date: 19/02/2022		
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	WPB- GROUND FLOOR-OLD BLOCK
Sampling Code	—	—	WZ - 90
Sampling Duration	—	—	480 Minutes
Weather	—	—	Normal
Ambient Temperature	°K	—	294
Ammonia	mg/m ³	<18	07
n-Butyl acetate	mg/m ³	<710	22
Ethyl acetate	mg/m ³	<1400	40
Methyl Isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	19
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	64
2 – Ethylhexanoic acid (2-EHA)	mg/m ³	<376	15
Butanol	mg/m ³	<152	02
Butyl Cellosolve	mg/m ³	<123	01
Ethyl Cellosolve Acetate	mg/m ³	<55	01
Mineral Turpentine Oil (MTO)	mg/m ³	<560	56
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	—	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL > <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked

R.P. Marwah

EIL/Lab-In-Charge

Dr. Vipul Kumar
Greater Noida



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



— ENVIRO-INTERNATIONAL —

Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadar, Rohtak (Haryana) - 24001 India..	SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT , GC, UV etc.		
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/02/22/WZ-91	Sample Collection Date: 11/02/2022 Sample Reporting Date: 19/02/2022		
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	WPB- GROUND FLOOR-NEW BLOCK
Sampling Code	--	--	WZ - 91
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	292
Ammonia	mg/m³	<18	06
n-Butyl acetate	mg/m³	<710	33
Ethyl acetate	mg/m³	<1400	49
Methyl isobutyl ketone (MIBK)	mg/m³	<205	BDL
Ethylene Oxide	mg/m³	<0.184	BDL
Xylene	mg/m³	<435	16
Phthalic Anhydride	mg/m³	<01	BDL
Toluene	mg/m³	<375	30
2 - Ethylhexanoic acid (2-EHA)	mg/m³	<376	13
Butanol	mg/m³	<152	04
Butyl Cellosolve	mg/m³	<123	02
Ethyl Cellosolve Acetate	mg/m³	<55	05
Mineral Turpentine Oil (MTO)	mg/m³	<560	51
Styrene	mg/m³	<215	BDL
Methanol	mg/m³	<260	BDL
Cyclohexanol	mg/m³	--	BDL
Toluene-diisocyanate (TDI)	mg/m³	<0.142	BDL
Methyl Methacrylate	mg/m³	<410	BDL
Lead	mg/m³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m³	<01	BDL
Benzene	mg/m³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Bhil Singh & Mr Purshotam Singh.

Checked

R.P. Marwah

EIL Lab-In-Charge

Dr. Vipul Kumar
Greater Noida



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
: 9810098664, 9810725666, 9910233668
: vipul_kumar4@rediffmail.com
: .envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



— ENVIRO-INTERNATIONAL —

Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India..		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT , GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/02/22/WZ-92		Sample Collection Date: 11/02/2022 Sample Reporting Date: 19/02/2022	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	WPB- 1st FLOOR OLD BLOCK
Sampling Code	--	--	WZ - 92
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	292
Ammonia	mg/m ³	<18	15
n-Butyl acetate	mg/m ³	<710	70
Ethyl acetate	mg/m ³	<1400	27
Methyl Isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	82
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	65
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	32
Butanol	mg/m ³	<152	03
Butyl Cellosolve	mg/m ³	<123	34
Ethyl Cellosolve Acetate	mg/m ³	<55	13
Mineral Turpentine Oil (MTO)	mg/m ³	<560	89
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked

R.P. Marwah

EIL/Lab-In-Charge

Dr. Vipul Kumar

Greater
Noida



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
: 9810098664, 9810725666, 9910233668
: vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



— ENVIRO-INTERNATIONAL —

Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India..	SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.		
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/02/22/WZ-93	Sample Collection Date: 11/02/2022 Sample Reporting Date: 19/02/2022		
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	WPB- 1st FLOOR NEW BLOCK
Sampling Code	--	--	WZ - 93
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	293
Ammonia	mg/m³	<18	06
n-Butyl acetate	mg/m³	<710	40
Ethyl acetate	mg/m³	<1400	54
Methyl Isobutyl ketone (MIBK)	mg/m³	<205	BDL
Ethylene Oxide	mg/m³	<0.184	BDL
Xylene	mg/m³	<435	62
Phthalic Anhydride	mg/m³	<01	BDL
Toluene	mg/m³	<375	61
2 - Ethylhexanoic acid (2-EHA)	mg/m³	<376	47
Butanol	mg/m³	<152	14
Butyl Cellosolve	mg/m³	<123	29
Ethyl Cellosolve Acetate	mg/m³	<55	03
Mineral Turpentine Oil (MTO)	mg/m³	<560	77
Styrene	mg/m³	<215	BDL
Methanol	mg/m³	<260	BDL
Cyclohexanol	mg/m³	--	BDL
Toluene diisocyanate (TDI)	mg/m³	<0.142	BDL
Methyl Methacrylate	mg/m³	<410	BDL
Lead	mg/m³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m³	<01	BDL
Benzene	mg/m³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL : <0.05 mg/m³
Sampling Done By Mr. Shiv Singh & Mr. Purshotam Singh.


Checked

R.P. Mehwah

Envi. Lab In-Charge

Mr. Vipul Kumar

Greater
Noida



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
: 9810098664, 9810725666, 9910233668
✉ : vipul_kumar4@rediffmail.com
✉ : envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007





— ENVIRO-INTERNATIONAL —

Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO :	SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA		
M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India.	METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT , GC, UV etc.		
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/02/22/WZ-94	Sample Collection Date: 11/02/2022 Sample Reporting Date: 19/02/2022		
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	WPB- IIInd FLOOR OLD BLOCK
Sampling Code	--	--	WZ - 94
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	293
Ammonia	mg/m³	<18	04
n-Butyl acetate	mg/m³	<710	60
Ethyl acetate	mg/m³	<1400	83
Methyl Isobutyl ketone (MIBK)	mg/m³	<205	BDL
Ethylene Oxide	mg/m³	<0.184	BDL
Xylene	mg/m³	<435	26
Phthalic Anhydride	mg/m³	<01	BDL
Toluene	mg/m³	<375	73
2 - Ethylhexanoic acid (2-EHA)	mg/m³	<376	22
Butanol	mg/m³	<152	37
Butyl Cellosolve	mg/m³	<123	19
Ethyl Cellosolve Acetate	mg/m³	<55	14
Mineral Turpentine Oil (MTO)	mg/m³	<560	97
Styrene	mg/m³	<215	BDL
Methanol	mg/m³	<260	BDL
Cyclohexanol	mg/m³	--	BDL
Toluene diisocyanate (TDI)	mg/m³	<0.142	BDL
Methyl Methacrylate	mg/m³	<410	BDL
Lead	mg/m³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m³	<01	BDL
Benzene	mg/m³	<1.5	BDL

N.B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1848. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked
R.P. Marwah

EIL Lab-In-Charge
Dr. Vipul Kumar
Greater Noida



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



— ENVIRO-INTERNATIONAL —

Ltd Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India.		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/02/22/WZ-95		Sample Collection Date: 11/02/2022 Sample Reporting Date: 19/02/2022	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	WPB- IIInd FLOOR NEW BLOCK
Sampling Code	--	--	WZ - 95
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	293
Ammonia	mg/m³	<18	06
n-Butyl acetate	mg/m³	<710	54
Ethyl acetate	mg/m³	<1400	06
Methyl Isobutyl ketone (MIBK)	mg/m³	<205	BDL
Ethylene Oxide	mg/m³	<0.184	BDL
Xylene	mg/m³	<435	31
Phthalic Anhydride	mg/m³	<01	BDL
Toluene	mg/m³	<375	50
2 – Ethylhexanoic acid (2-EHA)	mg/m³	<376	24
Butanol	mg/m³	<152	32
Butyl Cellosolve	mg/m³	<123	16
Ethyl Cellosolve Acetate	mg/m³	<55	03
Mineral Turpentine Oil (MTO)	mg/m³	<560	60
Styrene	mg/m³	<215	BDL
Methanol	mg/m³	<260	BDL
Cyclohexanol	mg/m³	--	BDL
Toluene diisocyanate (TDI)	mg/m³	<0.142	BDL
Methyl Methacrylate	mg/m³	<410	BDL
Lead	mg/m³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m³	<01	BDL
Benzene	mg/m³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked
R.P. Mahawar

EIL/Lab-in-Charge

Mr. Vipul Kumar

Greater
Noida



- N.B.:-
 • The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
 • The Result indicated only refer to the tested samples.
 • The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



— ENVIRO-INTERNATIONAL —

Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadhi, Rohtak (Haryana) - 24001 India.	SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT , GC, UV etc.		
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/02/22/WZ-96	Sample Collection Date: 12/02/2022 Sample Reporting Date: 22/02/2022		
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	POLYMER GROUND FLOOR OLDBLOCK
Sampling Code	--	--	WZ - 96
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	293
Ammonia	mg/m³	<18	06
n-Butyl acetate	mg/m³	<710	65
Ethyl acetate	mg/m³	<1400	57
Methyl isobutyl ketone (MIBK)	mg/m³	<205	BDL
Ethylenic Oxide	mg/m³	<0.184	BDL
Xylene	mg/m³	<435	69
Phthalic Anhydride	mg/m³	<01	BDL
Toluene	mg/m³	<375	90
2 - Ethylhexanoic acid (2-EHA)	mg/m³	<376	33
Butanol	mg/m³	<152	56
Butyl Cellosolve	mg/m³	<123	14
Ethyl Cellosolve Acetate	mg/m³	<55	18
Mineral Turpentine Oil (MTO)	mg/m³	<560	83
Styrene	mg/m³	<215	BDL
Methanol	mg/m³	<260	BDL
Cyclohexanol	mg/m³	—	BDL
Toluene diisocyanate (TDI)	mg/m³	<0.142	BDL
Methyl Methacrylate	mg/m³	<410	BDL
Lead	mg/m³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m³	<01	BDL
Benzene	mg/m³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked
R.P. Marwah

EIL/Lab-In-Charge

Dr. Vipul Kumar,
Greater Noida



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



— ENVIRO-INTERNATIONAL —

Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO :	SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA		
M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India.	METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT , GC, UV etc.		
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/02/22/WZ-97	Sample Collection Date: 12/02/2022 Sample Reporting Date: 22/02/2022		
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	POLYMER GROUND FLOOR NEW BLOCK
Sampling Code	—	--	WZ - 97
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	293
Ammonia	mg/m³	<18	09
n-Butyl acetate	mg/m³	<710	53
Ethyl acetate	mg/m³	<1400	40
Methyl Isobutyl ketone (MIBK)	mg/m³	<205	BDL
Ethylene Oxide	mg/m³	<0.184	BDL
Xylene	mg/m³	<435	29
Phthalic Anhydride	mg/m³	<01	BDL
Toluene	mg/m³	<375	64
2 - Ethylhexanoic acid (2-EHA)	mg/m³	<376	91
Butanol	mg/m³	<152	05
Butyl Cellosolve	mg/m³	<123	17
Ethyl Cellosolve Acetate	mg/m³	<55	03
Mineral Turpentine Oil (MTO)	mg/m³	<560	88
Styrene	mg/m³	<215	BDL
Methanol	mg/m³	<260	BDL
Cyclohexanol	mg/m³	--	BDL
Toluene diisocyanate (TDI)	mg/m³	<0.142	BDL
Methyl Methacrylate	mg/m³	<410	BDL
Lead	mg/m³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m³	<01	BDL
Benzene	mg/m³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB.
Sampling Done By Mr Shiv Singh & Mr Purshotum Singh.

B. Standard as per Fact Act 1948.


C. BDL :- <0.05 mg/m³

Checked

R.P. Marwah

EIL/Lab-In-Charge

Dr. Vipul Kumar
Greater
Noida



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
: 9810098664, 9810725666, 9910233668
: vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



— ENVIRO-INTERNATIONAL —

Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India..		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT , GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/02/22/WZ-98		Sample Collection Date: 12/02/2022 Sample Reporting Date: 22/02/2022	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	POLYMER 1st FLOOR OLD BLOCK
Sampling Code	—	—	WZ - 98
Sampling Duration	—	—	480 Minutes
Weather	—	—	Normal
Ambient Temperature	°K	—	292
Ammonia	mg/m³	<18	05
n-Butyl acetate	mg/m³	<710	54
Ethyl acetate	mg/m³	<1400	33
Methyl Isobutyl ketone (MIBK)	mg/m³	<205	BDL
Ethylene Oxide	mg/m³	<0.184	BDL
Xylene	mg/m³	<435	40
Phthalic Anhydride	mg/m³	<01	BDL
Toluene	mg/m³	<375	82
2 - Ethylhexanoic acid (2-EHA)	mg/m³	<376	14
Butanol	mg/m³	<152	17
Butyl Cellosolve	mg/m³	<123	14
Ethyl Cellosolve Acetate	mg/m³	<55	12
Mineral Turpentine Oil (MTO)	mg/m³	<560	94
Styrene	mg/m³	<215	BDL
Methanol	mg/m³	<260	BDL
Cyclohexanol	mg/m³	—	BDL
Toluene diisocyanate (TDI)	mg/m³	<0.142	BDL
Methyl Methacrylate	mg/m³	<410	BDL
Lead	mg/m³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m³	<01	BDL
Benzene	mg/m³	<1.5	BDL


N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotum Singh.

Checked
R.P. Marwah

EIL/Lab-In-Charge

Dr. Vipul Kumar

Greater
Noida



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306

: 9810098664, 9810725666, 9910233668

: vipul_kumar4@rediffmail.com

: envirointernationalalac@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



— ENVIRO-INTERNATIONAL —

Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT


ISSUED TO :	SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA		
M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India.	METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT , GC, UV etc.		
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/02/22/WZ-99	Sample Collection Date: 12/02/2022 Sample Reporting Date: 22/02/2022		
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	POLYMER 1st FLOOR NEW BLOCK
Sampling Code	--	--	WZ - 99
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	292
Ammonia	mg/m³	<18	13
n-Butyl acetate	mg/m³	<710	80
Ethyl acetate	mg/m³	<1400	51
Methyl Isobutyl ketone (MIBK)	mg/m³	<205	BDL
Ethylene Oxide	mg/m³	<0.184	BDL
Xylene	mg/m³	<435	67
Phthalic Anhydride	mg/m³	<01	BDL
Toluene	mg/m³	<375	79
2 - Ethylhexanoic acid (2-EHA)	mg/m³	<376	50
Butanol	mg/m³	<152	42
Butyl Cellosolve	mg/m³	<123	28
Ethyl Cellosolve Acetate	mg/m³	<55	17
Mineral Turpentine Oil (MTO)	mg/m³	<560	91
Styrene	mg/m³	<215	BDL
Methanol	mg/m³	<260	BDL
Cyclohexanol	mg/m³	--	BDL
Toluene diisocyanate (TDI)	mg/m³	<0.142	BDL
Methyl Methacrylate	mg/m³	<410	BDL
Lead	mg/m³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m³	<01	BDL
Benzene	mg/m³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL > <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked
R.P. Mirwah

EIL/Lab In-Charge

Dr. Vipul Kumar
Greater
Noida



N.B.:

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



— ENVIRO-INTERNATIONAL —

Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E). S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO :	SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA		
M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India.	METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT , GC, UV etc.		
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/02/22/WZ-100	Sample Collection Date: 12/02/2022 Sample Reporting Date: 22/02/2022		
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	POLYMER IIInd FLOOR OLD BLOCK
Sampling Code	--	--	WZ - 100
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	293
Ammonia	mg/m ³	<18	10
n-Butyl acetate	mg/m ³	<710	66
Ethyl acetate	mg/m ³	<1400	34
Methyl Isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	25
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	52
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	19
Butanol	mg/m ³	<152	64
Butyl Cellosolve	mg/m ³	<123	25
Ethyl Cellosolve Acetate	mg/m ³	<55	14
Mineral Turpentine Oil (MTO)	mg/m ³	<560	99
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purahotum Singh.

Checked
R.P. Marwah

EIL/Lab-In-Charge

Dr. Vipul Kumar

Greater
Noida



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
: 9810098664, 9810725666, 9910233668
: vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



— ENVIRO-INTERNATIONAL —

Lab Recognised Under Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India.	SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.		
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/02/22/WZ-101	Sample Collection Date: 12/02/2022 Sample Reporting Date: 22/02/2022		
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	POLYMER IIInd FLOOR NEW BLOCK
Sampling Code	--	--	WZ - 101
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	293
Ammonia	mg/m ³	<18	12
n-Butyl acetate	mg/m ³	<710	55
Ethyl acetate	mg/m ³	<1400	25
Methyl Isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	32
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	40
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	14
Butanol	mg/m ³	<152	20
Butyl Cellosolve	mg/m ³	<123	28
Ethyl Cellosolve Acetate	mg/m ³	<55	02
Mineral Turpentine Oil (MTO)	mg/m ³	<560	87
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl-Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.


Checked

R.P. Marwah

EIL/Lab-In-Charge

Dr. Vipul Kumar

Greater
Noida



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
: 9810098664, 9810725666, 9910233668
✉ : vipul_kumar4@rediffmail.com
✉ : envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007

Annexure -II





DOC No. HT/H/QF/7.8

HARYANA TEST HOUSE

& Consultancy Services

GOVT. RECOGNISED LABORATORY



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR)
 Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
 Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net

Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To:	Report No. : HT/H/EP/220312006
Asian Paint Ltd	ULR No. : TC781122100001573F
Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Party's Ref No. : Nil
	Booking Date : 12/03/2022
	Period of Testing : 12/03/2022 To 17/03/2022
	Reporting Date : 19/03/2022

Sample Description : Personal Sampling for RSPM

Type of Industry	: Paint Industry
Date & time of sampling	: 12/03/2022
Sample Location	: Forklift Operator
Instrument used	: Personal Sampler APM 800 (Sr. No. 1039 DTC 2017)
Instrument Calibration Status	: Calibrated (upto 19.07.2022)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab. Representative
A. Observations:	
1. Sampling flow rate (Avg.)	: 2.10 LPM
2. Total volume of air sampled	: 0.126 m3
3. Period of sampling	: 60 min

S.N. Test Parameters	Unit	Result	Requirement as per OSHA	Test Method
Discipline: Chemical, Group: Atmospheric Pollution				
1 Respirable Aerosols Mass	mg/m3	0.952	5.0 Max	NIOSH 600 : 1998

End of Report

Remarks : Limit for Air Contaminants as per OSHA



Kirsh
19.03.2022

Review by

ML Sharma
Dy. Manager (ENV.)

Page No.: 1 of 1

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for Perishable items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.



DOC No. HTH/QF/7.8

HARYANA TEST HOUSE

& Consultancy Services

GOVT. RECOGNISED LABORATORY



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
 Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
 Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/220312007 ULR No. : TC781122100001574F Party's Ref No. : Nil
	Booking Date : 12/03/2022 Period of Testing : 12/03/2022To 17/03/2022 Reporting Date : 19/03/2022

Sample Description : Personal Sampling for RSPM

Type of Industry	: Paint Industry
Date & time of sampling	: 12/03/2022
Sample Location	: Packing Area
Instrument used	: Personal Sampler-APM 800 (Sr. No. 1040 DTC 2017)
Instrument Calibration Status	: Calibrated (upto 19.07.2022)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab. Representative
A. Observations:	
1. Sampling flow rate (Avg.)	: 2.25 LPM
2. Total volume of air sampled	: 0.135 m3
3. Period of sampling	: 60 min

S.N.	Test Parameters	Unit	Result	Requirement as per OSHA	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Respirable Aerosols Mass	mg/m3	1.185	5.0 Max	NIOSH 600 : 1998

End of Report

Remarks : Limit for Air Contaminants as per OSHA

K.M.H.
13.03.2022

Review by




ML Sharma

Dy. Manager (ENV.)

Page No.: 1 of 1

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for Perishable items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.



DOC No. HTH/QF/7.8

HARYANA TEST HOUSE

**& Consultancy Services
GOVT. RECOGNISED LABORATORY**



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net

Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/220312008 ULR No. : TC781122100001569F Party's Ref No. : Nill Booking Date : 12/03/2022 Period of Testing : 12/03/2022 To 17/03/2022 Reporting Date : 19/03/2022
--	---

Sample Description : Personal Sampling for RSPM

Type of Industry	: Paint Industry
Date & time of sampling	: 12/03/2022
Sample Location	: M-4 Contract Person (WBP)
Instrument used	: Personal Sampler APM-800 (Sr. No. 1041-DTC 2017)
Instrument Calibration Status	: Calibrated (upto 19.07.2022)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab. Representative
A. Observations:	
1. Sampling flow rate (Avg.)	: 2.15 LPM
2. Total volume of air sampled	: 0.129 m3
3. Period of sampling	: 60 min

S.N. Test Parameters	Unit	Result	Requirement as per OSHA	Test Method
Discipline: Chemical, Group: Atmospheric Pollution				
1 Respirable Aerosols Mass	mg/m3	0.930	5.0 Max	NIOSH 600 : 1998

End of Report


Remarks : Limit for Air Contaminants as per OSHA

Review by

Dy. Manager (ENV.)

Page No.: 1 of 1

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for Perishable items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.





DOC No. HTH/QF/7.8

HARYANA TEST HOUSE

& Consultancy Services

GOVT. RECOGNISED LABORATORY



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To:
Asian Paint Ltd
Plot No.1, Sector- 30 B, IMT Rohtak (HR)

Report No. : HTH/EP/220312009
ULR No. : TC781122100001568F
Party's Ref No. : NII
Booking Date : 12/03/2022
Period of Testing : 12/03/2022 To 17/03/2022
Reporting Date : 19/03/2022

Sample Description : Personal Sampling for RSPM

Type of Industry	:	Paint Industry
Date & time of sampling	:	12/03/2022
Sample Location	:	Bag Folding Area
Instrument used	:	Personal Sampler-APM 800 (Sr. No. 1042 DTC 2017)
Instrument Calibration Status	:	Calibrated (upto 19.07.2022)
Purpose of analysis	:	Monitoring
Sample collected/ supplied by	:	By our lab. Representative
A. Observations:		
1. Sampling flow rate (Avg.)	:	2.10 LPM
2. Total volume of air sampled	:	0.126 m ³
3. Period of sampling	:	60 min

S.N. Test Parameters	Unit	Result	Requirement as per OSHA	Test Method
Discipline: Chemical, Group: Atmospheric Pollution				
1. Respirable Aerosols Mass	mg/m ³	1.032	5.0 Max	NIOSH 600 : 1998

End of Report

Remarks : Limit for Air Contaminants as per OSHA


Review by

Kirti
19.03.2022

Dy. Manager (ENV.)

Page No.: 1 of 1

Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
2. This report should not be used in any advertising media without our special permission in writing.
3. Sample will be destroyed after 7 days for Perishable items & 30 days for non-perishable items from the date of issue of test report.
4. The results are related to the test items only.



DOC No. HTH/QF/7.8

HARYANA TEST HOUSE

& Consultancy Services

GOVT. RECOGNISED LABORATORY



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
 Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
 Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net

Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To:	Report No. : HTH/EP/220312010
Asian Paint Ltd	ULR No. : TC781122100001570F
Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Party's Ref No. : Nil
	Booking Date : 12/03/2022
	Period of Testing : 12/03/2022 To 17/03/2022
	Reporting Date : 19/03/2022

Sample Description : Personal Sampling for RSPM

Type of Industry	: Paint Industry
Date & time of sampling	: 12/03/2022
Sample Location	: Fork lift Operator at Charging Area
Instrument used	: Personal Sampler-APM 800 (Sr. No. 1039-DTC 2017)
Instrument Calibration Status	: Calibrated (upto 19.07.2022)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab. Representative
A. Observations:	
1. Sampling flow rate (Avg.)	: 2.20 LPM
2. Total volume of air sampled	: 0.132 m ³
3. Period of sampling	: 60 min

S.N. Test Parameters	Unit	Result	Requirement as per OSHA	Test Method
Discipline: Chemical, Group: Atmospheric Pollution				
1 Respirable Aerosols Mass	mg/m ³	1.061	5.0 Max	NIOSH 600 : 1998

End of Report

Remarks : Limit for Air Contaminants as per OSHA


Review by

Kirti
19-03-2022

Dy. Manager (ENV.)

Page No.: 1 of 1

Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for Perishable Items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.



DOC No. HTH/QF/7.8

HARYANA TEST HOUSE

& Consultancy Services
GOVT. RECOGNISED LABORATORY



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/220312011 ULR No. : TC781122100001571F Party's Ref No. : Nil
	Booking Date : 12/03/2022 Period of Testing : 12/03/2022 To 17/03/2022 Reporting Date : 19/03/2022

Sample Description : Personal Sampling for RSPM

Type of Industry	: Paint Industry
Date & time of sampling	: 12/03/2022
Sample Location	: Unloading Area
Instrument used	: Personal Sampler APM 800 (Sr. No. 1040 DTC 2017)
Instrument Calibration Status	: Calibrated (upto 19.07.2022)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab. Representative
A. Observations:	
1. Sampling flow rate (Avg.)	: 2.20 LPM
2. Total volume of air sampled	: 0.132 m3
3. Period of sampling	: 60 min

S.N. Test Parameters	Unit	Result	Requirement as per OSHA	Test Method
Discipline: Chemical, Group: Atmospheric Pollution				
1 Respirable Aerosols Mass	mg/m3	1.136	5.0 Max	NIOSH 600 : 1998

End of Report

Remarks : Limit for Air Contaminants as per OSHA

Kiran
19.03.2022


Review by



ML Sharma
Dy. Manager (ENV.)

Page No.: 1 of 1

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for Perishable items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.



DOC No. HTH/QF/7.8

HARYANA TEST HOUSE

& Consultancy Services
GOVT. RECOGNISED LABORATORY



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/220312012 ULR No. : TC781122100001572F Party's Ref No. : Nil
	Booking Date : 12/03/2022 Period of Testing : 12/03/2022 To 17/03/2022 Reporting Date : 19/03/2022

Sample Description : Personal Sampling for RSPM

Type of Industry	: Paint Industry
Date & time of sampling	: 12/03/2022
Sample Location	: APL Team Member (WBP)
Instrument used	: Personal Sampler APM 800 (Sr. No. 1041 DTC 2017)
Instrument Calibration Status	: Calibrated (upto 19.07.2022)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab. Representative
A. Observations:	
1. Sampling flow rate (Avg.)	: 2.20 LPM
2. Total volume of air sampled	: 0.132 M3
3. Period of sampling	: 60 min

S.N. Test Parameters	Unit	Result	Requirement as per OSHA	Test Method
Discipline: Chemical, Group: Atmospheric Pollution				
1. Respirable Aerosols Mass	mg/m3	0.985	5.0 Max	NIOSH 600 : 1998

End of Report

Remarks : Limit for Air Contaminants as per OSHA

Kirti
19.03.2022

Review by




ML Sharma

Dy. Manager (ENV.)

Page No.: 1 of 1

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for Perishable items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.



DOC No. HTH/QF/7.8

HARYANA TEST HOUSE

& Consultancy Services

GOVT. RECOGNISED LABORATORY



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
 Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
 Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/220329004 ULR No. : TC781122100001879F Party's Ref No. : Nil Booking Date : 29/03/2022 Period of Testing : 29/03/2022To 04/04/2022 Reporting Date : 05/04/2022
--	---

Sample Description : Personal Sampling for RSPM

Type of Industry	:	Paint Industry
Date & time of sampling	:	29/03/2022
Sample Location	:	Fork Lift Operator
Instrument used	:	Personal Sampler APM 800 (Sr. No. 1039 DTC 2017)
Instrument Calibration Status	:	Calibrated (upto 19.07.2022)
Purpose of analysis	:	Monitoring
Sample collected/ supplied by	:	By our lab. Representative
A. Observations:		
1. Sampling flow rate (Avg.)	:	2.15 LPM
2. Total volume of air sampled	:	0.129 m ³
3. Period of sampling	:	60 min

S.N. Test Parameters	Unit	Result	Requirement as per OSHA	Test Method
Discipline: Chemical, Group: Atmospheric Pollution				
1 Respirable Aerosols Mass	mg/m ³	0.930	5.0 Max	NIOSH 600: 1998

End of Report

Remarks : Limits for Air Contaminants as per OSHA


Review by
05/04/22



Dy. Manager (ENV.)

Page No.: 1 of 1

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for Perishable items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.



DOC No. HTH/QF/7.8

HARYANA TEST HOUSE

& Consultancy Services
GOVT. RECOGNISED LABORATORY



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net

Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To:	Report No. : HTH/EP/220329005
Asian Paint Ltd	ULR No. : TC781122100001880F
Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Party's Ref No. : Nil
	Booking Date : 29/03/2022
	Period of Testing : 29/03/2022 To 04/04/2022
	Reporting Date : 05/04/2022

Sample Description : Personal Sampling for RSPM

Type of Industry	: Paint Industry
Date & time of sampling	: 29/03/2022
Sample Location	: Packing Area
Instrument used	: Personal Sampler-APM 800 (Sr. No. 1040 DTC 2017)
Instrument Calibration Status	: Calibrated (upto 19.07.2022)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab. Representative
A. Observations:	
1. Sampling flow rate (Avg.)	: 2.05 LPM
2. Total volume of air sampled	: 0.123 m3
3. Period of sampling	: 60 min


S.N. Test Parameters	Unit	Result	Requirement as per OSHA	Test Method
Discipline: Chemical, Group: Atmospheric Pollution				
1 Respirable Aerosols Mass	mg/m3	1.057	5.0 Max	NIOSH 600 : 1998

End of Report

Remarks : Limits for Air Contaminants as per OSHA

Review by


05/04/22



Dy. Manager (ENV.)

Page No.: 1 of 1

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for Perishable Items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.



DOC No. HTH/QF/7.8

HARYANA TEST HOUSE

& Consultancy Services

GOVT. RECOGNISED LABORATORY



TC-7811

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
 Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
 Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To:	Report No.
Asian Paint Ltd	HTH/EP/220329006
Plot No.1, Sector- 30 B, IMT Rohtak (HR)	ULR No.
	TC781122100001881F
	Party's Ref No.
	: Nil
	Booking Date : 29/03/2022
	Period of Testing : 29/03/2022To 04/04/2022
	Reporting Date : 05/04/2022

Sample Description : Personal Sampling for RSPM

Type of Industry	:	Paint Industry
Date & time of sampling	:	29/03/2022
Sample Location	:	M-4 Contract Person [WBP]
Instrument used	:	Personal Sampler APM.800. (Sr. No. 1041 DTC.2017)
Instrument Calibration Status	:	Calibrated (upto 19.07.2022)
Purpose of analysis	:	Monitoring
Sample collected/ supplied by	:	By our lab. Representative
A. Observations:		
1. Sampling flow rate (Avg.)	:	2.05 LPM
2. Total volume of air sampled	:	0.123
3. Period of sampling	:	60 min

S.N. Test Parameters	Unit	Result	Requirement as per OSHA	Test Method
Discipline: Chemical, Group: Atmospheric Pollution				
1 Respirable Aerosols Mass	mg/m3	0.813	5.0 Max	NIOSH 600: 1998

End of Report

Remarks : Limits for Air Contaminants as per OSHA

Review by


*Chintan
05/04/22*



ML Sharma
Dy. Manager (ENV.)

Page No.: 1 of 1

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for Perishable Items & 30 days for non-perishable Items from the date of issue of test report.
 4. The results are related to the test items only.



DOC No. HTH/QF/7.8

HARYANA TEST HOUSE

& Consultancy Services

GOVT. RECOGNISED LABORATORY



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/220329007 ULR No. : TC781122100001882F Party's Ref No. : Nil Booking Date : 29/03/2022 Period of Testing : 29/03/2022To 05/04/2022 Reporting Date : 05/04/2022
--	---

Sample Description : Personal Sampling for RSPM

Type of Industry	: Paint Industry
Date & time of sampling	: 29/03/2022
Sample Location	: Bag Folding Person
Instrument used	: Personal Sampler APM 800 (Sr. No. 1042 DTC 2017)
Instrument Calibration Status	: Calibrated (upto 19.07.2022)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab. Representative
A. Observations:	
1. Sampling flow rate (Avg.)	: 2.15 LPM
2. Total volume of air sampled	: 0.129 m ³
3. Period of sampling	: 60 min

S.N. Test Parameters	Unit	Result	Requirement as per OSHA	Test Method
Discipline: Chemical, Group: Atmospheric Pollution				
1 Respirable Aerosols Mass	mg/m ³	1.008	5.0 Max	NIOSH 600 : 1998

End of Report

Remarks : Limits for Air Contaminants as per OSHA


Reviewed by

05/04/22



Page No.: 1 of 1

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for Perishable items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.



HARYANA TEST HOUSE

& Consultancy Services

GOVT. RECOGNISED LABORATORY



DOC No. HTH/QF/7.8

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR)
Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net

Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To:	Report No. : HTH/EP/220329008
Asian Paint Ltd	ULR No. : TC781122100001883F
Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Party's Ref No. : Nil
	Booking Date : 29/03/2022
	Period of Testing : 29/03/2022To 04/04/2022
	Reporting Date : 05/04/2022

Sample Description : Personal Sampling for RSPM


Type of Industry	: Paint Industry
Date & time of sampling	: 29/03/2022
Sample Location	: Fork lift Operator at Charging Area
Instrument used	: Personal Sampler APM 800 {Sr. No. 1039 DTC 2017}
Instrument Calibration Status	: Calibrated (upto 19.07.2022)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab. Representative
A. Observations:	
1. Sampling flow rate (Avg.)	: 2.05 LPM
2. Total volume of air sampled	: 0.123 m3
3. Period of sampling	: 60 min

S.N. Test Parameters	Unit	Result	Requirement as per OSHA	Test Method
Discipline: Chemical, Group: Atmospheric Pollution				
1 Respirable Aerosols Mass	mg/m3	0.976	5.0 Max	NIOSH 600 : 1998

End of Report

Remarks : Limits for Air Contaminants as per OSHA


Review by 05/04/22



ML Sharma
Dy. Manager (ENV.)

Page No.: 1 of 1

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for Perishable items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.



HARYANA TEST HOUSE

& Consultancy Services

GOVT. RECOGNISED LABORATORY



DOC No. HTH/QF/7.8

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/220329009 ULR No. : TC781122100001884F Party's Ref No. : Nil
Sample Description : Personal Sampling for RSPM	Booking Date : 29/03/2022 Period of Testing : 29/03/2022To 04/04/2022 Reporting Date : 05/04/2022

Type of Industry	: Paint Industry
Date & time of sampling	: 29/03/2022
Sample Location	: Unloading Area
Instrument used	: Personal Sampler APM 800 (Sr. No. 1040 DTC 2017)
Instrument Calibration Status	: Calibrated (upto 19.07.2022)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab. Representative
A. Observations:	
1. Sampling flow rate (Avg.)	: 2.05 LPM
2. Total volume of air sampled	: 0.123 m3
3. Period of sampling	: 60 min

S.N.	Test Parameters	Unit	Result	Requirement as per OSHA	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Respirable Aerosols Mass	mg/m3	1.138	5.0 Max	NIOSH 600 : 1998

End of Report

Remarks : Limits for Air Contaminants as per OSHA


Review By : S. S. T. 1/2/22



ML Sharma
Dy. Manager (ENV.)

Page No.: 1 of 1

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for Perishable items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.



DOC No. HTH/QF/7.8

HARYANA TEST HOUSE

& Consultancy Services

GOVT. RECOGNISED LABORATORY



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR)
 Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
 Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/220329010 ULR No. : TC781122100001885F Party's Ref No. : Nil Booking Date : 29/03/2022 Period of Testing : 29/03/2022To 04/04/2022 Reporting Date : 05/04/2022
--	---

Sample Description : Personal Sampling for RSPM

Type of Industry	: Paint Industry
Date & time of sampling	: 29/03/2022
Sample Location	: API Team Member (Near Charging Area)
Instrument used	: Personal Sampler APM 800 (Sr. No. 1041 DTC 2017)
Instrument Calibration Status	: Calibrated (upto 19.07.2022)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab. Representative
A. Observations:	
1. Sampling flow rate (Avg.)	: 2.05 LPM
2. Total volume of air sampled	: 0.123 m3
3. Period of sampling	: 60 min


S.N.	Test Parameters	Unit	Result	Requirement as per OSHA	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Respirable Aerosols Mass	mg/m3	0.813	5.0 Max	NIOSH 600 : 1998

End of Report

Remarks : Limits for Air Contaminants as per OSHA

Review by

Omni 05/04/22



Page No.: 1 of 1

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for perishable items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.



DOC No. HTH/QF7.8

HARYANA TEST HOUSE

& Consultancy Services

GOVT. RECOGNISED LABORATORY



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
 Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
 Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net

Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/220312002 ULR No. : TC781122100001562F Party's Ref No. : Letter No. Nil
	Booking Date : 12/03/2022 Period of Testing : 12/03/2022To 17/03/2022 Reporting Date : 17/03/2022

Sample Description	: Stack Emission (Dust Collector No. 501)
Type of Industry	: Paint Industry
Name of Plant/ Section	: Dust Collector
Date of sampling	: 25/02/2022
Source of Emission	: Stack Attached to Dust Collector No. 501
Instrument used	: Stack Sampler VSS1 (Sr.No. 247-DTK 2019)
Instrument Calibration Status	: Calibrated (upto 24.12.2022)
Type of Chimney	: Metal
Type of Fuel used	: NA
Stack height (from the ground level)	: 8 Feet
Stack diameter (at the sampling point)	: 12 Inch
Sample Location	: As Per Standard Norms
Purpose of sampling	: Monitoring
Sample collected by	: By our lab. Representative
A Observations	
1. Stack gas temperature, °C	: 32.0
2. Temperature at Metering point, °C	: 29.0
3. Avg. stack gas velocity, m/sec	: 5.74
4. Sampling flow rate, L/min.	: 24.0
5. Period of sampling, Minutes	: 30.0
6. Volumetric flow rate, Nm ³ / Hr	: 1415.58

B Results

S.N.	Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Particulate Matter (PM)	mg/m ³	15.29	50 Max	IS 11255 (Part-I) : 1985 ; RA: 2019

End of Report

Kirti
17.03.2022

Review by




ML Sharma

Dy. Manager (ENV.)

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for Perishable Items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.

Page No.: 1 of 1



DOC No. HTH/QF/7.8

HARYANA TEST HOUSE

& Consultancy Services
GOVT. RECOGNISED LABORATORY



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousescs@gmail.com, info@haryanatesthouse.net



Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To:
Asian Paint Ltd
Plot No.1, Sector- 30 B, IMT Rohtak (HR)

Report No. : HTH/EP/220312003
ULR No. : TC781122100001575F
Party's Ref No. : Letter No. Nil
Booking Date : 12/03/2022
Period of Testing : 12/03/2022 To 17/03/2022
Reporting Date : 19/03/2022

Sample Description	: Stack Emission (Dust Collector No. 502)
Type of Industry	: Paint Industry
Name of Plant/ Section	: Dust Collector
Date of sampling	: 25/02/2022
Source of Emission	: Stack Attached to Dust Collector No. 502
Instrument used	: Stack Sampler VSS1 (Sr.No. 247 DTK 2019)
Instrument Calibration Status	: Calibrated (upto 24.12.2022)
Type of Chimney	: Metal
Type of Fuel used	: NA
Stack height (from the ground level)	: 8 Feet
Stack diameter (at the sampling point)	: 12 Inch
Sample Location	: As Per Standard Norms
Purpose of sampling	: Monitoring
Sample collected by	: By our lab. Representative
A Observations	
1. Stack gas temperature, °C	: 34.0
2. Temperature at Metering point, °C	: 29.0
3. Avg. stack gas velocity, m/sec	: 5.66
4. Sampling flow-rate, Lt./min.	: 24.0
5. Period of sampling, Minutes	: 30.0
6. Volumetric flow rate, Nm ³ / Hr	: 1386.76

B Results

S.N.	Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Particulate Matter (PM)	mg/m ³	13.97		IS 11255 (Part-I) : 1985 : RA: 2019

End of Report

Kirti
19.03.22


Review by



Dy. Manager (ENV.)

Page No.: 1 of 1

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for perishable items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.



DOC No. HTH/QF/7.8

HARYANA TEST HOUSE

& Consultancy Services

GOVT. RECOGNISED LABORATORY



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
 Contact : (Off.) 86077-70160, 0180-3510205. (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
 Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To:

Asian Paint Ltd
 Plot No.1, Sector- 30 B, IMT Rohtak (HR)

Report No. : HTH/EP/220312004

ULR No. : TC781122100001576F

Party's Ref No. : Letter No. Nil

Booking Date : 12/03/2022

Period of Testing : 12/03/2022 To 17/03/2022

Reporting Date : 19/03/2022

Sample Description

: Stack Emission (Dust Collector No. 504)

Type of Industry

: Paint Industry

Name of Plant/ Section

: Dust Collector

Date of sampling

: 25/02/2022

Source of Emission

: Stack Attached to Dust Collector No. 504

Instrument used

: Stack Sampler VSS1 (Sr.No. 247 DTK 2019)

Instrument Calibration Status

: Calibrated (upto 24.12.2022)

Type of Chimney

: Metal

Type of Fuel used

: NA

Stack height (from the ground level)

: 8 Feet

Stack diameter (at the sampling point)

: 12 Inch

Sample Location

: As Per Standard Norms

Purpose of sampling

: Monitoring

Sample collected by

: By our lab. Representative

A Observations

1. Stack gas temperature, °C : 30.0
2. Temperature at Metering point, °C : 29.0
3. Avg. stack gas velocity, m/sec : 5.52
4. Sampling flow rate, Lt./min. : 24.0
5. Period of sampling, Minutes : 30.0
6. Volumetric flow rate, Nm³/ Hr : 1370.31

B Results

S.N.	Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Particulate Matter (PM)	mg/m ³	17.35		IS 11255 (Part-I) : 1985 : RA: 2019

End of Report

Kirti
19.03.2022


Review by



ML Sharma
 Dy. Manager (ENV.)

Page No.: 1 of 1

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for Perishable items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.



DOC No. HTH/QF/7.8

HARYANA TEST HOUSE

& Consultancy Services
GOVT. RECOGNISED LABORATORY



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR)
Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To:
Asian Paint Ltd
Plot No.1, Sector- 30 B, IMT Rohtak (HR)

Report No. : HTH/EP/220312005
ULR No. : TC781122100001577F
Party's Ref No. : Letter No. Nil
Booking Date : 12/03/2022
Period of Testing : 12/03/2022To 17/03/2022
Reporting Date : 19/03/2022

Sample Description	: Stack Emission (Dust Collector No. 503)
Type of Industry	: Paint Industry
Name of Plant/ Section	: Dust Collector
Date of sampling	: 25/02/2022
Source of Emission	: Stack Attached to Dust Collector No. 503
Instrument used	: Stack Sampler VSS1 (Sr.No. 247 DTK 2019)
Instrument Calibration Status	: Calibrated (upto 24.12.2022)
Type of Chimney	: Metal
Type of Fuel used	: NA
Stack height (from the ground level)	: 8 Feet
Stack diameter (at the sampling point)	: 12 inch
Sample Location	: As Per Standard Norms
Purpose of sampling	: Monitoring
Sample collected by	: By our lab. Representative
A Observations	
1. Stack gas temperature, °C	: 31.0
2. Temperature at Metering point, °C	: 29.0
3. Avg. stack gas velocity, m/sec	: 5.43
4. Sampling flow rate, Lt./min.	: 23.0
5. Period of sampling, Minutes	: 30.0
6. Volumetric flow rate, Nm ³ / Hr	: 1342.25

B Results

S.N. Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution				
1 Particulate Matter (PM)	mg/m ³	16.92		IS 11255 (Part-I) : 1985 ; RA: 2019

End of Report

Kimhi
19.03.2022

Review by



ML Sharma

Dy. Manager (ENV.)

Page No. 1 of 1

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for Perishable items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.



HARYANA TEST HOUSE

& Consultancy Services
GOVT. RECOGNISED LABORATORY



DOC No. HTH/QF7.8

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR)
Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousec@gmail.com, info@haryanatesthouse.net



Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To:	
Asian Paint Ltd	
Plot No.1, Sector- 30 B, IMT Rohtak (HR)	

Report No.	: HTH/EP/220330002
ULR No.	: TC781122100001875F
Party's Ref No.	: Letter No. Nil
Booking Date	: 30/03/2022
Period of Testing	: 30/03/2022 To 04/04/2022
Reporting Date	: 05/04/2022

Sample Description	:	Stack Emission (Dust Collector No. 501)
Type of Industry	:	Paint Industry
Name of Plant/ Section	:	Dust Collector
Date of sampling	:	30/03/2022
Source of Emission	:	Stack Attached to Dust Collector No. 501
Instrument used	:	Stack Sampler VSS1 (Sr.No. 247 DTK 2019)
Instrument Calibration Status	:	Calibrated (upto 24.12.2022)
Type of Chimney	:	Metal
Type of Fuel used	:	NA
Stack height (from the ground level)	:	8 Feet
Stack diameter (at the sampling point)	:	12 inch
Sample Location	:	As Per Standard Norms
Purpose of sampling	:	Monitoring
Sample collected by	:	By our lab. Representative
A Observations		
1. Stack gas temperature, °C	:	35.0
2. Temperature at Metering point, °C	:	29.0
3. Avg. stack gas velocity, m/sec	:	7.42
4. Sampling flow rate, Lt./min.	:	30.0
5. Period of sampling, Minutes	:	30.0
6. Volumetric flow rate, Nm³/ Hr	:	1812.07

B Results

S.N.	Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Particulate Matter (PM)	mg/m³	18.24	50 Max	IS 11255 (Part-I) : 1985 : RA: 2019

End of Report

Review by

Chintu 05/04/22



ML Sharma
Dy. Manager (ENV.)

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for Perishable items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.

Page No.: 1 of 1



DOC No. HTH/QF/7.8

HARYANA TEST HOUSE

& Consultancy Services
GOVT. RECOGNISED LABORATORY



TC-7811

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR).
Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To:
Asian Paint Ltd
Plot No.1, Sector- 30 B, IMT Rohtak (HR)

Report No.	: HTH/EP/220330003
ULR No.	: TC781122100001876F
Party's Ref No.	: Letter No. Nil
Booking Date	: 30/03/2022
Period of Testing	: 30/03/2022 To 04/04/2022
Reporting Date	: 05/04/2022

Sample Description	: Stack Emission (Dust Collector No. 503)
Type of Industry	: Paint Industry
Name of Plant/ Section	: Dust Collector
Date of sampling	: 30/03/2022
Source of Emission	: Stack Attached to Dust Collector No. 503
Instrument used	: Stack Sampler VSS1 (Sr.No. 247 DTK 2019)
Instrument Calibration Status	: Calibrated (upto 24.12.2022)
Type of Chimney	: Metal
Type of Fuel used	: NA
Stack height (from the ground level)	: 8 Feet
Stack diameter (at the sampling point)	: 12 Inch
Sample Location	: As Per Standard Norms
Purpose of sampling	: Monitoring
Sample collected by	: By our lab. Representative
A Observations	
1. Stack gas temperature, °C	: 37.0
2. Temperature at Metering point, °C	: 30.0
3. Avg. stack gas velocity, m/sec	: 6.71
4. Sampling flow rate, Lt./min.	: 27.0
5. Period of sampling, Minutes	: 30.0
6. Volumetric flow rate, Nm ³ / Hr	: 1628.11

B Results

S.N.	Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Particulate Matter (PM)	mg/m ³	14.55	50 Max	IS 11255 (Part-I) : 1985 : RA: 2019


End of Report

Review by

Chirin 05/04/22ML Sharma
Dy. Manager (ENV.)

Page No.: 1 of 1

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for perishable items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.



DOC No. HTH/QF/7.8

HARYANA TEST HOUSE

& Consultancy Services
GOVT. RECOGNISED LABORATORY



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net

Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To:
Asian Paint Ltd
Plot No.1, Sector- 30 B, IMT Rohtak (HR)

Report No.	: HTH/EP/220330004
ULR No.	: TC781122100001877F
Party's Ref No.	: Letter No. Nil
Booking Date	: 30/03/2022
Period of Testing	: 30/03/2022 To 04/04/2022
Reporting Date	: 05/04/2022

Sample Description	:	Stack Emission (Dust Collector No. 504)
Type of Industry	:	Paint Industry
Name of Plant/ Section	:	Dust Collector
Date of sampling	:	30/03/2022
Source of Emission	:	Stack Attached to Dust Collector No. 504
Instrument used	:	Stack Sampler VSS1 (Sr.No. 247 DTK 2019)
Instrument Calibration Status	:	Calibrated (upto 24.12.2022)
Type of Chimney	:	Metal
Type of Fuel used	:	NA
Stack height (from the ground level)	:	8 Feet
Stack diameter (at the sampling point)	:	12 inch
Sample Location	:	As Per Standard Norms
Purpose of sampling	:	Monitoring
Sample collected by	:	By our lab. Representative
A Observations		
1. Stack gas temperature, °C	:	34.0
2. Temperature at Metering point, °C	:	28.0
3. Avg. stack gas velocity, m/sec	:	6.93
4. Sampling flow rate, Lt./min.	:	28.0
5. Period of sampling, Minutes	:	30.0
6. Volumetric flow rate, Nm ³ / Hr	:	1697.92

B Results

S.N. Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution				
1 Particulate Matter (PM)	mg/m ³	16.25	50 Max	IS 11255 (Part-I) : 1985 : RA: 2019


End of Report

Review By

Omni 03/04/22

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for perishable items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.

Page No.: 1 of 1



DOC No. HTH/QF7.8

HARYANA TEST HOUSE

& Consultancy Services
GOVT. RECOGNISED LABORATORY



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To:
Asian Paint Ltd
Plot No.1, Sector- 30 B, IMT Rohtak (HR)

Report No. : HTH/EP/220330005
ULR No. : TC781122100001878F
Party's Ref No. : Letter No. Nil
Booking Date : 30/03/2022
Period of Testing : 30/03/2022To 04/04/2022
Reporting Date : 05/04/2022

Sample Description	: Stack Emission (Dust Collector No. 505)
Type of Industry	: Paint Industry
Name of Plant/ Section	: Dust Collector
Date of sampling	: 30/03/2022
Source of Emission	: Stack Attached to Dust Collector No. 505
Instrument used	: Stack Sampler VSS1 (Sr.No. 247 DTK 2019)
Instrument Calibration Status	: Calibrated (upto 24.12.2022)
Type of Chimney	: Metal
Type of Fuel used	: NA
Stack height (from the ground level)	: 8 Feet
Stack diameter (at the sampling point)	: 1.2 Inch
Sample Location	: As Per Standard Norms
Purpose of sampling	: Monitoring
Sample collected by	: By our lab. Representative
A Observations	
1. Stack gas temperature, °C	: 36.0
2. Temperature at Metering point, °C	: 30.0
3. Avg. stack gas velocity, m/sec	: 7.28
4. Sampling flow rate, Lt./min.	: 30.0
5. Period of sampling, Minutes	: 30.0
6. Volumetric flow rate, Nm ³ /Hr	: 1772.13

B Results

S.N. Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution				
1 Particulate Matter (PM)	mg/m ³	11.88	50 Max	IS 11255 (Part-I) : 1985 : RA: 2019

End of Report

Review by 05/04/22

ML Sharma
Dy. Manager (ENV.)

Page No.: 1 of 1

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for Perishable items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.



DOC No. HTH/QF/7.8

HARYANA TEST HOUSE

& Consultancy Services
GOVT. RECOGNISED LABORATORY



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To:	Report No. : HTH/EP/220330001
Asian Paint Ltd	ULR No. : TC781122100001886F
Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Party's Ref No. : Nil
	Booking Date : 30/03/2022
	Period of Testing : 30/03/2022To 04/04/2022
	Reporting Date : 05/04/2022

Sample Description	: Stack Emission (Boiler, 2 TPH)
Type of Industry	: Paint Industry
Name of Plant/ Section	: Boiler Section
Date of sampling	: 30/03/2022
Capacity of Boiler	: 2 TPH
Source of Emission	: Stack Attached to Boiler No. 501
Instrument used	: Stack Sampler VSS1 (Sr.No. 247 DTK 2019)
Instrument Calibration Status	: Calibrated (upto 24.12.2022)
Type of stack	: Metal
Type of Fuel used	: LPG
Stack height (from the ground level)	: 30 meter
Stack diameter (at the sampling point)	: 0.83 meter
Sample Location	: As per standard norms
Purpose of sampling	: Monitoring
Sample collected by	: By our Lab. Representative
Type of APCM	: NS
A Observations	
1. Stack gas temperature, °C	: 90.0
2. Temperature at Metering point, °C	: 31.0
3. Avg. stack gas velocity, m/sec	: 6.98
4. Sampling flow rate, Lt./min.	: 25.0
5. Period of sampling, Minutes	: 30.0
6. Volumetric flow rate, Nm ³ / Hr	: 10725.01

B Results

S.N.	Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Particulate Matter (PM)	mg/m ³	16.01	-	IS 11255 (Part-I) : 1985 : RA: 2019
2	Sulphur Dioxide (SO ₂)	mg/m ³	15.71	-	HTH/QF/7.2/2/CH-02, SOP No-23
3	Nitrogen Dioxide (NO ₂)	mg/m ³	41.39	-	HTH/QF/7.2/2/CH-02, SOP No-23
4	Carbon Dioxide (CO ₂)	% v/v	9.40	-	HTH/QF/7.2/2/CH-02, SOP No-23

End of Report


Remarks : Particulate Matter Corrected @ 12 % Carbon Dioxide (CO₂)

Review by 05/04/2022
Review by 05/04/2022



- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for Perishable items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.

Page No.: 1 of 1



DOC No. HTH/QF7.8

HARYANA TEST HOUSE

& Consultancy Services

GOVT. RECOGNISED LABORATORY



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR)
 Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
 Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To:
 Asian Paint Ltd
 Plot No.1, Sector- 30 B, IMT Rohtak (HR)

Report No. : HTH/EP/211129056
 ULR No. : TC781121100003188F
 Party's Ref No. : Nil
 Booking Date : 29/11/2021
 Period of Testing : 29/11/2021 To 01/12/2021
 Reporting Date : 01/12/2021

Sample Description	: Stack Emission (Boiler, 4 TPH)
Type of Industry	: Paint Industry
Name of Plant/ Section	: Boiler Section
Date of sampling	: 29/11/2021
Capacity of Boiler	: 4 TPH
Source of Emission	: Stack Attached to Boiler No. 503
Instrument used	: Stack Sampler VSS1 (Sr.No. 673 DTK 09)
Instrument Calibration Status	: Calibrated (upto 27.12.2021)
Type of stack	: Metal
Type of Fuel used	: HSD
Stack height (from the ground level)	: 30 meter
Stack diameter (at the sampling point)	: 0.83 meter
Sample Location	: As per standard norms
Purpose of sampling	: Monitoring
Sample collected by	: By our Lab. Representative
Type of APCM	:
A Observations	
1. Stack gas temperature, °C	: 127.0
2. Temperature at Metering point, °C	: 24.0
3. Avg. stack gas velocity, m/sec	: 6.80
4. Sampling flow rate, Lt./min.	: 22.0
5. Period of sampling, Minutes	: 30.0
6. Volumetric flow rate, Nm ³ /Hr	: 9481.95

B Results

S.N. Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution				
1 Particulate Matter (PM)	mg/m ³	80.49	800 Max	IS 11255 (Part-I) : 1985 : RA: 2019
2 Sulphur Dioxide (SO ₂)	mg/m ³	20.94	-	HTH/QF/7.2/2/CH-02, SOP No-23
3 Nitrogen Dioxide (NO ₂)	mg/m ³	97.83	-	HTH/QF/7.2/2/CH-02, SOP No-23
4 Carbon Dioxide (CO ₂)	% v/v	8.20	-	HTH/QF/7.2/2/CH-02, SOP No-23

Remarks : Particulate Matter Corrected @ 12 % Carbon Dioxide (CO₂)

End of Report

Review By

Signature over Review By

Date: 29/11/2021



ML Sharma

Dy. Manager (ENV.)

T010
01.12.22

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for Perishable Items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.

Page No.: 1 of 1

Annexure -III



Renewal
Certificate

To whomsoever it may concern
 This is to certify that

ASIAN PAINTS LTD

**PLOT NO - 01, SECTOR-30B,
 IMT, VILLAGE - KHERISADH,
 ROHTAK
 Haryana**

is a valid member of

Gujarat Enviro-Protection And Infrastructure (Haryana) Pvt Limited

for Integrated Common Hazardous Waste Management Facility.

**This membership is valid for a period of
 5 Years**

For, Gujarat Enviro-Protection And Infrastructure (Haryana)
 Pvt Limited

Date of issue : 15.03.2021

Date of expiration : 14.03.2026

Place of Issue : SURAT

A Luthra Group company
**GUJARAT ENVIRO PROTECTION
 & INFRASTRUCTURE (HARYANA) Pvt.Ltd.**
 CIN - U29197MH2005PTC262236
 Near Pali-Mohabatbad Stone Crusher Zone,
 Pali, Faridabad - 121004
 Tel. : +91 129-4004954, +91 9711890001
 e-mail : haryana@luthraindia.com



Certificate No : 4100003976

Waste Information

SrNo	Type Of Waste	Sign Qty(TPA)	SrNo	Type Of Waste	Sign Qty(TPA)
1	CHEMICAL RESIDUE FROM DECONTAMINATION	10.000	2	CHEMICAL SLUDGE.	225.000
3	DISCARDED LINER CONTAINERS.	25.000	4	FILTER CONTAMINATED WITH OIL.	10.000
5	OIL & GREASE SKIMMING RESIDU.	5.000	6	OIL CONTAMINATED WITH WW SLUDGE	10.000
7	PROCESS WASTE.	125.000	8	SPENT CARBON.	5.000
9	WASTE RESIDUE.	80.000	10	WASTE SOLVENT.	30.000
Total Sign Qty (TPA)					525.000

Director/Authorised signatory

SUBJECT TO FARIDABAD JURISDICTION



Annexure -IV



Test Report

Document QF : 2501
Page 1 of 1

Issued To	Sample Reg. No. :E01-2102010020 Sample Reg. Date :01-02-2021 Report Date :05-02-2021 Report No. :ICE-2102050221 NABL ULR No. :TC592621000001283F Customer Ref. No.:PO Letter Dated :25.05.2020
------------------	--

Test Report as per	: NAAQS 2009
General Information	
Location of Sampling Point	: Near ETP Area
Date of Monitoring	: 21-01-2021
Purpose of Monitoring	: For Self Monitoring
Duration of Monitoring,minutes	: 480
Avg. Flow Rate of Sampling,m3/min	: 0.05
Volume of air sampled,m3	: 23.85
Avg. Ambient Temperature,°C	: 19

TEST RESULTS				
Description				
Description		Ambient Air VOC Monitoring		
S.No.	Test Parameter	Method	Requirement	Result
Test Details :				
I.	Ambient Air Quality Parameters			
a.	Benzene (C ₆ H ₆),µg/m ³	IS 5182 (Part II)	5 Max	1.2
b.	Toluene, µg/m ³	IS 5182 (Part II)	Not Specified	BLQ (LOQ:1.0)
c.	Xylene, µg/m ³	IS 5182 (Part II)	Not Specified	BLQ (LOQ:1.0)

*# represents Customer Defined Fields

NOTE : NA- Not Applicable, BLQ- Below limit of Quantification, LOQ- Limit of Quantification, Requirement as per NAAQS 2009. Sampling Procedure: SOP/ITC/EW/056

REMARKS :N/A

*****End Of Report*****

Saurabh Sharma
Saurabh Sharma
05-02-2021
Reviewer



Prem Kumar
Prem Kumar
[Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.
(ISO 9001:2015 & 14001:2015 OHSAS 18001:2007 Certified Laboratory)
(A Government Approved Test House)
86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)
Phone : (O) 0172-2561543, 2565825
Visit us : www.itclabs.com Email : customersupport@itclabs.com

Disclaimer :

- Sample(s) not drawn by us unless otherwise stated.
- Total Liability of this Laboratory is limited to the Invoiced amount.
- Test certificates in full or parts shall not be used for promotional or publicity purpose.
- If sample is not consumed during analysis, it will be stored as per required storage condition.

Test Report

Issued To	Sample Reg. No. :E01-2102010021 Sample Reg. Date :01-02-2021 Report Date :05-02-2021 Report No. :ICE-2102050223 NABL ULR No. :TC592621000001284F Customer Ref. No.:PO Letter Dated :25.05.2020
------------------	--

Test Report as per	: NAAQS 2009
General Information	
Location of Sampling Point	: Gate No.3
Date of Monitoring	: 21-01-2021
Purpose of Monitoring	: For Self Monitoring
Duration of Monitoring,minutes	: 480
Avg. Flow Rate of Sampling,m3/min	: 0.05
Volume of air sampled,m3	: 24.58
Avg. Ambient Temperature,°C	: 18

TEST RESULTS				
Description				
S.No.	Test Parameter	Method	Requirement	Result
Test Details :				
I.	Ambient Air Quality Parameters			
a.	Benzene (C_6H_6). $\mu g/m^3$	IS 5182 (Part II)	S Max	1.4
b.	Toluene, $\mu g/m^3$	IS 5182 (Part II)	Not Specified	BLQ (LOQ:1.0)
c.	Xylene, $\mu g/m^3$	IS 5182 (Part II)	Not Specified	BLQ (LOQ:1.0)

represents Customer Defined Fields

NOTE : NA- Not Applicable, BLQ- Below limit of Quantification, LOQ- Limit of Quantification, Requirement as per NAAQS 2009. Sampling Procedure: SOP/ITC/EW/056

REMARKS :N/A

*****End Of Report*****

Saurabh Sharma
Saurabh Sharma
05-02-2021
Reviewer



Prem Kumar
05-02-2021
Prem Kumar
{Authorized Signatory}

Interstellar Testing Centre Pvt. Ltd.
(ISO 9001:2015 & 14001:2015 OHSAS 18001:2007 Certified Laboratory)
(A Government Approved Test House)
86, Industrial Area, Phase-1, Paanchkula-134109 (Haryana)
Phone : (O) 0172-2561543, 2565825
Visit us : www.itclabs.com Email : customersupport@itclabs.com

Disclaimer :

- Sample (s) not drawn by us unless otherwise stated.
- Total Liability of this Laboratory is limited to the Invoiced amount.
- Test certificates in full or parts shall not be used for promotional or publicity purpose.
- If sample is not consumed during analysis,it will be stored as per required storage condition.

Test Report

Document QF : 2501
Page 1 of 1

Issued To	Sample Reg. No. :E01-2102010022 Sample Reg. Date :01-02-2021 Report Date :05-02-2021 Report No. :ICE-2102050225 NABL ULR No. :TC592621000001285F Customer Ref. No.:PO Letter Dated :25.05.2020
------------------	--

Test Report as per	: NAAQS 2009
General Information	
Location of Sampling Point	: Gate No.1
Date of Monitoring	: 21-01-2021
Purpose of Monitoring	: For Self Monitoring
Duration of Monitoring, minutes	: 480
Avg. Flow Rate of Sampling, m ³ /min	: 0.05
Volume of air sampled, m ³	: 23.85
Avg. Ambient Temperature, °C	: 19

TEST RESULTS					
Description					
S.No.		Test Parameter	Method	Requirement	Result
Test Details :					
1.		Ambient Air Quality Parameters			
a.	Benzene (C ₆ H ₆), µg/m ³	IS 5182 (Part 11)	5 Max	1.4	
b.	Toluene, µg/m ³	IS 5182 (Part 11)	Not Specified	1.2	
c.	Xylenes, µg/m ³	IS 5182 (Part 11)	Not Specified	BLQ (LOQ:1.0)	

represents Customer Defined Fields

NOTE : NA- Not Applicable, BLQ- Below limit of Quantification, LOQ- Limit of Quantification, Requirement as per NAAQS 2009. Sampling Procedure: SOP/ITC/EW/056

REMARKS :N/A

*****End Of Report*****

Saurabh Sharma
Saurabh Sharma
05-02-2021
Reviewer



Prem Kumar
Prem Kumar
05-02-2021
[Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.
(ISO 9001:2015 & 14001:2015 OHSAS 18001:2007 Certified Laboratory)
(A Government Approved Test House)
86, Industrial Area, Phase-1, Panchkula-134109 (Haryana)
Phone : (O) 0172-2561543, 2565825
Visit us : www.itclabs.com Email : customersupport@itclabs.com

Disclaimer :

- Sample (s) not drawn by us unless otherwise stated.
- Total Liability of this Laboratory is limited to the Invoiced amount.
- Test certificates in full or parts shall not be used for promotional or publicity purpose.
- If sample is not consumed during analysis,it will be stored as per required storage condition.

Test Report

Document QF : 2501
Page 1 of 1

Issued To Asian Paints Limited Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak Rohtak	Sample Reg. No. :E01-2102010023 Sample Reg. Date :01-02-2021 Report Date :05-02-2021 Report No. :ICE-2102050226 NABL ULR No. :TC592621000001286F Customer Ref. No. :PO Letter Dated :25.05.2020
--	--

Test Report as per	: NAAQS 2009
General Information	
Location of Sampling Point	: Gate No.2
Date of Monitoring	: 22-01-2021
Purpose of Monitoring	: For Self Monitoring
Duration of Monitoring,minutes	: 480
Avg. Flow Rate of Sampling,m3/min	: 0.05
Volume of air sampled,m3	: 24.41
Avg. Ambient Temperature,°C	: 20

TEST RESULTS				
Description				
S.No.	Test Parameter	Method	Requirement	Result
Test Details :				
1.	Ambient Air Quality Parameters			
a.	Benzene (C_6H_6), $\mu g/m^3$	IS 5182 (Part II)	5 Max	1.6
b.	Toluene, $\mu g/m^3$	IS 5182 (Part II)	Not Specified	1.3
c.	Xylene, $\mu g/m^3$	IS 5182 (Part II)	Not Specified	1.1

represents Customer Defined Fields

NOTE : NA- Not Applicable, BLQ- Below limit of Quantification, LOQ- Limit of Quantification, Requirement as per NAAQS 2009. Sampling Procedure: SOP/ITC/EW/056

REMARKS :N/A

*****End Of Report*****

Saurabh Sharma
Saurabh Sharma
05-02-2021
Reviewer



Prem Kumar
Prem Kumar
05-02-2021
(Authorized Signatory)

Interstellar Testing Centre Pvt. Ltd.
(ISO 9001:2015 & 14001:2015 OHSAS 18001:2007 Certified Laboratory)
(A Government Approved Test House)
86, Industrial Area, Phase-I, Faughkula-134109 (Haryana)
Phone : (O) 0172-2561543, 2565825
Visit us : www.itclabs.com Email : customersupport@itclabs.com

Disclaimer :

- Sample(s) not drawn by us unless otherwise stated.
- Total Liability of this Laboratory is limited to the Invoiced amount.
- Test certificates in full or parts shall not be used for promotional or publicity purpose.
- If sample is not consumed during analysis, it will be stored as per required storage condition.



HARYANA TEST HOUSE

& Consultancy Services
GOVT. RECOGNISED LABORATORY



DOC No. HTH/QF/7.8

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR)
Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/220302003 ULR No. : TC781122100001431F Party's Ref No. : Nil
Sample Description : Ambient Air Quality Monitoring	Booking Date : 02/03/2022 Period of Testing : 02/03/2022To 08/03/2022 Reporting Date : 08/03/2022

Type of Industry	: Paint Industry
Date & time of sampling	: 01/03/2022 (10:00 Hrs) to 02/03/2022 (10:00 Hrs)
Sample Location	: Near Gate-1
Instrument used	: RDS Model APM- 460 (Sr. No. 2493 DTB 2019)
Instrument Calibration Status	: Calibrated (upto 10.04.2022)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our Lab. Representative
A. Observations:	
1. Sampling flow rate (Avg.)	: 1.20 m3/min
2. Total volume of air sampled	: 1728.00 m3
3. Period of sampling	: 24 Hrs

S.N.	Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution					
1	Particulate Matter (PM10)	µg/m³	86.92	100 max	IS 5182 (Part-23) : 2006 : RA: 2017
2	Particulate Matter (PM 2.5)	µg/m³	44.58	60 max	IS 5182 (Part-24) : 2019
3	Sulphur Dioxide (SO₂)	µg/m³	18.54	80 max	IS 5182 (Part-2) : 2001 : RA: 2017
4	Nitrogen Dioxide (NO₂)	µg/m³	37.54	80 max	IS 5182 (Part-6) : 2006 : RA: 2017
5	Ammonia (NH₃)	µg/m³	44.28	400 max	IS 5182 (Part-25) : 2018
6	Ozone (O₃)	µg/m³	21.31	100 max	IS 5182 (Part-9) : 1974 : RA: 2017
7	Carbon Monoxide (CO)	mg/m³	0.687	4 max	IS 5182 (Part-10) : 1999 : RA: 2017
8	Benzene (C₆H₆)	µg/m³	BLQ (LOQ-0.52)	5 max	IS 5182 (Part-11) : 2006 : RA: 2017
9	Benzo - Pyrene (BaP)	ng/m³	BLQ (LOQ-0.1)	1 max	IS 5182 (Part-12) : 2004 : RA: 2019
10	Lead (Pb)	µg/m³	BLQ (LOQ-0.02)	1 max	IS 5182 (Part-22) : 2004 : RA: 2019
11	Nickel (Ni)	ng/m³	BLQ (LOQ:2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12	Arsenic (As)	ng/m³	BLQ (LOQ:1)	6 max	HTH/QF/7.2/2/ICP-01 SOP No 17

End of Report

Remarks : Standard limits are as per CPCB notification Nov. 2009

BLQ : Below limit of Quantification / LOQ : Limit of Quantification

Review by

*Chintan
08/03/22*



- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
2. This report should not be used in any advertising media without our special permission in writing.
3. Sample will be destroyed after 7 days for perishable items & 30 days for non-perishable items from the date of issue of test report.
4. The results are related to the test items only.

Page No.: 1 of 1



HARYANA TEST HOUSE

& Consultancy Services
GOVT. RECOGNISED LABORATORY



DOC No. HTH/QF7.8

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
 Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
 Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net

Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/220302004 ULR No. : TC781122100001432F Party's Ref No. : Nil
	Booking Date : 02/03/2022 Period of Testing : 02/03/2022 To 08/03/2022 Reporting Date : 08/03/2022

Sample Description : Ambient Air Quality Monitoring

Type of Industry	: Paint Industry
Date & time of sampling	: 01/03/2022 (10:00 Hrs) to 02/03/2022 (10:00 Hrs)
Sample Location	: Near Gate-3
Instrument used	: RDS Model APM- 460 (Sr. No. 2494 DTB 2019)
Instrument Calibration Status	: Calibrated (upto 10.04.2022)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our Lab. Representative
A. Observations:	
1. Sampling flow rate (Avg.)	: 1.26 m3/min
2. Total volume of air sampled	: 1814.40 m3
3. Period of sampling	: 24 Hrs

S.N.	Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution					
1	Particulate Matter (PM10)	µg/m³	83.77	100 max	IS 5182 (Part-23) : 2006 : RA: 2017
2	Particulate Matter (PM 2.5)	µg/m³	41.67	60 max	IS 5182 (Part-24) : 2019
3	Sulphur Dioxide (SO₂)	µg/m³	16.53	80 max	IS 5182 (Part-2) : 2001 : RA: 2017
4	Nitrogen Dioxide (NO₂)	µg/m³	38.84	80 max	IS 5182 (Part-6) : 2006 : RA: 2017
5	Ammonia (NH₃)	µg/m³	44.80	400 max	IS 5182 (Part-25) : 2018
6	Ozone (O₃)	µg/m³	20.92	100 max	IS 5182 (Part-9) : 1974 : RA: 2017
7	Carbon Monoxide (CO)	mg/m³	0.802	4 max	IS 5182 (Part-10) : 1999 : RA: 2017
8	Benzene (C₆H₆)	µg/m³	BLQ (LOQ-0.52)	5 max	IS 5182 (Part-11) : 2006 : RA: 2017
9	Benzo - Pyrene (BaP)	ng/m³	BLQ (LOQ-0.1)	1 max	IS 5182 (Part-12) : 2004 : RA: 2019
10	Lead (Pb)	µg/m³	BLQ (LOQ-0.02)	1 max	IS 5182 (Part-22) : 2004 : RA: 2019
11	Nickel (Ni)	ng/m³	BLQ (LOQ:2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12	Arsenic (As)	ng/m³	BLQ (LOQ:1)	6 max	HTH/QF/7.2/2/ICP-01 SOP No 17

End of Report

Remarks : Standard limits are as per CPCB notification Nov. 2009

BLQ : Below limit of Quantification / LOQ : Limit of Quantification

Review by
08/03/22



Dy. Manager (Env.)

Page No.: 1 of 1

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for perishable items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.



DOC No. HTH/QF/7.8

HARYANA TEST HOUSE

& Consultancy Services
GOVT. RECOGNISED LABORATORY



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net

Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/220314010 ULR No. : TC781122100001566F Party's Ref No. : Nil
	Booking Date : 14/03/2022 Period of Testing : 14/03/2022 To 19/03/2022 Reporting Date : 19/03/2022

Sample Description : Ambient Air Quality Monitoring

Type of Industry	: Paint Industry
Date & time of sampling	: 12/03/2022 (10:00 Hrs) to 13/03/2022 (10:00 Hrs)
Sample Location	: Near Main Gate
Instrument used	: RDS Model APM- 460 (Sr. No. 2493 DTB 2019)
Instrument Calibration Status	: Calibrated (upto 10.04.2022)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our Lab. Representative
A. Observations:	
1. Sampling flow rate (Avg.)	: 1.20 m3/min
2. Total volume of air sampled	: 1728.00 m3
3. Period of sampling	: 24 Hrs

S.N.	Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution					
1	Particulate Matter (PM10)	µg/m³	89.99	100 max	IS 5182 (Part-23) : 2006 : RA: 2017
2	Particulate Matter (PM 2.5)	µg/m³	46.67	60 max	IS 5182 (Part-24) : 2019
3	Sulphur Dioxide (SO₂)	µg/m³	21.41	80 max	IS 5182 (Part-2) : 2001 : RA: 2017
4	Nitrogen Dioxide (NO₂)	µg/m³	38.84	80 max	IS 5182 (Part-6) : 2006 : RA: 2017
5	Ammonia (NH₃)	µg/m³	46.75	400 max	IS 5182 (Part-25) : 2018
6	Ozone (O₃)	µg/m³	22.11	100 max	IS 5182 (Part-9) : 1974 : RA: 2017
7	Carbon Monoxide (CO)	mg/m³	0.802	4 max	IS 5182 (Part-10) : 1999 : RA: 2017
8	Benzene (C6H₆)	µg/m³	BLQ (LOQ-0.52)	5 max	IS 5182 (Part-11) : 2006 : RA: 2017
9	Benzo - Pyrene (BaP)	ng/m³	BLQ (LOQ-0.1)	1 max	IS 5182 (Part-12) : 2004 : RA: 2019
10	Lead (Pb)	µg/m³	BLQ (LOQ-0.02)	1 max	IS 5182 (Part-22) : 2004 : RA: 2019
11	Nickel (Ni)	ng/m³	BLQ (LOQ-0.2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12	Arsenic (As)	ng/m³	BLQ (LOQ-1)	6 max	HTH/QF/7.2/2/ICP-01 SOP No 17

End of Report

Remarks : Standard limits are as per CPCB notification Nov. 2009


BLQ : Below limit of Quantification / LOQ : Limit of Quantification

Kimhi
17.03.2022
Review by



Page No.: 1 of 1

Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
2. This report should not be used in any advertising media without our special permission in writing.
3. Sample will be destroyed after 7 days for perishable items & 30 days for non-perishable items from the date of issue of test report.
4. The results are related to the test items only.



DOC No. HTH/QF/7.8

HARYANA TEST HOUSE

& Consultancy Services

GOVT. RECOGNISED LABORATORY

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
 Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
 Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/220314011 ULR No. : TC781122100001567F Party's Ref No. : Nil Booking Date : 14/03/2022 Period of Testing : 14/03/2022To 19/03/2022 Reporting Date : 19/03/2022
--	---

Sample Description : Ambient Air Quality Monitoring

Type of Industry	: Paint Industry
Date & time of sampling	: 12/03/2022 (10:00 Hrs) to 13/03/2022 (10:00 Hrs)
Sample Location	: Near ETP Area
Instrument used	: RDS Model APM- 460 (Sr. No. 2494 DTB 2019)
Instrument Calibration Status	: Calibrated (upto 10.04.2022)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our Lab. Representative
A. Observations:	
1. Sampling flow rate (Avg.)	: 1.16 m3/min
2. Total volume of air sampled	: 1663.20 m3
3. Period of sampling	: 24 Hrs

S.N.	Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution					
1	Particulate Matter (PM10)	µg/m³	85.68	100 max	IS 5182 (Part-23) : 2006 : RA: 2017
2	Particulate Matter (PM 2.5)	µg/m³	43.75	60 max	IS 5182 (Part-24) : 2019
3	Sulphur Dioxide (SO₂)	µg/m³	16.86	80 max	IS 5182 (Part-2) : 2001 : RA: 2017
4	Nitrogen Dioxide (NO₂)	µg/m³	34.64	80 max	IS 5182 (Part-6) : 2006 : RA: 2017
5	Ammonia (NH₃)	µg/m³	43.91	400 max	IS 5182 (Part-25) : 2018
6	Ozone (O₃)	µg/m³	20.13	100 max	IS 5182 (Part-9) : 1974 : RA: 2017
7	Carbon Monoxide (CO)	mg/m³	0.573	4 max	IS 5182 (Part-10) : 1999 : RA: 2017
8	Benzene (C₆H₆)	µg/m³	BLQ (LOQ-0.52)	5 max	IS 5182 (Part-11) : 2006 : RA: 2017
9	Benzo - Pyrene (BaP)	ng/m³	BLQ (LOQ-0.1)	1 max	IS 5182 (Part-12) : 2004 : RA: 2019
10	Lead (Pb)	µg/m³	BLQ (LOQ-0.02)	1 max	IS 5182 (Part-22) : 2004 : RA: 2019
11	Nickel (Ni)	ng/m³	BLQ (LOQ-2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12	Arsenic (As)	ng/m³	BLQ (LOQ-1)	6 max	HTH/QF/7.2/2/ICP-01 SOP No 17

End of Report

Remarks : Standard limits are as per CPCB notification Nov. 2009

BLQ : Below limit of Quantification / LOQ : Limit of Quantification

Kiran
19.03.2022
Review by



- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for perishable items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.

Page No.: 1 of 1



DOC No. HTH/QF/7.8

HARYANA TEST HOUSE

& Consultancy Services
GOVT. RECOGNISED LABORATORY



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net

Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/220315002 ULR No. : TC781122100001605F Party's Ref No. : NII Booking Date : 15/03/2022 Period of Testing : 15/03/2022 To 21/03/2022 Reporting Date : 21/03/2022
--	--

Sample Description : Ambient Air Quality Monitoring

Type of Industry	: Paint Industry
Date & time of sampling	: 14/03/2022 (10:00 Hrs) to 15/03/2022 (10:00 Hrs)
Sample Location	: Near Gate-1
Instrument used	: RDS Model APM- 460 (Sr. No. 2493 DTB 2019)
Instrument Calibration Status	: Calibrated (upto 10.04.2022)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our Lab. Representative
A. Observations:	
1. Sampling flow rate (Avg.)	: 1.20 m ³ /min
2. Total volume of air sampled	: 1720.80 m ³
3. Period of sampling	: 24 Hrs

S.N.	Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution					
1	Particulate Matter (PM10)	µg/m ³	87.11	100 max	IS 5182 (Part-23) : 2006 : RA: 2017
2	Particulate Matter (PM 2.5)	µg/m ³	45.42	60 max	IS 5182 (Part-24) : 2019
3	Sulphur Dioxide (SO ₂)	µg/m ³	18.54	80 max	IS 5182 (Part-2) : 2001 : RA: 2017
4	Nitrogen Dioxide (NO ₂)	µg/m ³	35.61	80 max	IS 5182 (Part-6) : 2006 : RA: 2017
5	Ammonia (NH ₃)	µg/m ³	48.37	400 max	IS 5182 (Part-25) : 2018
6	Ozone (O ₃)	µg/m ³	21.31	100 max	IS 5182 (Part-9) : 1974 : RA: 2017
7	Carbon Monoxide (CO)	mg/m ³	0.916	4 max	IS 5182 (Part-10) : 1999 : RA: 2017
8	Benzene (C ₆ H ₆)	µg/m ³	BLQ (LOQ-0.52)	5 max	IS 5182 (Part-11) : 2006 : RA: 2017
9	Benzo - Pyrene (BaP)	ng/m ³	BLQ (LOQ-0.1)	1 max	IS 5182 (Part-12) : 2004 : RA: 2019
10	Lead (Pb)	µg/m ³	BLQ (LOQ-0.02)	1 max	IS 5182 (Part-22) : 2004 : RA: 2019
11	Nickel (Ni)	ng/m ³	BLQ (LOQ:2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12	Arsenic (As)	ng/m ³	BLQ (LOQ:1)	6 max	HTH/QF/7.2/2/ICP-01 SOP No 17

End of Report

Remarks : Standard limits are as per CPCB notification Nov. 2009

BLQ : Below limit of Quantification / LOQ : Limit of Quantification

*Kirati
21-03-2022*

Review by



Page No.: 1 of 1

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for Perishable items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.



DOC No. HTH/QF/7.8

HARYANA TEST HOUSE

& Consultancy Services

GOVT. RECOGNISED LABORATORY



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
 Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
 Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/220315003 ULR No. : TC781122100001607F Party's Ref No. : NII
	Booking Date : 15/03/2022 Period of Testing : 15/03/2022 To 21/03/2022 Reporting Date : 21/03/2022

Sample Description : Ambient Air Quality Monitoring

Type of industry	: Paint Industry
Date & time of sampling	: 14/03/2022 (10:00 Hrs) to 15/03/2022 (10:00 Hrs)
Sample Location	: Near Gate-3
Instrument used	: RDS Model APM- 460 (Sr. No. 2494 DTB 2019)
Instrument Calibration Status	: Calibrated (upto 10.04.2022)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our Lab. Representative
A. Observations:	
1. Sampling flow rate (Avg.)	: 1.25 m3/min
2. Total volume of air sampled	: 1800.00 m3
3. Period of sampling	: 24 Hrs

S.N.	Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution					
1	Particulate Matter (PM10)	µg/m³	84.56	100 max	IS 5182 (Part-23) : 2006 : RA: 2017
2	Particulate Matter (PM 2.5)	µg/m³	42.08	60 max	IS 5182 (Part-24) : 2019
3	Sulphur Dioxide (SO₂)	µg/m³	19.88	80 max	IS 5182 (Part-2) : 2001 : RA: 2017
4	Nitrogen Dioxide (NO₂)	µg/m³	36.25	80 max	IS 5182 (Part-6) : 2006 : RA: 2017
5	Ammonia (NH₃)	µg/m³	47.83	400 max	IS 5182 (Part-25) : 2018
6	Ozone (O₃)	µg/m³	22.11	100 max	IS 5182 (Part-9) : 1974 : RA: 2017
7	Carbon Monoxide (CO)	mg/m³	0.802	4 max	IS 5182 (Part-10) : 1999 : RA: 2017
8	Benzene (C₆H₆)	µg/m³	BLQ (LOQ-0.52)	5 max	IS 5182 (Part-11) : 2006 : RA: 2017
9	Benzo - Pyrene (BaP)	ng/m³	BLQ (LOQ-0.1)	1 max	IS 5182 (Part-12) : 2004 : RA: 2019
10	Lead (Pb)	µg/m³	BLQ (LOQ-0.02)	1 max	IS 5182 (Part-22) : 2004 : RA: 2019
11	Nickel (Ni)	ng/m³	BLQ (LOQ-2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12	Arsenic (As)	ng/m³	BLQ (LOQ-1)	6 max	HTH/QF/7.2/2/ICP-01 SOP No 17

End of Report

Remarks : Standard limits are as per CPCB notification Nov. 2009

BLQ : Below limit of Quantification / LOQ : Limit of Quantification

Review by

Kirti
8/1/22



Page No.: 1 of 1

Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for Perishable items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.



HARYANA TEST HOUSE

& Consultancy Services
GOVT. RECOGNISED LABORATORY



DOC No. HTH/QF7.8

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net

Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To:	Report No. : HTH/EP/220326001
Asian Paint Ltd	ULR No. : TC781122100001823F
Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Party's Ref No. : Nil
	Booking Date : 26/03/2022
	Period of Testing : 26/03/2022To 02/04/2022
	Reporting Date : 02/04/2022

Sample Description : Ambient Air Quality Monitoring

Type of Industry	: Paint Industry
Date & time of sampling	: 25/03/2022 (10:00 Hrs) to 26/03/2022 (10:00 Hrs)
Sample Location	: Near ETP Area
Instrument used	: RDS Model APM- 460 (Sr. No. 2493 DTB 2019)
Instrument Calibration Status	: Calibrated (upto 10.04.2022)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our Lab. Representative
A. Observations:	
1. Sampling flow rate (Avg.)	: 1.26 m3/min
2. Total volume of air sampled	: 1807.20 m3
3. Period of sampling	: 24 Hrs

S.N.	Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution					
1	Particulate Matter (PM10)	µg/m³	82.95	100 max	IS 5182 (Part-23) : 2006 : RA: 2017
2	Particulate Matter (PM 2.5)	µg/m³	40.95	60 max	IS 5182 (Part-24) : 2019
3	Sulphur Dioxide (SO₂)	µg/m³	16.53	80 max	IS 5182 (Part-2) : 2001 : RA: 2017
4	Nitrogen Dioxide (NO₂)	µg/m³	34.64	80 max	IS 5182 (Part-6) : 2006 : RA: 2017
5	Ammonia (NH₃)	µg/m³	43.06	400 max	IS 5182 (Part-25) : 2018
6	Ozone (O₃)	µg/m³	22.11	100 max	IS 5182 (Part-9) : 1974 : RA: 2017
7	Carbon Monoxide (CO)	mg/m³	0.573	4 max	IS 5182 (Part-10) : 1999 : RA: 2017
8	Benzene (C6H6)	µg/m³	BLQ (LOQ-0.52)	5 max	IS 5182 (Part-11) : 2006 : RA: 2017
9	Benzo - Pyrene (BaP)	ng/m³	BLQ (LOQ-0.1)	1 max	IS 5182 (Part-12) : 2004 : RA: 2019
10	Lead (Pb)	µg/m³	BLQ (LOQ-0.02)	1 max	IS 5182 (Part-22) : 2004 : RA: 2019
11	Nickel (Ni)	ng/m³	BLQ (LOQ:2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12	Arsenic (As)	ng/m³	BLQ (LOQ:1)	6 max	HTH/QF/7.2/2/ICP-01 SOP No 17

End of Report

Remarks : Standard limits are as per CPCB notification Nov. 2009


BLQ : Below limit of Quantification / LOQ : Limit of Quantification

Reviewd 02/04/22



- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for perishable items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.

Page No.: 1 of 1



HARYANA TEST HOUSE

& Consultancy Services
GOVT. RECOGNISED LABORATORY



DOC No. HTH/QF/7.8

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousec@gmail.com, info@haryanatesthouse.net



Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/220326002 ULR No. : TC781122100001824F Party's Ref No. : Nil
Sample Description : Ambient Air Quality Monitoring	Booking Date : 26/03/2022 Period of Testing : 26/03/2022 To 02/04/2022 Reporting Date : 02/04/2022

Type of Industry	: Paint Industry
Date & time of sampling	: 25/03/2022 (10:00 Hrs) to 26/03/2022 (10:00 Hrs)
Sample Location	: Near Gate No.2
Instrument used	: RDS Model APM- 460 (Sr. No. 2494 DTB 2019)
Instrument Calibration Status	: Calibrated (upto 10.04.2022)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our Lab. Representative
A. Observations:	
1. Sampling flow rate (Avg.)	: 1.21 m3/min
2. Total volume of air sampled	: 1742.40 m3
3. Period of sampling	: 24 Hrs

S.N.	Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution					
1	Particulate Matter [PM10]	µg/m³	86.20	100 max	IS 5182 (Part-23) : 2006 : RA: 2017
2	Particulate Matter (PM-2.5)	µg/m³	42.50	60 max	IS 5182 (Part-24) : 2019
3	Sulphur Dioxide (SO₂)	µg/m³	18.54	80 max	IS 5182 (Part-2) : 2001 : RA: 2017
4	Nitrogen Dioxide (NO₂)	µg/m³	36.25	80 max	IS 5182 (Part-6) : 2006 : RA: 2017
5	Ammonia (NH₃)	µg/m³	48.37	400 max	IS 5182 (Part-25) : 2018
6	Ozone (O₃)	µg/m³	24.12	100 max	IS 5182 (Part-9) : 1974 : RA: 2017
7	Carbon Monoxide (CO)	mg/m³	0.916	4 max	IS 5182 (Part-10) : 1999 : RA: 2017
8	Benzene (C₆H₆)	µg/m³	BLQ (LOQ-0.52)	5 max	IS 5182 (Part-11) : 2006 : RA: 2017
9	Benzo - Pyrene (BaP)	ng/m³	BLQ (LOQ-0.1)	1 max	IS 5182 (Part-12) : 2004 : RA: 2019
10	Lead (Pb)	µg/m³	BLQ (LOQ-0.02)	1 max	IS 5182 (Part-22) : 2004 : RA: 2019
11	Nickel (Ni)	ng/m³	BLQ (LOQ-2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12	Arsenic (As)	ng/m³	BLQ (LOQ-1)	6 max	HTH/QF/7.2/2/ICP-01 SOP No 17

End of Report

Remarks : Standard limits are as per CPCB notification Nov. 2009

BLQ : Below limit of Quantification / LOQ : Limit of Quantification


Chintan Kapoor
Review by



ML Sharma
Dy. Manager (ENV.)

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
2. This report should not be used in any advertising media without our special permission in writing.
3. Sample will be destroyed after 7 days for Perishable items & 30 days for non-perishable items from the date of issue of test report.
4. The results are related to the test items only.

Page No.: 1 of 1



DOC No. HTH/QF/7.8

HARYANA TEST HOUSE

& Consultancy Services
GOVT. RECOGNISED LABORATORY



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthouseccs@gmail.com, info@haryanatesthouse.net



Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To:	Report No. :	HTH/EP/220330006
Asian Paint Ltd	ULR No. :	TC781122100001902F
Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Party's Ref No. :	NIL
	Booking Date :	30/03/2022
	Period of Testing :	30/03/2022 To 05/04/2022
	Reporting Date :	05/04/2022

Sample Description : Ambient Air Quality Monitoring

Type of Industry	:	Paint Industry
Date & time of sampling	:	29/03/2022 (10:00 Hrs) to 30/03/2022 (10:00 Hrs)
Sample Location	:	Near Gate-2
Instrument used	:	RDS Model APM- 460 (Sr. No. 2493 DTB 2019)
Instrument Calibration Status	:	Calibrated (upto 10.04.2022)
Purpose of analysis	:	Monitoring
Sample collected/ supplied by	:	By our Lab. Representative

A. Observations:


1. Sampling flow rate (Avg.) : 1.20 m³/min
2. Total volume of air sampled : 1728.00 m³
3. Period of sampling : 24 Hrs

S.N.	Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution					
1	Particulate Matter (PM10)	µg/m ³	89.99	100 max	IS 5182 (Part-23) : 2006 : RA: 2017
2	Particulate Matter (PM 2.5)	µg/m ³	46.67	60 max	IS 5182 (Part-24) : 2019
3	Sulphur Dioxide (SO ₂)	µg/m ³	16.45	80 max	IS 5182 (Part-2) : 2001 : RA: 2017
4	Nitrogen Dioxide (NO ₂)	µg/m ³	35.81	80 max	IS 5182 (Part-6) : 2006 : RA: 2017
5	Ammonia (NH ₃)	µg/m ³	45.30	400 max	IS 5182 (Part-25) : 2018
6	Ozone (O ₃)	µg/m ³	22.11	100 max	IS 5182 (Part-9) : 1974 : RA: 2017
7	Carbon Monoxide (CO)	mg/m ³	0.916	4 max	IS 5182 (Part-10) : 1999 : RA: 2017
8	Benzene (C ₆ H ₆)	µg/m ³	BLQ (LOQ:0.52)	5 max	IS 5182 (Part-11) : 2006 : RA: 2017
9	Benzo - Pyrene (BaP)	ng/m ³	BLQ (LOQ:0.1)	1 max	IS 5182 (Part-12) : 2004 : RA: 2019
10	Lead (Pb)	µg/m ³	BLQ (LOQ:0.02)	1 max	IS 5182 (Part-22) : 2004 : RA: 2019
11	Nickel (Ni)	ng/m ³	BLQ (LOQ:2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12	Arsenic (As)	ng/m ³	BLQ (LOQ:1)	6 max	HTH/QF/7.2/2/ICP-01 SOP No 17

End of Report

Remarks : Standard limits are as per CPCB notification Nov. 2009

BLQ : Below limit of Quantification / LOQ : Limit of Quantification



Review by



Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for Perishable items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.

Page No.: 1 of 1



DOC No. HTH/QF/7.8

HARYANA TEST HOUSE

& Consultancy Services

GOVT. RECOGNISED LABORATORY



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
 Contact : (Off.) 86077-70160, 0180-3510205 (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
 Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



Recognition / Approval : MoEF / FSSAI / BIS / ISO 9001, 14001, 45001 Certified Lab.

TEST REPORT

Issued To:	Report No. : HTH/EP/220330007
Asian Paint Ltd	ULR No. : TC781122100001903F
Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Party's Ref No. : Nil
	Booking Date : 30/03/2022
	Period of Testing : 30/03/2022To 05/04/2022
	Reporting Date : 05/04/2022

Sample Description : Ambient Air Quality Monitoring

Type of Industry	: Paint Industry
Date & time of sampling	: 29/03/2022 (10:00 Hrs) to 30/03/2022 (10:00 Hrs)
Sample Location	: Near Gate-3
Instrument used	: RDS Model APM- 460 (Sr. No. 2494 DTB 2019)
Instrument Calibration Status	: Calibrated (upto 10.04.2022)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our Lab. Representative
A. Observations:	
1. Sampling flow rate (Avg.)	: 1.26 m ³ /min
2. Total volume of air sampled	: 1814.40 m ³
3. Period of sampling	: 24 Hrs

S.N. Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution				
1 Particulate Matter (PM10)	µg/m ³	84.44	100 max	IS 5182 (Part-23) : 2006 : RA: 2017
2 Particulate Matter (PM 2.5)	µg/m ³	42.50	60 max	IS 5182 (Part-24) : 2019
3 Sulphur Dioxide (SO ₂)	µg/m ³	18.45	80 max	IS 5182 (Part-2) : 2001 : RA: 2017
4 Nitrogen Dioxide (NO ₂)	µg/m ³	36.52	80 max	IS 5182 (Part-6) : 2006 : RA: 2017
5 Ammonia (NH ₃)	µg/m ³	44.77	400 max	IS 5182 (Part-25) : 2018
6 Ozone (O ₃)	µg/m ³	21.31	100 max	IS 5182 (Part-9) : 1974 : RA: 2017
7 Carbon Monoxide (CO)	mg/m ³	0.687	4 max	IS 5182 (Part-10) : 1999 : RA: 2017
8 Benzene (C ₆ H ₆)	µg/m ³	BLQ (LOQ:0.52)	5 max	IS 5182 (Part-11) : 2006 : RA: 2017
9 Benzo - Pyrene (BaP)	ng/m ³	BLQ (LOQ:0.1)	1 max	IS 5182 (Part-12) : 2004 : RA: 2019
10 Lead (Pb)	µg/m ³	BLQ (LOQ:0.02)	1 max	IS 5182 (Part-22) : 2004 : RA: 2019
11 Nickel (Ni)	ng/m ³	BLQ (LOQ:2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12 Arsenic (As)	ng/m ³	BLQ (LOQ:1)	6 max	HTH/QF/7.2/2/ICP-01 SOP No 17

End of Report

Remarks : Standard limits are as per CPCB notification Nov. 2009

BLQ : Below limit of Quantification / LOQ : Limit of Quantification

[Signature]
Review by



Dy. Manager (ENV.)

Page No.: 1 of 1

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after 7 days for Perishable items & 30 days for non-perishable items from the date of issue of test report.
 4. The results are related to the test items only.

Interstellar Testing Centre Pvt. Ltd.



Test Report

Document QF : 2501
Page 1 of 5

Issued To Asian Paints Limited Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak Rohtak	Sample Reg. No. :E01-2203251287 Sample Reg. Date :25-03-2022 Report Date :28-03-2022 Report No. :ICE-2203281741 NABL ULR No. :TC59262200005114F Customer Ref. No. :PO Letter Dated :20.05.2021
--	---

Test Report as per :	: Factory Act-1948
General Information :	
Name of Sample	: Work Zone Noise
Date of Monitoring	: 10-03-2022 to 16-03-2022
Time of Monitoring	: 11:00 hrs
Nature of Industry	: Paints Manufacturing
Purpose of Monitoring	: For Self Monitoring

Description	
Description	Noise Monitoring

S.No.	Parameters	Method	Specification	Result
Discipline : Chemical				
Group : Atmospheric Pollution				
1. Location Name				
a.	PMG Crane-2 Front Side, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	64.9
b.	PMG Line No.301, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	60.5
c.	PMG Line No.-331, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	61.5
d.	PMG Reject Line 1-51-10, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	59.6
e.	RMG BLR-1210, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	76.3

Saurabh Sharma
28-03-2022
Reviewer



28-03-2022
PremKumar
[Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.
86, Industrial Area, Phase-1, Panchkula-134109 (Haryana)
Panchkula-134109 (Haryana)
Phone : (O) 0172-2561543, 2565825
Email : customersupport@itclabs.com
Visit us :www.itclabs.com

Disclaimer :

- The report is only for the sample tested.
- Total liability of ITC Labs is limited to the invoiced amount.
- The test report shall not be reproduced except in full without the written approval of the laboratory.
- If samples not consumed during analysis, it will be stored and retain as per company policy.
- Samples not drawn by us unless otherwise stated.
- Test report in full or parts shall not be used for promotional or publicity purposes.
- Legal disputes are subjected to Panchkula Jurisdiction only.



TC - 5926

Test Report

Document QF : 2501
Page 2 of 5

Issued To	Sample Reg. No. :E01-2203251287 Sample Reg. Date :25-03-2022 Report Date :28-03-2022 Report No. :ICE-2203281741 NABL ULR No. :TC592622000005114F Customer Ref. No.:PO Letter Dated :20.05.2021			
Asian Paints Limited Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak Rohtak				

f.	RMG BLR-246, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	77.2
g.	RMG BLR-168, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	77.7
h.	RMG FIBC-C, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	77.5
i.	RMG FIBC-G, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	78.7
j.	Polymer PET-418, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	63.2
k.	Polymer PET-414, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	61.5
l.	Polymer Near URACA Pump, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	61.2
m.	Polymer Reactor-404, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	63.0
n.	ETP Near Blower No.1, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	66.3
o.	ETP Near HP Pump RO Plant, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	68.3
p.	ETP Chemical Storage Rack No.2,Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	62.3
q.	Utility Chiller Area Chiller-R501, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	77.1
r.	Utility Chiller Area Compresso-R503, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	77.5
s.	Utility DG/Boiler Area Boiler-R503,Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	75.4
t.	Utility DG/Boiler Area DG-501,Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	81.3

Saurabh Sharma
28-03-2022
Reviewer



28-03-2022
Prem Kumar
[Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.
86, Industrial Area, Phase-1, Panchkula-134109 (Haryana)
Panchkula-134109 (Haryana)
Phone : (O) 0172-2561543, 2565825
Email : customersupport@itclabs.com
Visit us : www.itclabs.com

Disclaimer :

- The report is only for the sample tested.
- Total liability of ITC Labs is limited to the invoiced amount.
- The test report shall not be reproduced except in full without the written approval of the laboratory.
- If samples not consumed during analysis, it will be stored and retain as per company policy.
- Samples not drawn by us unless otherwise stated.
- Test report in full or parts shall not be used for promotional or publicity purposes.
- Legal disputes are subjected to Panchkula Jurisdiction only.

Interstellar Testing Centre Pvt. Ltd.



Document QF : 2501
Page 3 of 5

Test Report

Issued To	Sample Reg. No. :E01-2203251287 Sample Reg. Date :25-03-2022 Report Date :28-03-2022 Report No. :ICE-2203281741 NABL ULR No. :TC592622000005114F Customer Ref. No.:PO Letter Dated :20.05.2021
------------------	--

u.	Finished Goods Area ASRS/BCI panel, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	72.9
v.	Finished Goods Area Bridge Profiler PFST-2, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	75.0
w.	Finished Goods Area DAIFUKU U station, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	66.6
x.	Finished Goods Area Empty pallet conveyor near crane-8,Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	62.6
y.	LQC Near VIBRO Shaker, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	65.7
z.	LQC Near printer, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	62.2
aa.	PAL Lab TSD 50 Liters, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	76.3
ab.	EHS Lab Near Oven, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	62.4
ac.	EHS Lab Near BOD Incubator, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	62.8
ad.	RM Lab GC Room Fume Hood, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	72.7
ae.	Instrument Room (Solicitor), Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	82.9
af.	PM QA Drop Test M/C, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	78.8
ag.	ECT M/C, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	60.8
ah.	Centre of Lab, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	48.4
ai.	WBP Block Centre of TSD 107 & 108, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	84.5

Saurabh Sharma
28-03-2022
Reviewer



28-03-2022
PremKumar
[Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.
86, Industrial Area, Phase-1, Panchkula-134109 (Haryana)
Panchkula-134109 (Haryana)
Phone : (O) 0172-2561543, 2565825
Email : customersupport@itclabs.com
Visit us :www.itclabs.com

Disclaimer :

- The report is only for the sample tested.
- Total liability of ITC Labs is limited to the invoiced amount.
- The test report shall not be reproduced except in full without the written approval of the laboratory.
- If samples not consumed during analysis, it will be stored and retain as per company policy.
- Samples not drawn by us unless otherwise stated.
- Test report in full or parts shall not be used for promotional or publicity purposes.
- Legal disputes are subjected to Panchkula Jurisdiction only.



Test Report

Document QF : 2501
Page 4 of 5

Issued To Asian Paints Limited Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak Rohtak	Sample Reg. No. :E01-2203251287 Sample Reg. Date :25-03-2022 Report Date :28-03-2022 Report No. :ICE-2203281741 NABL ULR No. :TC592622000005114P Customer Ref. No.:PO Letter Dated :20.05.2021
--	---

aj.	WBP Block Centre of TSD 105 & 106, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	76.3
ak.	TSD-110, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	73.1
al.	WBP Block TSD-114, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	75.8
am.	WBP Block Centre of Mixer 113 & 114, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	75.3
an.	Packing Area Line-104 Carton maker, Leq dB (A), Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	73.9
ao.	Packing Area Near Centre of line no. 105 & 108 robot area, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	72.6
ap.	Packing Area Line no.111 & 112 filter area, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	72.5
aq.	Packing area Line no.6 Pack Lab, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	73.1
ar.	Packing area Line 113 & 114 pick & place-carton, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	74.1
as.	FPH (Fire pump) RO502 DMF Feed pump, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	76.3
at.	FPH (Fire pump) Hydrant jockey pump, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	82.3
au.	FPH (Fire pump) Main Electrical Pump-1, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	82.5
av.	FPH (Fire pump) DG Pump No.3, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	76.3
aw.	FPH (Fire Pump) Main Electrical Pump-III, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	82.2
ax.	Silo Area, Blower-171, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	83.3

Saurabh Sharma
Saurabh Sharma
28-03-2022
Reviewer



Prem Kumar
Prem Kumar
[Authorized Signatory]

28-03-2022

Disclaimer :

- The report is only for the sample tested.
- Total liability of ITC Labs is limited to the invoiced amount.
- The test report shall not be reproduced except in full without the written approval of the laboratory.
- If samples not consumed during analysis, it will be stored and retain as per company policy.
- Samples not drawn by us unless otherwise stated.
- Test report in full or parts shall not be used for promotional or publicity purposes.
- Legal disputes are subjected to Panchkula Jurisdiction only.



Document QF : 2501
Page 5 of 5

Test Report

Issued To	Sample Reg. No. :E01-2203251287 Sample Reg. Date :25-03-2022 Report Date :28-03-2022 Report No. :ICE-2203281741 NABL ULR No. :TC592622000005114F Customer Ref. No.:PO Letter Dated :20.05.2021
------------------	--

ay.	Silo Area, Blower-1223, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	83.0
az.	Silo Area, Blower-175, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	82.6
ba.	Silo Area, Blower - 105, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	78.7
bb.	Silo Area, Blower-1229, Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 90.0	82.6

"#" represents Customer Defined Fields

NOTE : NA- Not Applicable, Requirements as per Factory Act-1948, Sampling Procedure : SOP/ITC/EW/056. Day Time - 06 :00 Hrs To 22 :00 Hrs, Night Time - 22 :00 Hrs To 06 :00 Hrs

REMARKS : N/A

*****End Of Report*****

Saurabh
Saurabh Sharma
28-03-2022
Reviewer



Prem Kumar
28-03-2022
Prem Kumar
[Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.
86, Industrial Area, Phase-1, Panchkula-134109 (Haryana)
Panchkula-134109 (Haryana)
Phone : (O) 0172-2561543, 2565825
Email : customersupport@itclabs.com
Visit us : www.itclabs.com

Disclaimer :

- The report is only for the sample tested.
- Total liability of ITC Labs is limited to the invoiced amount.
- The test report shall not be reproduced except in full without the written approval of the laboratory.
- If samples not consumed during analysis, it will be stored and retain as per company policy.
- Samples not drawn by us unless otherwise stated.
- Test report in full or parts shall not be used for promotional or publicity purposes.
- Legal disputes are subjected to Panchkula Jurisdiction only.

Annexure -V



Test Report

Document QF : 2501
Page 1 of 3

Issued To	Sample Reg. No. :E01-2111301313 Sample Reg. Date :30-11-2021 Report Date :03-12-2021 Report No. :ICE-2112030088 NABL ULR No. :TC592621000014352F Customer Ref. No.:PO Letter Dated :20.05.2021
------------------	--

Test Report as per :	: EPA Act 1986/PCLS/2010
General Information :	
Name of Sample	: Ambient Noise
Date of Monitoring	: 23-11-2021
Time of Monitoring	: Day & Night
Nature of Industry	: Paints
Purpose of Monitoring	: For Self Monitoring

Description				
S.No.	Parameters	Method	Specification	Result
Discipline : Chemical				
Group : Atmospheric Pollution				
1. Location Name				
a.	Near Gate No.3 (Day Time), Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 75.0	63.3
b.	Near Gate No.3 (Night Time), Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 70.0	54.7
c.	Near Gate No.1 (Day Time), Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 75.0	57.3
d.	Near Gate No.1 (Night Time), Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 70.0	48.2
e.	Gate No.2 Area (Day Time), Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 75.0	58.7
f.	Gate No.2 Area (Night Time), Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 70.0	46.1
g.	Engineering Store (Day Time), Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 75.0	53.9


Saurabh Sharma
03-12-2021
Reviewer




03-12-2021
Prem Kumar
[Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.
86, Industrial Area, Phase-1, Panchkula-134109 (Haryana)
Panchkula-134109 (Haryana)
Phone : (O) 0172-2561543, 2565825
Email : customersupport@itclabs.com
Visit us : www.itclabs.com

Disclaimer :

- The report is only for the sample tested.
- Total liability of ITC Labs is limited to the invoiced amount.
- The test report shall not be reproduced except in full without the written approval of the laboratory.
- If samples not consumed during analysis, it will be stored and retain as per company policy.
- Samples not drawn by us unless otherwise stated.
- Test report in full or parts shall not be used for promotional or publicity purposes.
- Legal disputes are subjected to Panchkula Jurisdiction only.

Test Report

Document QF : 2501
Page 2 of 3

Issued To	Sample Reg. No. :E01-2111301313 Sample Reg. Date :30-11-2021 Report Date :03-12-2021 Report No. :ICE-2112030088 NABL ULR No. :TC592621000014352F Customer Ref. No.:PO Letter Dated :20.05.2021
------------------	--

h.	Engineering Store (Night Time), Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 70.0	47.3
i.	RMG Park (Day Time), Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 75.0	59.7
j.	RMG Park (Night Time), Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 70.0	53.4
k.	FPH Back (Day Time), Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 75.0	58.1
l.	FPH Back (Night Time), Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 70.0	55.8
m.	PMG Back (Day Time), Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 75.0	58.5
n.	PMG Back (Night Time), Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 70.0	53.4
o.	ETP Watch Tower (Day Time), Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 75.0	52.6
p.	ETP Watch Tower (Night Time), Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 70.0	50.7
q.	Storm Water Tank (Day Time), Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 75.0	46.4
r.	Storm Water Tank (Night Time), Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 70.0	42.8
s.	Green Belt Area-1 (Day Time), Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 75.0	50.6
t.	Green Belt Area-1 (Night Time), Leq dB (A)	IS: 9989 (Reaffirmed 2014)	Max. 70.0	41.9

represents Customer Defined Fields

NOTE : NA- Not Applicable, Requirements as per EPA Act 1986/PCLS/2010, Sampling Procedure : SOP/ITC/EW/056. Day Time - 06 :00 Hrs To 22 :00 Hrs, Night Time - 22 :00 Hrs To 06 :00 Hrs

REMARKS : N/A

Saurabh Sharma
03-12-2021
Reviewer




03-12-2021
PremKumar
[Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.
86, Industrial Area, Phase-1, Panchkula-134109 (Haryana)
Panchkula-134109 (Haryana)
Phone : (O) 0172-2561543, 2565825
Email : customersupport@itclabs.com
Visit us :www.itclabs.com

Disclaimer :

- The report is only for the sample tested.
- Total liability of ITC Labs is limited to the invoiced amount.
- The test report shall not be reproduced except in full without the written approval of the laboratory.
- If samples not consumed during analysis, it will be stored and retain as per company policy.
- Samples not drawn by us unless otherwise stated.
- Test report in full or parts shall not be used for promotional or publicity purposes.
- Legal disputes are subjected to Panchkula Jurisdiction only.

Test Report

Document QF : 2501
Page 3 of 3

Issued To	Sample Reg. No. :E01-2111301313
Asian Paints Limited Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak Rohtak	Sample Reg. Date :30-11-2021
	Report Date :03-12-2021
	Report No. :ICE-2112030088
	NABL ULR No. :TC592621000014352F
	Customer Ref. No.:PO
	Letter Dated :20.05.2021

*****End Of Report*****



Saurabh Sharma
03-12-2021
Reviewer



03-12-2021
Prem Kumar
[Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.
86, Industrial Area, Phase-1, Panchkula-134109 (Haryana)
Panchkula-134109 (Haryana)
Phone : (O) 0172-2561543, 2565825
Email : customersupport@itclabs.com
Visit us :www.itclabs.com

Disclaimer :

- The report is only for the sample tested.
- Total liability of ITC Labs is limited to the invoiced amount.
- The test report shall not be reproduced except in full without the written approval of the laboratory.
- If samples not consumed during analysis, it will be stored and retain as per company policy.
- Samples not drawn by us unless otherwise stated.
- Test report in full or parts shall not be used for promotional or publicity purposes.
- Legal disputes are subjected to Panchkula Jurisdiction only.